

We Argue to Agree: Towards Personality-Driven Argumentation-Based Negotiation Dialogue Systems for Tourism

Priyanshu Priya, Saurav Dudhate*, Desai Vishesh Yasheshbhai*, Asif Ekbal

Department of Computer Science and Engineering, Indian Institute of Technology Patna, India
{priyanshu_2021cs26, saurav_2001cs62, desai_2211ai07, asif}@iitp.ac.in

Abstract

Integrating argumentation mechanisms into negotiation dialogue systems improves conflict resolution through exchanges of arguments and critiques. Moreover, incorporating personality attributes enhances adaptability by aligning interactions with individuals' preferences and styles. To advance these capabilities in negotiation dialogue systems, we propose a novel Personality-driven Argumentation-based Negotiation Dialogue Generation (PAN-DG) task. To support this task, we introduce **PACT**, a dataset of Personality-driven Argumentation-based negotiation Conversations for Tourism sector. This dataset, generated using Large Language Models (LLMs), features three distinct personality profiles, *viz.* *Argumentation Profile*, *Preference Profile*, and *Buying Style Profile* to simulate a variety of negotiation scenarios involving diverse personalities. Thorough automatic and manual evaluations indicate that the dataset comprises high-quality dialogues. Further, we conduct comparative experiments between pre-trained and fine-tuned LLMs for the PAN-DG task. Multi-dimensional evaluation demonstrates that the fine-tuned LLMs effectively generate personality-driven rational responses during negotiations. This underscores the effectiveness of **PACT** in enhancing personalization and reasoning capabilities in negotiation dialogue systems, thereby establishing a foundation for future research in this domain¹.

1 Introduction

The rapid growth of the tourism industry (WTTC, 2024) demands advanced negotiation dialogue systems to streamline trip booking and enhance traveler experiences. A key challenge lies in effective planning and decision-making, where LLM-based agents can contribute significantly. Unlike simple

*Equal contribution

¹Resources can be accessed at <https://www.iitp.ac.in/~ai-nlp-ml/resources.html>; <https://github.com/priyanshu-profile/PACT/>.




Figure 1: A conversation snippet showing how personality-driven, argumentation-based negotiation aligns with user preferences and employs ABN-specific act *justify-price* to improve the negotiation outcome.

transactional tasks, tourism negotiations involve diverse user preferences, conflicting constraints, and planning across interdependent variables (e.g., price, accommodation, destination), areas where current LLMs often fall short (Valmееkam et al., 2023; Gundawar et al., 2024). Argumentation-Based Negotiation (ABN) (Rahwan et al., 2003; Karunatillake, 2006) addresses these complexities by enabling the exchange of meta-information like justifications and persuasive arguments (Dimopoulos and Moraitis, 2014). The tourism domain, with its complex and personalized decisions, serves as an ideal testbed for evaluating LLMs and ABN's effectiveness in achieving collaborative outcomes. A robust ABN dialogue system for tourism enriches insights into the negotiating parties' perspectives, ultimately fostering a more informed, transparent, and collaborative dialogue.

Personality is a crucial determinant in shaping negotiation outcomes as it significantly influences actions and behaviors of the negotiating parties (Sharma et al., 2013). Integrating personality information into ABN systems further amplifies their

potential to secure collaborative outcomes by tailoring arguments and justifications to align with the personal values and negotiation styles of the parties involved, thereby fostering mutual understanding and agreement. Such personality-driven collaborative ABN dialogues enable smoother, more engaging, and highly personalized interactions, which are essential for maintaining a positive negotiating environment. For instance, as illustrated in Figure 1, a generic response lacks both personalization and justification, thus can lead to traveler dissatisfaction and potential negotiation failure. Personality-driven responses reflect traveler preferences but lack persuasive support, while ABN-specific responses provide justification but remain impersonal. In contrast, personality-driven ABN-specific responses integrate both personalization and persuasive reasoning (justify-price), leading to more engaging and effective negotiations.

Motivated by these considerations, we introduce a novel **Personality-driven Argumentation-based Negotiation Dialogue Generation (PAN-DG)** task aimed at generating negotiation dialogues tailored to individuals’ personalities while integrating authoritative argumentation techniques for personalized, rational, and collaborative negotiation outcomes. The PAN-DG task is structured to reflect real-life personalized negotiation scenarios and is divided into three core sub-tasks: (i) *Personality Recognition*, (ii) *Dialog Act Prediction*, and (iii) *Response Generation*. These sub-tasks collectively address key phases of negotiation, from identifying negotiators’ personalities, predicting next dialog act, to generating responses that align with these personalities and dialog acts.

To support the PAN-DG task, we present a novel dataset of **Personality-driven Argumentation-based Negotiation Conversations for Tourism**, named **PACT**. Recognizing the labor and time-intensive nature of manually creating high-quality personalized conversational datasets (Zhang et al., 2018; Zhong et al., 2020; Wu et al., 2020; Jang et al., 2022), **PACT** is automatically generated using LLMs, with human oversight through a three-stage pipeline: (1) **PACT Generation**, where the LLM Gemini-1.5 (Team et al., 2023) is prompted to generate negotiation dialogues tailored to diverse personalities. Considering the multifaceted nature of individual’s personality (Bayram and Aydemir, 2017), this work delineates three distinct categories of personality profiles: *Argumentation Profile* that elucidates how individuals negotiate and argue, *Preference Profile*

that encapsulates their trip preferences, and *Buying Style Profile* that characterizes their purchasing behaviors; (2) **PACT Filtering**, which employs a GPT-4-based (OpenAI, 2024) mixture-of-experts approach to ensure high-quality dialogues; and (3) **PACT Quality Assessment**, involving automated and manual evaluations to assess the dialogue quality. This pipeline results in a first-of-its-kind dataset, comprising 8K+ personality-driven argumentation-based negotiation dialogues for tourism.

Using this dataset, we conduct comprehensive comparative experiments involving pre-trained and fine-tuned LLMs for aforementioned sub-tasks, establishing strong baselines for future investigation. Our dataset construction approach and task methodology are readily extensible to various LLMs, tasks, languages, and domains, offering a valuable tool for addressing challenges in data synthesis, eventually facilitating the development of more robust and scalable ABN dialogue systems.

In summary, our contributions are: (i) Introduce a novel personality-driven argumentation-based negotiation dialogue generation task to generate dialogues aligned with negotiators’ distinct personalities; (ii) Develop an efficient multi-stage dataset generation pipeline using LLMs with human supervision to automate dataset creation; (iii) Curate a new dataset, **PACT**, comprising 8K+ personality-driven argumentation-based negotiation conversations focused on tourism domain; (iv) Define a rich set of three personality profiles: *Argumentation Profile*, *Preference Profile*, and *Buying Style Profile*, capturing diverse negotiation behaviors; (v) Establish strong LLM-based baselines for three sub-tasks: personality recognition, dialog act prediction, and response generation, emulating real-life personalized negotiation scenarios.

2 Related Work

Negotiation Dialogue Systems. In recent years, negotiation dialogue systems have garnered significant attention (Zhan et al., 2024; Priya et al., 2025). Early studies focused on strategic modeling to facilitate negotiation (Lewis et al., 2017) and used dialogue acts to track negotiators’ behavior (He et al., 2018). Strategic negotiation frameworks have also been applied to specific scenarios, including campsite item negotiations (Chawla et al., 2021a), job offers (Yamaguchi et al., 2021), and electronic items (Ahmad et al., 2023). Lately, LLMs have been employed in negotiation tasks,

enabling more sophisticated strategies and interactions. Balloon price negotiations were explored using LLM-based agents (Fu et al., 2023), and a plug-and-play policy planner was introduced to optimize strategy formulation in LLMs (Deng et al., 2023). Strategic reasoning has also been enhanced through chain-of-thought (CoT) prompting (Gandhi et al., 2023), which also demonstrated success in facilitating multi-agent agreements during interactive games (Abdelnabi et al., 2023).

While these studies primarily model negotiation through the lens of game theory and action selection (Nash Jr, 1950; Baarslag et al., 2013), our research takes a novel approach by adopting an argumentation-based framework for collaborative negotiation within the tourism domain. To our knowledge, this work pioneers the exploration of argumentation-based negotiation dialogue systems.

Personality-driven Dialogue Generation. Personalization is critical in enhancing the effectiveness of dialogue systems (Weston et al., 2018; Zheng et al., 2019, 2020). Early research focused on utilizing user profiles to generate tailored responses across various applications like chit-chat (Firdaus et al., 2022), persuasive communication (Tiwari et al., 2023), therapy (Mishra et al., 2023), and healthcare (Dou et al., 2023; Liu et al., 2024). However, research on personalization in negotiation dialogues is relatively sparse. Drawing on psychological evidence that personality (Sharma et al., 2013) significantly influences negotiation dynamics, researchers estimated opponents' personalities to improve negotiation outcomes (Zhang et al., 2020; Yang et al., 2020) and proposed ranking their preferences to achieve successful negotiations (Chawla et al., 2022). Priya et al. (2024) leverages travel persona information to generate personalized responses during negotiation. Other research provided empirical insights into strategic impact of Big-Five personality traits on negotiation outcomes (Huang and Hadfi, 2024; Noh and Chang, 2024). Strategic planning in negotiations has been improved by incorporating diverse simulators and integrating psychological factors, such as Big-Five personality traits, and decision-making styles, leading to a deeper understanding of human-like negotiation dynamics (Zhang et al., 2024).

While existing studies primarily focus on Big-Five personality traits and opponent modeling in negotiation, our research adopts a more comprehensive approach by defining three distinct personality profiles - Argumentation, Preference, and Buy-

ing Style to broaden the application of personality-driven dialogue generation models in negotiation.

Dialogue Generation using LLMs. Recent research highlights the efficacy of LLMs in dialogue generation (Kim et al., 2022; Abdullin et al., 2023; Soudani et al., 2024). Some studies utilized expert-crafted dialogues as in-context examples to guide LLMs in synthesizing social conversations (Abdullin et al., 2023; Chen et al., 2023). However, the manual creation of these dialogues is labor-intensive and can lead to inconsistencies in quality. To mitigate this, other works (Lee et al., 2022; Jandaghi et al., 2023; Han et al., 2024) proposed a framework for generating persona-based chit-chat dialogues without manual intervention. Building on these efforts, we introduce a novel LLM-based multi-stage pipeline that generates personality-driven, argumentation-based negotiation conversations and incorporates a robust filtering process complemented by comprehensive quality assessments to ensure quality dialogues.

3 PACT Dataset Construction Pipeline

To develop the PACT dataset with high-quality personality-driven argumentation-based negotiation conversations for tourism domain, we leverage the advanced capabilities of LLMs and design a dataset construction pipeline with three stages: (1) PACT Generation, (2) PACT Filtering, and (3) PACT Quality Assessment, as shown in Figure 2.

3.1 PACT Generation

The PACT dataset consists of conversations between a travel agent and a traveler, focusing on argumentation-based negotiation (ABN) over tourism package elements such as price, destination, accommodation, etc. These dialogues include offers, justifications, counterarguments, and reasoning to reach mutually beneficial agreements, reflecting realistic negotiation dynamics. The generation process involves four key steps:

Travel Packages Information Collection. We compile a database of travel packages that serves as the foundation for negotiation dialogues. The package information is sourced from websites such as MakeMyTrip, TripAdvisor, and Yatra.com, selected based on popularity, destination types, price ranges, package inclusions, and provider diversity to capture a broad spectrum of traveler preferences. This data is then used to create 10 distinct travel packages, each with a unique name, descrip-




Figure 2: The overall pipeline of PACT dataset construction.

tion, and specifications on amenities, services, and pricing, ensuring that dialogues reflect real-world tourism scenarios. The list of packages can be found in Appendix A.

Negotiators Profile Setting. In real-world negotiation, negotiators exhibit varied personalities that influence their interactions. Experiments show that when a negotiator’s personality profile is absent, LLMs generate dialogues with repetitive themes. To ensure the dialogues reflect distinct personalities and simulate realistic negotiation dynamics, each party is assigned a unique personality. These profiles dictate how they negotiate, respond to offers, and articulate their reasoning.

While the Big-Five Personality Traits framework (Roccas et al., 2002) offers a broad view of human behavior, it lacks the domain-specific granularity and may misrepresent individual differences (Block, 1995), which is required for negotiation in the tourism context. In particular, it does not model domain-dependent factors like tourism preferences, argumentation stances, or purchasing behavior, which are essential for shaping meaningful negotiation in the tourism domain. To model these critical aspects, we introduce three domain- and task-specific profiles that directly influence different facets of negotiation behavior. For both travel agent and traveler, we define an *Argumentation Profile*, and for travelers, we introduce two additional profiles: *Preference Profile* and *Buying Style Profile*. For both travel agent and traveler, we define an *Argumentation Profile*, and for travelers, we introduce two additional profiles: *Preference Profile* and *Buying Style Profile*.

The *Argumentation Profile* defines how a nego-

tiator persuades, accepts, or rejects offers and arguments during negotiation, influencing their stance and responses to opposing views. In our work, we delineate four argumentation profiles based on negotiators’ typologies (Amgoud and Parsons, 2001; Heras et al., 2013): Agreeable (Ag), Disagreeable (Di), Open-minded (Om), and Argumentative (Ar).

During dataset generation, travelers are randomly assigned either an Ag or Di profile, while travel agents receive an Om or Ar profile. This assignment ensures a balanced and realistic negotiation environment by incorporating diverse negotiation behaviors. Travelers may either prioritize ease and cooperation (Ag) or adopt a more selective, value-driven, and uncooperative approach (Di), frequently challenging offers, expressing skepticism, and rejecting proposals unless presented with compelling justifications. In contrast, travel agents can take on a user-centric, flexible role (Om) or adopt a more assertive, aggressive, and profit-driven stance (Ar), actively pushing for higher gains and resisting concessions to maximize their advantage in negotiations. This strategic assignment decouples agent behavior from traveler characteristics, thereby preventing unintended correlations, enhancing dialogue diversity, and the dataset’s applicability across various negotiation scenarios in the tourism domain.

Preference Profile is specific to the tourism domain and delineates travelers’ trip preferences that are critical for understanding their travel behaviors. A trip comprises both essential features like price, destination, accommodation, and meals, as well as supplementary features like shopping areas or monuments. While essential features are rele-

vant to all travelers, their importance may differ across individuals, whereas supplementary features are shaped by personal choices and priorities. To capture unique travel preferences through diverse features, we define ten preference profiles based on the travel personality framework (Park et al., 2010): Culture Creature (CC), Action Agent (AAg), Avid Athlete (AAAt), Thrill Seeker (TS), Trail Trekker (TT), Escapist (E), Shopping Shark (SSh), Boater (B), Sight Seeker (SSe), Beach Lover (BL). *Buying Style Profile* outlines travelers’ purchasing behaviors and motivations, influencing their engagement with agents and decision-making during negotiations. We identify three buying style profiles based on the user’s purchasing behavior (Oumayma and Ez-Zohra, 2023): Quality-concerned (QC), Budget-concerned (BC), and Budget-&Quality-concerned (B&QC). Descriptions of these argumentation, preference, and buying style profiles can be found in Appendix B.

Conversation Flow Generation. The generation of conversation flows is a multi-step process designed to capture complex dynamics of personality-driven ABN. It includes ABN-specific dialog acts formulation and ABN pathway encoding.

ABN-specific Dialog Acts Formulation. ABN conversations necessitate careful formulation of dialogue acts addressing the intricacies of argumentation, persuasion, and structured reasoning integral to negotiation. To effectively capture these nuances and represent the interactive dynamics between traveler and agent for developing a robust ABN dialogue system, we devise a set of 23 ABN-specific dialogue acts categorized into three types: (i) negotiation dialog acts, (ii) argumentation dialog acts, and (iii) general dialog acts.

Negotiation dialogue acts capture the transactional dynamics in proposing, modifying, or accepting deal terms, including offers, counteroffers, and concessions related to price, features, or services. These acts include Negotiate-price-increase, Negotiate-price-decrease, Negotiate-price-nochange, Negotiate-add-X, and Negotiate-remove-X. Argumentation dialogue acts address reasoning, persuasion, and justifications when negotiators present arguments to support proposals or counter opposing views, aiming to convince each other. These acts include Concern-price, Disagree-price, Justify-price, Assurance-price, Disagree-X, Justify-X, and Assurance-X. General dialogue acts encompass broader interactions, such as greetings, questioning, clarifications, and so on to facili-

tate smooth communication. These include Greet-Ask, Inform, Elicit-preference, Ask-price, Tell-price, Ask-clarification-X, Provide-clarification-X, Provide-consent, Consent-response, Accept, and Acknowledge-acceptance. Descriptions of these dialogue acts can be found in Appendix C.

ABN Pathway Encoding. It involves systematically generating a structured sequence of dialog acts to simulate a rational and coherent negotiation pathway between a traveler and a travel agent. This process begins with the simulation of the traveler’s behavior, where their preference, buying style, and argumentation profiles are randomly selected to reflect diverse negotiation scenarios. A probability distribution over amenities determines the likelihood that the traveler accepts or rejects specific proposals, while their budget and tolerance limits are modeled using a normal distribution. These parameters define the initial constraints of the traveler and adapt dynamically based on the decisions made during the negotiation. Together, the agent’s behavior is simulated by defining its argumentation profile, which is influenced by the traveler’s preferences and budget. The agent initially assumes a uniform probability distribution for traveler’s preferences and refines it based on their responses, allowing dynamic adjustments to align with traveler’s preferences, such as adding or removing amenities.

To illustrate the flow, consider a typical negotiation. The conversation begins with the agent executing a ‘Greet-Ask’ act to welcome the traveler and inquire about their preferences. The traveler responds with an ‘Elicit-preference’ act to articulate their preferences. Subsequently, the agent uses the ‘Inform’ act to propose a package detailing amenities, services, and costs. If the traveler raises concerns about the price (‘Concern-price’) or disagrees with the offer (‘Disagree-price’), the agent may justify its proposal (‘Justify-price’) or make concessions (‘Negotiate-price-decrease’). When necessary, the conversation transitions to an argumentation or negotiation phase, where both parties present counter-offers or arguments to reach mutually beneficial agreement. The negotiation concludes when an agreement is reached or the predefined turn limit is exhausted, marked by the agent’s execution of an ‘Accept’ act. The generation of these conversation flows ensure that conversations adhere to rational progressions, closely aligning with real-world negotiation patterns. Besides, this approach facilitates scalability by enabling the adaptation of conversation flows across

linguistic styles while also allowing detailed simulations of agent and traveler behaviors, effectively capturing diverse negotiation scenarios.

To further ensure rationality, this module employs specific constraints to maintain focus during negotiation. First, it monitors negotiation specifics on the ongoing deal for each travel package, including the agent’s minimum and current prices, traveler’s proposed price, and tolerance limit (ϕ). Second, to promote mutually beneficial outcomes, price negotiations are capped at a predefined number of conversational turns. When this limit is reached, the conversation shifts to negotiation phase with acts like ‘Negotiate-add-X’ or ‘Negotiate-remove-X’. If the traveler is dissatisfied or needs further discussion on the price, the conversation enters the argumentation phase. This phase is also limited to a specified number of turns based on the argumentative profiles of both parties to keep the dialogue focused and prevent excessive prolongation of negotiation process.

Third, to determine pricing in subsequent turns, we adopt a strategy that assumes a gradual reduction in price disparity, with increments for traveler and decrements for agent across turns following Faratin et al. (1998). The equations governing price adjustment between traveler (\mathcal{P}_t) and agent (\mathcal{P}_a) are: $\mathcal{P}_{a_k} = \mathcal{P}_{t_{k-1}} + (\mathcal{P}_{a_{k-1}} - \mathcal{P}_{t_{k-1}})e^{-ck}$ and $\mathcal{P}_{t_k} = \mathcal{P}_{a_{k-1}} + (\mathcal{P}_{a_{k-1}} - \mathcal{P}_{t_{k-1}})e^{-ck}$, where c is a constant regulating the rate of price adjustments between conversational turns. A higher c indicates a more aggressive concession strategy, while a lower c denotes a conservative approach to price changes by the agent. In our approach, the agent is assigned a higher c to reflect its flexibility in adjusting prices, whereas the traveler is given a lower c to signify a stronger adherence to budget constraints. The value of c for the agent is also contingent upon the initial price difference between two parties; specifically, in low-budget scenarios characterized by a significant price gap, a higher c is adopted, whereas, in high-budget situations with a narrower gap, a lower c is applied (c.f. Table 7 in appendix). Throughout negotiation, agent will execute an ‘Accept’ dialog act if traveler’s proposed price is $\leq (\mathcal{P}_{a_k} - \phi * \mathcal{P}_{a_k})$, signaling the conclusion of negotiation.

Conversation Generation via Prompting.

Once the conversation flow is generated, the Gemini-1.5-Flash model (A preliminary analysis for LLM selection is given in Appendix D) is prompted in a one-shot setting to generate conversations. Each prompt consists of a task overview and

an utterance corresponding to the intended dialog act. Task overview clarifies scenario and goal of dialog act. The utterance corresponding to dialog act is manually generated based on task overview. Conversation generation flow chart, sample prompts, and example conversation are provided in Figure 4, Table 14, Table 15, respectively, in appendix.

3.2 PACT Filtering

A thorough examination of the PACT dataset reveals four distinct categories of erroneous conversations: (1) Empty utterances; (2) Repetitive utterances; (3) Insufficient interaction rounds; (4) Insufficient dialog act annotations; and (5) Improper conversation opening/closing. To enhance the dataset quality, we remove these undesirable conversations. Besides this initial post-processing, we implement a filtering mechanism to eliminate conversations that do not adhere to specified prompt conditions. Given the cumbersome nature of manual filtering, we capitalize on the evaluative capabilities of GPT-4 (Liu et al., 2023). Specifically, we design a filtering pipeline for the PACT dataset, employing a mixture-of-experts approach based on GPT-4 (OpenAI, 2024) to assess the multifaceted nature of the generated conversations. We devise five experts, each evaluating different facets of the conversation: (i) General Conversation Quality Expert (GCQE) to assess dialogue quality, including Coherence, Consistency, Diversity, Topic Depth, Understanding, Flexibility, and Likeability using Fine-Grained Evaluation of Dialog (FED) metrics (Mehri and Eskenazi, 2020); (ii) Personality Consistency Expert (PCE) to evaluate the alignment of generated conversation with the traveler’s and travel agent’s personalities; (iii) Negotiation Efficacy Expert (NEE) to evaluate the effectiveness of negotiation between traveler and travel agent to ensure a win-win scenario; (iv) Argumentation Efficacy Expert (AEE) to evaluate the ability of negotiating parties to manage arguments and present persuasive rationale to achieve mutually beneficial outcomes; and (v) Toxicity Expert (TE) to detect harmful, biased, or offensive conversations.

These experts are implemented by prompting GPT-4 in a zero-shot setting to rate the conversations on a 1-3 scale (1: No, 2: Somewhat, 3: Yes) except for Consistency, using a 0-1 scale (0: Consistent, 1: Inconsistent). Each rating is accompanied by an explanation to incite the rationale behind the assessment. The prompt templates for expert evaluation are furnished in Table 12 and Table 13 in

appendix. The conversations that obtain a score of ‘3’ from all experts and ‘1’ from the Consistency and Toxicity experts are retained. Any conversation failing at any expert evaluation step is discarded from the dataset.

3.3 PACT Quality Assessment

Automatic Assessment. Given that dialogues are generated through prompting the LLM, a significant concern arises regarding the limited lexical and semantic diversity of the synthetically generated conversations. To address this, we evaluate lexical diversity (differences in word choice) using the BLEU-1/2 (B-1/2) (Papineni et al., 2002), METEOR (MET) (Banerjee and Lavie, 2005), ROUGE-L (R-L) (Lin, 2004), DISTINCT-1/2 (D-1/2) (Li et al., 2015) and Self-BLEU-1/2 (SB-1/2) (Zhu et al., 2018) metrics following (Wang et al., 2021; Chen et al., 2023). As reported in Table 1, the generated conversations yield low scores for B-1/2, MET, R-L, and SB-1/2 coupled with high D-1/2 scores. These findings demonstrate that dialogue utterances exhibit substantial lexical diversity.

Recognizing that utterances containing similar words may convey different meanings, while those using different words can express similar meanings (Yarats and Lewis, 2018), we also assess semantic diversity (diversity of the content) through the Sem-Ent (Han et al., 2022) metric. As shown in Table 1, the high Sem-Ent score suggests that dialogues maintain significant semantic diversity, reflecting varied and contextually appropriate meanings across utterances.

For evaluating the quality of text generated by LLMs, we employ FED (Mehri and Eskenazi, 2020) and G-Eval (Liu et al., 2023) metrics to assess the quality of dialogues generated by the LLM. FED and G-Eval evaluate dialogues across 18 and 4 aspects, respectively. The list of evaluated aspects for FED and G-Eval are furnished in Appendix E. We compute the average across all evaluated aspects to constitute the final ‘FED Score’ and ‘G-Eval Score’. The result presented in Table 1 reveal high FED and G-Eval scores, indicating that the generated conversations mimic key aspects of human-to-human interactions, further validating their richness and naturalness.

Manual Assessment. We conduct a thorough manual assessment of the filtered conversations to evaluate their quality based on the following criteria: Personality Relevance (PR), Bargaining Efficacy (BE), Outcome Fairness (OF), Engagingness (E),

Criteria	B-1/2	MET	R-L	D-1/2	SB-1/2	Sem-Ent	FED Score	G-Eval Score
Value	0.14/0.06 (0.02/0.01)	0.14 (0.02)	0.16 (0.02)	0.42/0.80 (0.07/0.06)	0.07/0.05 (0.08/0.10)	0.85 (0.02)	4.08 (4.56)	3.76 (1.23)

Table 1: Result of automatic assessment of PACT. Values are averaged across dialogues (standard deviation in parentheses).


Coherence (C), Humanness (H), and Fluency (F). The assessment is conducted by four human evaluators who rate 864 randomly selected conversations on a scale of 1-4 (low to high), adhering to the specified guidelines. Appendix E outlines assessment guidelines, criteria, and the expertise of the evaluators. The results, presented in Table 2, indicate that the generated conversations exhibit high levels of personality relevance, effective bargaining, and fairness in negotiation outcomes, while consistently being rated as interesting, coherent, human-like, and natural, underscoring the overall high quality of the negotiation interactions. We measure the inter-evaluator agreement using Fleiss Kappa (κ) (Fleiss, 1971). The κ scores in range of $0.4 < \kappa < 0.7$ for all criteria indicate fair agreement among evaluators (McHugh, 2012). We provide further dataset analysis in Appendix F.

Criteria	PR	BE	OF	E	C	H	F
Value	3.62	3.48	3.14	3.75	3.22	3.07	3.79
κ	0.413	0.458	0.561	0.698	0.578	0.687	0.589

Table 2: Manual assessment results of PACT.

3.4 Dataset Distribution

Table 3 presents statistics for the PACT dataset. It comprises 8,687 conversations, averaging 21.43 turns per conversation with length of conversations varying from 8 to 24 turns. The dataset contains 11,522,261 tokens, averaging 61.87 tokens per turn, indicating sufficiently long conversations with extended turn lengths, contributing to complex interactions. Also, it exhibits rich lexical diversity, featuring 116,974 unique words and 545,804 unique bigrams. Figure 3 shows the distribution of conversations across different personality profiles. The usage frequency and proportions of each dialog act are summarized in Table 4. All personality profiles and dialogue acts occur in sufficient frequency, thereby ensuring a comprehensive representation of realistic conversational scenarios and demonstrating their effective utilization in the dialogue generation process. Incorporating various ABN-specific dialog acts enhances dialogue diversity and better mirrors real-life interactions. Overall, our dataset



(a) Preference profile distribution. (b) Argumentation profile distribution. (c) Buying style profile distribution.

Figure 3: Distribution of conversations across different profile types.

offers rich negotiation scenarios and diverse dialog acts, making it a valuable resource for advancing ABN dialogue systems. A descriptive analysis of the dataset, including (1) Diversity and Coverage Analysis, (2) Filtered Dialogue Analysis, and (3) Comparison with Existing Datasets, is given in Appendix F.

Metrics	Value	Metrics	Value
# Conversations	8,687	# Tokens	11,522,261
# Turns	186,241	Avg. tokens/turn	61.87
Avg. turns/conversation	21.43	Avg. tokens/conversation	1,326.38
Min turns	8	# Unique words	116,974
Max turns	24	# Unique bigrams	545,804

Table 3: Statistics of the proposed PACT dataset.

Dialog Acts	Count	Proportion	Dialog Acts	Count	Proportion
Negotiate-price-increase	17,392	9.3%	Greet-Ask	8,687	4.7%
Negotiate-price-decrease	36,374	19.5%	Inform	8,687	4.7%
Negotiate-price-nochange	22,734	12.2%	Elicit Preference	8,687	4.7%
Negotiate-add-X	14,090	7.6%	Ask-clarification-X	4,959	2.7%
Negotiate-remove-X	20,900	11.2%	Provide-clarification-X	4,909	2.6%
Concern-price	7,423	4.0%	Ask-price	6,759	3.6%
Disagree-price	2,134	1.1%	Tell-price	6,578	3.5%
Justify-price	2,149	1.2%	Provide-consent	3,624	1.9%
Assurance-price	2,153	1.2%	Consent-response	3,476	1.9%
Disagree-X	1,014	0.5%	Accept	2,507	1.3%
Justify-X	197	0.1%	Acknowledge-acceptance	553	0.3%
Assurance-X	255	0.1%			

Table 4: ABN-specific dialog acts distribution in PACT.

4 Experiments

Tasks. Upon the construction of PACT, we can support an entire PAN-DG task mirroring the real-life negotiation scenario. We split the entire personality-driven ABN dialogue generation process into 3 sub-tasks: Personality Recognition (PR) that aims to identify the personality profiles of interlocutors through dialogue context; Dialog Act Prediction (DAP) that aims to infer the future dialog act for a given dialogue context; and Response Generation (RG) that aims to generate travel agents’ probable response based on the dialogue context. To ensure factual consistency and mitigate hallucinations for RG task, we integrate background knowledge through a Retrieval-Augmented Generation (RAG) technique (Lewis et al., 2020). Specifically, we leverage the curated package database

containing verified travel details, including a comprehensive list of amenities, services, and their corresponding pricing (§3.1).

Further, to align responses with personality and dialogue act, we integrate outputs from the PR and DAP sub-tasks. We use a multi-task learning (MTL) approach during training, where the model learns the relationships between personality, dialogue act, and response generation. During inference, PR and DAP provide dynamic personality and dialog act information for contextually accurate, personality-driven response generation. We discuss RAG and MTL in detail in Appendix G.2. **Models.** We evaluate 7 LLMs - LLaMA models (Llama-2-7b, Llama-2-7b-chat-hf, Llama-3-8b, Llama-3.1-8b) (Touvron et al., 2023), along with Mistral-8b (Jiang et al., 2023a), Vicuna-7b (Chiang et al., 2023), and GPT-4.1-mini (OpenAI, 2024), across three sub-tasks.

Task Setups. Following (Han et al., 2024), we evaluate the effectiveness of PACT on the PAN-DG task under five setups: (i) Pre-trained Models (PMs), (ii) Pre-trained Models with Personality (PMswP), (iii) Fine-tuning on a Human-Human Negotiation Dialogue Dataset (FT-*H2HNego*), (iv) Fine-tuning on PACT (FT-*Vanilla*), and (v) Fine-tuning on PACT with background knowledge, personality, and dialog act information (FT-*Ours*). We follow a 70:20:10 train-validation-test split for all setups. Setups details are given in Appendix G.1.

Evaluation Metrics. For PR and DAP tasks, we use Accuracy (Acc) and Macro F1 (F1). For RG task, we employ Perplexity (PPL), BLEU-1/2 (B-1/2), METEOR (MET), ROUGE-L (R-L), DISTINCT-1/2 (D-1/2), BERTScore-F1 (BS-F1), Response Length (R-LEN), Personality Accuracy (P-ACC), and Dialog Act Accuracy (D-ACC). Further, to measure faithfulness of generated response with dialogue context and package information, we employ FEQA and QuestEval (QE). Details on task setups, implementation specifications, and evaluation metrics are given in Appendix G.

Task Setup	Models	PR		DAP		RG												
		Acc ↑	F1 ↑	Acc ↑	F1 ↑	PPL ↓	B-1 ↑	B-2 ↑	MET ↑	R-L ↑	D-1 ↑	D-2 ↑	BS-F1 (%) ↑	R-LEN ↑	P-ACC ↑	D-ACC ↑	FEQA ↑	QE ↑
PMs	Llama-2	0.269	0.296	0.302	0.307	69.23	0.133	0.076	0.229	0.194	0.041	0.254	63.24	25.92	0.288	0.459	18.98	21.24
	Llama-2-chat	0.278	0.300	0.320	0.299	65.99	0.141	0.083	0.245	0.204	0.045	0.265	64.78	27.68	0.302	0.472	19.64	22.71
	Llama-3	0.285	0.310	0.325	0.319	66.73	0.150	0.088	0.252	0.210	0.049	0.278	65.74	29.16	0.312	0.479	21.02	24.12
	Llama-3.1	0.291	0.316	0.336	0.326	64.42	0.159	0.096	0.270	0.221	0.052	0.287	66.92	31.31	0.321	0.493	22.38	25.29
	Mistral	0.266	0.287	0.307	0.298	68.16	0.130	0.080	0.241	0.186	0.043	0.257	64.18	26.92	0.293	0.469	19.85	22.04
Vicuna	0.288	0.304	0.316	0.304	64.46	0.143	0.093	0.250	0.198	0.048	0.270	65.49	29.67	0.305	0.481	20.67	23.71	
PMswP	Llama-2	-	-	-	-	54.30	0.174	0.122	0.293	0.238	0.061	0.319	67.82	34.32	0.361	0.513	23.19	25.87
	Llama-2-chat	-	-	-	-	52.12	0.189	0.130	0.308	0.247	0.065	0.325	68.42	35.84	0.374	0.526	24.48	27.13
	Llama-3	-	-	-	-	50.71	0.195	0.139	0.314	0.256	0.067	0.338	69.58	37.53	0.382	0.533	25.25	28.36
	Llama-3.1	-	-	-	-	49.12	0.201	0.148	0.323	0.265	0.070	0.346	70.74	39.24	0.390	0.542	26.31	29.52
	Mistral	-	-	-	-	52.89	0.184	0.123	0.304	0.238	0.059	0.322	67.31	34.97	0.365	0.517	23.87	26.45
Vicuna	-	-	-	-	51.24	0.192	0.132	0.315	0.246	0.065	0.333	68.92	36.62	0.370	0.525	24.54	28.01	
FT-H2HNego	Llama-2	0.385	0.402	0.422	0.415	45.62	0.224	0.157	0.338	0.274	0.078	0.373	79.48	41.52	0.412	0.560	33.27	36.42
	Llama-2-chat	0.397	0.413	0.436	0.423	43.72	0.231	0.165	0.346	0.287	0.082	0.379	80.11	43.02	0.424	0.573	34.61	37.71
	Llama-3	0.409	0.425	0.443	0.434	42.51	0.239	0.172	0.358	0.291	0.086	0.385	81.29	44.91	0.435	0.585	36.02	38.92
	Llama-3.1	0.417	0.432	0.453	0.448	41.32	0.247	0.182	0.368	0.303	0.090	0.393	82.41	46.68	0.446	0.592	37.16	40.08
	Mistral	0.390	0.407	0.419	0.415	45.89	0.223	0.152	0.334	0.269	0.075	0.369	79.92	42.11	0.414	0.566	33.98	36.46
Vicuna	0.402	0.420	0.437	0.425	41.75	0.234	0.166	0.344	0.285	0.082	0.382	81.03	44.24	0.429	0.578	35.13	37.83	
FT-Vanilla	Llama-2	0.455	0.472	0.473	0.465	51.65	0.29	0.183	0.406	0.306	0.074	0.426	83.23	49.66	0.507	0.651	44.23	46.72
	Llama-2-chat	0.460	0.466	0.481	0.478	39.62	0.299	0.186	0.423	0.308	0.083	0.418	83.83	57.14	0.535	0.677	45.98	47.85
	Llama-3	0.475	0.464	0.473	0.466	39.37	0.272	0.161	0.39	0.288	0.073	0.395	83.19	48.84	0.478	0.667	43.12	45.01
	Llama-3.1	0.450	0.432	0.505	0.498	35.59	0.292	0.179	0.414	0.302	0.082	0.425	83.68	57.82	0.534	0.675	46.34	48.39
	Mistral	0.460	0.459	0.468	0.487	46.64	0.168	0.092	0.316	0.181	0.074	0.429	77.54	29.21	0.494	0.652	42.18	43.79
Vicuna	0.470	0.478	0.491	0.479	36.25	0.319	0.211	0.437	0.337	0.086	0.442	84.56	54.18	0.574	0.693	47.56	49.81	
FT-Ours	Llama-2	0.512	0.528	0.567	0.548	18.65	0.375	0.245	0.512	0.401	0.098	0.525	87.35	59.24	0.723	0.791	49.82	52.69
	Llama-2-chat	0.530	0.546	0.583	0.563	14.25	0.358	0.229	0.508	0.393	0.105	0.523	88.23	62.01	0.728	0.813	51.16	53.94
	Llama-3	0.524	0.539	0.578	0.558	15.92	0.361	0.238	0.495	0.387	0.099	0.514	88.14	61.48	0.703	0.767	49.35	51.89
	Llama-3.1	0.518	0.533	0.572	0.553	17.82	0.389	0.258	0.527	0.419	0.102	0.538	87.92	60.11	0.739	0.802	50.43	53.27
	Mistral	0.515	0.525	0.559	0.538	16.87	0.279	0.157	0.392	0.289	0.102	0.472	82.67	35.44	0.692	0.782	47.91	50.23
Vicuna	0.537	0.550	0.592	0.571	13.98	0.412	0.275	0.552	0.431	0.111	0.562	89.23	63.27	0.789	0.841	52.74	55.13	
GPT-4.1-mini	0.425	0.438	0.478	0.459	16.85	0.385	0.248	0.515	0.397	0.104	0.457	78.26	41.92	0.725	0.746	39.38	34.02	

Table 5: Automatic evaluation results. All results are statistically significant based on Welch’s t-test (Welch, 1947) conducted at a 5% significance level. Best scores are in bold.

5 Evaluation Results

Table 5 reports LLM performance across tasks and setups. Pre-trained models perform poorly on PR, DAP, and RG tasks, lacking sensitivity to personality and negotiation nuances. Fine-tuning on **PACT** yields notable gains, matching or outperforming fine-tuning on human-human negotiation data, for instance, Vicuna achieves 84.56% BS-F1 on **PACT** vs. 81.03% on *FT-H2HNego*, establishing **PACT** as a strong fine-tuning alternative.

Our proposed approach (*FT-Ours*), which incorporates package knowledge along with personality and dialog act information, shows the highest improvements across all sub-tasks. Notably, for RG task, it shows substantial improvements across multiple metrics, including response quality, dialogue coherence, and factual accuracy. A significant reduction in perplexity reflects enhanced model confidence and fluency. Moreover, integrating personality and dialog act information results in increased P-ACC and D-ACC. Specifically, compared to *FT-Vanilla* counterpart, it obtains a 27.2% increase in P-ACC and an 17.6% increase in D-ACC for Vicuna, highlighting the importance of these aspects. The notable improvements in FEQA and QE scores further underscore enhanced factual grounding and response relevance. These results demonstrate that background package knowledge reduces the generation of generic responses while improving relevance and accuracy.

Furthermore, compared to ChatGPT, Vicuna under our proposed setup (*FT-Ours*) achieves signifi-

cantly better performance across all tasks, with a 20.4% increase in F1 for PR, 19.6% for DAP, and 12.3% in BS-F1 for RG. Despite ChatGPT’s strong general language capabilities, it underperforms on the PAN-DG task, highlighting the necessity of domain-specific fine-tuning. The low scores on PR and DAP suggest limited sensitivity to personality traits and dialog acts, which are critical for structured negotiation. Its weaker RG performance further reflects challenges in generating contextually relevant, factual, dialog-act, and persona-driven responses. Overall, these findings show that our dataset significantly improves the model’s ability to generate responses that not only reflect personality but also align with structured dialog dynamics, thereby emphasizing the importance of structured dialog acts, personality adaptation, and knowledge enrichment in developing advanced, personality-driven ABN dialogue systems. Human evaluations for RG are provided in Appendix H.

6 Conclusion

This work introduces a novel Personality-driven Argumentation-based Negotiation Dialogue Generation (PAN-DG) task, focused on generating personality-driven negotiation dialogues in the tourism domain. For PAN-DG task, we curate **PACT** dataset through a multi-stage pipeline using LLMs. **PACT** integrates multi-dimensional personality profiles and ABN-specific dialog acts to enhance personalized negotiation interactions. We also establish strong LLM baselines for this task.

Limitations

Controllability. In this study, we outline a prompting technique for Large Language Models (LLMs) to generate the **PACT** dataset, a process that requires substantial computational resources and advanced LLMs. Our approach demonstrates promising results in terms of several manual assessment criteria. However, the quality of the generated dataset is inherently limited by the capabilities of the LLM, as prompting remains an uncontrolled generation process. Future research could explore incorporating additional controls in the prompt or employing weak supervision techniques, as demonstrated by [Chen et al. \(2022\)](#), to further improve the quality of synthetic data.

Negotiation Setting. A notable limitation of our method lies in its constrained ability to fully replicate realistic negotiation conversations, as it assumes participants are fluent, the conversation flow is coherent, and there are no interruptions caused by external factors or technical issues. Moreover, the approach faces challenges in capturing subtle cultural nuances in personality profiles, such as humor or user-specific traits, which often become apparent only through repeated interactions. Besides, the scope of our work is restricted to the tourism negotiation domain, which involves complex, multi-faceted negotiations, such as balancing customer preferences, needs, pricing, and services, thereby providing a rich context for evaluating the effectiveness of ABN in fostering collaborative and mutually beneficial outcomes.

Further, while our current framework models negotiations as self-contained sessions, consistent with many real-world tourism scenarios, we acknowledge that real-world negotiations are often iterative, occurring over multiple interactions. Extending our framework to support such multi-session dialogues represents a promising future direction. Also, our current approach models traveler personality using a single dominant trait, which may oversimplify real-world behavior. Future work could explore incorporating multi-faceted personalities that reflect combinations of traits, enabling more nuanced preference modeling and improving the system’s effectiveness in complex negotiation scenarios. Nevertheless, the proposed method holds significant potential for adaptation to other negotiation domains, offering opportunities for broader applicability and deeper investigation into diverse negotiation scenarios.

Prompt Design. In this work, we do not claim that our prompt design is novel, nor do we assert that it is the optimal method for generating negotiation conversations. Our prompt is structured in a conversational way, inspired by the work of [Chen et al. \(2022\)](#). Rather than focusing on the novelty of our prompt, we emphasize its application in synthesizing argumentation-based negotiation dialogue datasets. The idea of generating argumentation-based negotiation dialogues from scratch remains underexplored and presents significant opportunities to advance research in argumentation-based negotiation dialogue systems.

Computational Costs and Reproducibility. It is important to note that we used the publicly accessible free-tier API of LLM Gemini-1.5-Flash for generating negotiation dialogues due to the financial and computational limitations commonly faced in academic settings. While LLMs like ChatGPT and other advanced models have achieved significant progress in generating fluent and coherent responses, they are not a one-size-fits-all solution. These models also struggle with personalization, primarily due to the lack of diverse datasets and limitations in effectively modeling user personas ([Chen et al., 2024](#); [Han et al., 2024](#)). Nevertheless, research has demonstrated that LLMs are capable of embodying personas or personality traits when provided with appropriately designed prompts ([Jiang et al., 2023b](#); [Salewski et al., 2024](#)). In this context, achieving satisfactory performance using smaller (fewer parameters) or openly accessible LLMs presents several advantages: (i) these models are substantially more cost-effective, enabling broader participation in research and development even within resource-constrained settings; (ii) their open accessibility ensures reproducibility, a cornerstone of academic research, as such models can be freely shared and reimplemented by others to validate findings and extend the work further. This approach not only addresses resource constraints but also aligns with the academic objective of fostering inclusive and collaborative progress in the field. Thus, simply relying on closed-source models like GPT-4 ([OpenAI, 2024](#)) or other closed-source powerful LLMs for dataset generation, response generation or personality recognition is neither practical nor essential when smaller, openly available LLMs can deliver comparable outcomes in a cost-efficient and reproducible manner. Nevertheless, future studies could examine the effectiveness of using more advanced, closed-source LLMs,

such as GPT-4 (OpenAI, 2024) or Gemini-1.5-Pro (Team et al., 2023), to enhance the generation of negotiation dialogue datasets.

Ethics Statement

Datasets. Ethical considerations play a critical role in the construction and use of the dataset. Given that the dialogues are synthetically generated, it is important for users to engage with the data responsibly, with awareness of the potential risks, such as cultural appropriation or misrepresentation. Since language models are trained on web-based data, there is a risk of perpetuating biases that may reinforce stereotypes, contribute to discrimination, or marginalize certain communities. Previous research has shown that synthetic data can exacerbate these biases, leading to feedback loops that increase the likelihood of generating biased language (Taori and Hashimoto, 2023). Hence, we collaborate with linguists, and language experts, who are core members of our research team to filter and manually evaluate generated conversation to prevent unintentional perpetuation of stereotypes or cultural insensitivity. Human evaluators are compensated in accordance with institutional policies. To safeguard proper usage, access to the dataset will be granted only upon signing an agreement that stipulates its use solely for research purposes.

Negotiation Systems. In light of the inherent bargaining dynamics present in negotiations, the development and deployment of argumentation-based negotiation dialogue systems must be guided by strict ethical standards. This study was reviewed and approved by our Institutional Review Board (IRB). Our approach to personality-driven argumentation-based negotiation emphasizes user flexibility and aims to foster win-win, mutually beneficial outcomes. Unlike zero-sum negotiations, where one party’s gain is another’s loss, our system is designed to maximize benefits for both parties. Crucially, users retain full autonomy, ensuring they are never pressured into accepting deals that do not meet their needs.

LLMs. We utilized large language models (LLMs) exclusively within their designated frameworks, adhering to all relevant licensing agreements. Our approach aligns with a range of contemporary initiatives focused on assessing the varied capabilities of LLMs in generating synthetic conversations, thereby guaranteeing compliance with ethical standards and operational protocols.

Acknowledgement

Priyanshu Priya acknowledges the financial support provided by the Department of Science and Technology, Ministry of Science and Technology, Government of India, through the Innovation in Science Pursuit for Inspired Research (INSPIRE) Fellowship. The research reported in this paper is an outcome of the project titled “Conversational Agents with Negotiation and Influencing Ability”, sponsored by Accenture Labs, Bangalore, India.

References

- Sahar Abdelnabi, Amr Gomaa, Sarath Sivaprasad, Lea Schönherr, and Mario Fritz. 2023. Llm-deliberation: Evaluating llms with interactive multi-agent negotiation games. *arXiv preprint arXiv:2309.17234*.
- Yelaman Abdullin, Diego Molla, Bahadorreza Ofoghi, John Yearwood, and Qingyang Li. 2023. Synthetic dialogue dataset generation using llm agents. In *Proceedings of the Third Workshop on Natural Language Generation, Evaluation, and Metrics (GEM)*, pages 181–191.
- Zishan Ahmad, Suman Saurabh, Vaishakh Menon, Asif Ekbal, Roshni Ramnani, and Anutosh Maitra. 2023. Ina: An integrative approach for enhancing negotiation strategies with reward-based dialogue agent. In *Findings of the Association for Computational Linguistics: EMNLP 2023*, pages 2536–2549.
- Leila Amgoud and Simon Parsons. 2001. Agent dialogues with conflicting preferences. In *International Workshop on Agent Theories, Architectures, and Languages*, pages 190–205. Springer.
- Andreas Argyriou, Theodoros Evgeniou, and Massimiliano Pontil. 2006. Multi-task feature learning. *Advances in neural information processing systems*, 19.
- Nicholas Asher, Julie Hunter, Mathieu Morey, Farah Benamara, and Stergos Afantenos. 2016. Discourse structure and dialogue acts in multiparty dialogue: the stac corpus. In *10th International Conference on Language Resources and Evaluation (LREC 2016)*, pages 2721–2727.
- Tim Baarslag, Katsuhide Fujita, Enrico H Gerding, Koen Hindriks, Takayuki Ito, Nicholas R Jennings, Catholijn Jonker, Sarit Kraus, Raz Lin, Valentin Robu, et al. 2013. Evaluating practical negotiating agents: Results and analysis of the 2011 international competition. *Artificial Intelligence*, 198:73–103.
- Satanjeev Banerjee and Alon Lavie. 2005. Meteor: An automatic metric for mt evaluation with improved correlation with human judgments. In *Proceedings of the acl workshop on intrinsic and extrinsic evaluation measures for machine translation and/or summarization*, pages 65–72.

- Nuran Bayram and Mine Aydemir. 2017. Decision-making styles and personality traits. *International Journal of Recent Advances in Organizational Behaviour and Decision Sciences*, 3(1):905–915.
- Jack Block. 1995. A contrarian view of the five-factor approach to personality description. *Psychological bulletin*, 117(2):187.
- Kushal Chawla, Gale Lucas, Jonathan May, and Jonathan Gratch. 2022. Opponent modeling in negotiation dialogues by related data adaptation. In *Findings of the Association for Computational Linguistics: NAACL 2022*, pages 661–674.
- Kushal Chawla, Jaysa Ramirez, Rene Clever, Gale Lucas, Jonathan May, and Jonathan Gratch. 2021a. **CaSiNo: A corpus of campsite negotiation dialogues for automatic negotiation systems**. In *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 3167–3185, Online. Association for Computational Linguistics.
- Kushal Chawla, Jaysa Ramirez, Rene Clever, Gale Lucas, Jonathan May, and Jonathan Gratch. 2021b. **Casino: A corpus of campsite negotiation dialogues for automatic negotiation systems**. In *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 3167–3185.
- Maximillian Chen, Alexandros Papangelis, Chenyang Tao, Seokhwan Kim, Andy Rosenbaum, Yang Liu, Zhou Yu, and Dilek Hakkani-Tur. 2023. Places: Prompting language models for social conversation synthesis. In *Findings of the Association for Computational Linguistics: EACL 2023*, pages 844–868.
- Maximillian Chen, Alexandros Papangelis, Chenyang Tao, Andy Rosenbaum, Seokhwan Kim, Yang Liu, Zhou Yu, and Dilek Hakkani-Tur. 2022. Weakly supervised data augmentation through prompting for dialogue understanding. *arXiv preprint arXiv:2210.14169*.
- Yi-Pei Chen, Noriki Nishida, Hideki Nakayama, and Yuji Matsumoto. 2024. Recent trends in personalized dialogue generation: A review of datasets, methodologies, and evaluations. *arXiv preprint arXiv:2405.17974*.
- Wei-Lin Chiang, Zhuohan Li, Zi Lin, Ying Sheng, Zhanghao Wu, Hao Zhang, Lianmin Zheng, Siyuan Zhuang, Yonghao Zhuang, Joseph E Gonzalez, et al. 2023. Vicuna: An open-source chatbot impressing gpt-4 with 90%* chatgpt quality, march 2023. URL <https://lmsys.org/blog/2023-03-30-vicuna>, 3(5).
- Yang Deng, Wenxuan Zhang, Wai Lam, See-Kiong Ng, and Tat-Seng Chua. 2023. Plug-and-play policy planner for large language model powered dialogue agents. In *The Twelfth International Conference on Learning Representations*.
- Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2019. **Bert: Pre-training of deep bidirectional transformers for language understanding**. *Preprint*, arXiv:1810.04805.
- Yannis Dimopoulos and Pavlos Moraitis. 2014. Advances in argumentation based negotiation. *Negotiation and argumentation in multi-agent systems: fundamentals, theories, systems and applications*, pages 82–125.
- Chengfeng Dou, Zhi Jin, Wenping Jiao, Haiyan Zhao, Zhenwei Tao, and Yongqiang Zhao. 2023. **Plugmed: Improving specificity in patient-centered medical dialogue generation using in-context learning**. *arXiv preprint arXiv:2305.11508*.
- Esin Durmus, He He, and Mona Diab. 2020. Feqa: A question answering evaluation framework for faithfulness assessment in abstractive summarization. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pages 5055–5070.
- Peyman Faratin, Carles Sierra, and Nick R Jennings. 1998. Negotiation decision functions for autonomous agents. *Robotics and Autonomous Systems*, 24(3-4):159–182.
- Mauajama Firdaus, Naveen Thangavelu, Asif Ekbal, and Pushpak Bhattacharyya. 2022. I enjoy writing and playing, do you?: a personalized and emotion grounded dialogue agent using generative adversarial network. *IEEE Transactions on Affective Computing*, 14(3):2127–2138.
- Joseph L Fleiss. 1971. Measuring nominal scale agreement among many raters. *Psychological bulletin*, 76(5):378.
- Yao Fu, Hao Peng, Tushar Khot, and Mirella Lapata. 2023. Improving language model negotiation with self-play and in-context learning from ai feedback. *arXiv preprint arXiv:2305.10142*.
- Kanishk Gandhi, Dorsa Sadigh, and Noah D Goodman. 2023. Strategic reasoning with language models. *arXiv preprint arXiv:2305.19165*.
- Fabrizio Gilardi, Meysam Alizadeh, and Maël Kubli. 2023. Chatgpt outperforms crowd workers for text-annotation tasks. *Proceedings of the National Academy of Sciences*, 120(30):e2305016120.
- Atharva Gundawar, Mudit Verma, Lin Guan, Karthik Valmееkam, Siddhant Bhambri, and Subbarao Kambhampati. 2024. Robust planning with llm-modulo framework: Case study in travel planning. *arXiv preprint arXiv:2405.20625*.
- Ji-Eun Han, Jun-Seok Koh, Hyeon-Tae Seo, Du-Seong Chang, and Kyung-Ah Sohn. 2024. Psydial: Personality-based synthetic dialogue generation using large language models. In *Proceedings of the 2024 Joint International Conference on Computational Linguistics, Language Resources and Evaluation (LREC-COLING 2024)*, pages 13321–13331.

- Seungju Han, Beomsu Kim, and Buru Chang. 2022. Measuring and improving semantic diversity of dialogue generation. In *Findings of the Association for Computational Linguistics: EMNLP 2022*, pages 934–950.
- He He, Derek Chen, Anusha Balakrishnan, and Percy Liang. 2018. Decoupling strategy and generation in negotiation dialogues. In *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing*, pages 2333–2343.
- Xingwei He, Zhenghao Lin, Yeyun Gong, Hang Zhang, Chen Lin, Jian Jiao, Siu Ming Yiu, Nan Duan, Weizhu Chen, et al. 2023. Annollm: Making large language models to be better crowdsourced annotators. *arXiv preprint arXiv:2303.16854*.
- Stella Heras, Jaume Jordán, Vicente Botti, and Vicente Julian. 2013. Case-based strategies for argumentation dialogues in agent societies. *Information Sciences*, 223:1–30.
- Ari Holtzman, Jan Buys, Li Du, Maxwell Forbes, and Yejin Choi. 2019. The curious case of neural text degeneration. *arXiv preprint arXiv:1904.09751*.
- Edward J Hu, Yelong Shen, Phillip Wallis, Zeyuan Allen-Zhu, Yuanzhi Li, Shean Wang, Lu Wang, and Weizhu Chen. 2021. Lora: Low-rank adaptation of large language models. *arXiv preprint arXiv:2106.09685*.
- Yin Jou Huang and Rafik Hadfi. 2024. How personality traits influence negotiation outcomes? a simulation based on large language models. *arXiv preprint arXiv:2407.11549*.
- Pegah Jandaghi, XiangHai Sheng, Xinyi Bai, Jay Pujara, and Hakim Sidahmed. 2023. Faithful persona-based conversational dataset generation with large language models. *arXiv preprint arXiv:2312.10007*.
- Yoonna Jang, Jungwoo Lim, Yuna Hur, Dongsuk Oh, Suhyune Son, Yeonsoo Lee, Donghoon Shin, Seungryong Kim, and Heuiseok Lim. 2022. Call for customized conversation: Customized conversation grounding persona and knowledge. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 36, pages 10803–10812.
- Albert Q Jiang, Alexandre Sablayrolles, Arthur Mensch, Chris Bamford, Devendra Singh Chaplot, Diego de las Casas, Florian Bressand, Gianna Lengyel, Guillaume Lample, Lucile Saulnier, et al. 2023a. Mistral 7b. *arXiv preprint arXiv:2310.06825*.
- Hang Jiang, Xiajie Zhang, Xubo Cao, Cynthia Breazeal, Deb Roy, and Jad Kabbara. 2023b. Personallm: Investigating the ability of large language models to express personality traits. *arXiv preprint arXiv:2305.02547*.
- Nishan C Karunatillake. 2006. *Argumentation-based negotiation in a social context*. Ph.D. thesis, University of Southampton.
- Minju Kim, Chaehyeong Kim, Yong Ho Song, Seungwon Hwang, and Jinyoung Yeo. 2022. Botstalk: Machine-sourced framework for automatic curation of large-scale multi-skill dialogue datasets. In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 5149–5170.
- Young-Jun Lee, Chae-Gyun Lim, Yunsu Choi, Ji-Hui Lm, and Ho-Jin Choi. 2022. Personachatgen: Generating personalized dialogues using gpt-3. In *Proceedings of 1st Workshop on Customized Chat Grounding Persona and Knowledge*, page 29.
- Mike Lewis, Denis Yarats, Yann N Dauphin, Devi Parikh, and Dhruv Batra. 2017. Deal or no deal? end-to-end learning for negotiation dialogues. *arXiv preprint arXiv:1706.05125*.
- Patrick Lewis, Ethan Perez, Aleksandra Piktus, Fabio Petroni, Vladimir Karpukhin, Naman Goyal, Heinrich Küttler, Mike Lewis, Wen-tau Yih, Tim Rocktäschel, et al. 2020. Retrieval-augmented generation for knowledge-intensive nlp tasks. *Advances in Neural Information Processing Systems*, 33:9459–9474.
- Jiwei Li, Michel Galley, Chris Brockett, Jianfeng Gao, and Bill Dolan. 2015. A diversity-promoting objective function for neural conversation models. *arXiv preprint arXiv:1510.03055*.
- Yu Li, Kun Qian, Weiyan Shi, and Zhou Yu. 2020. End-to-end trainable non-collaborative dialog system. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 34, pages 8293–8302.
- Chin-Yew Lin. 2004. Rouge: A package for automatic evaluation of summaries. In *Text summarization branches out*, pages 74–81.
- Yang Liu, Dan Iter, Yichong Xu, Shuohang Wang, Ruochen Xu, and Chenguang Zhu. 2023. G-eval: Nlg evaluation using gpt-4 with better human alignment. In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, pages 2511–2522.
- Yinhan Liu, Myle Ott, Naman Goyal, Jingfei Du, Mandar Joshi, Danqi Chen, Omer Levy, Mike Lewis, Luke Zettlemoyer, and Veselin Stoyanov. 2019. Roberta: A robustly optimized bert pretraining approach. *arXiv preprint arXiv:1907.11692*.
- Zhengyuan Liu, Siti Salleh, Pavitra Krishnaswamy, and Nancy Chen. 2024. Context aggregation with topic-focused summarization for personalized medical dialogue generation. In *Proceedings of the 6th Clinical Natural Language Processing Workshop*, pages 310–321.
- Robert R McCrae and Oliver P John. 1992. An introduction to the five-factor model and its applications. *Journal of personality*, 60(2):175–215.
- Mary L McHugh. 2012. Interrater reliability: the kappa statistic. *Biochemia medica*, 22(3):276–282.

- Shikib Mehri and Maxine Eskenazi. 2020. Unsupervised evaluation of interactive dialog with dialogpt. In *Proceedings of the 21th Annual Meeting of the Special Interest Group on Discourse and Dialogue*, pages 225–235.
- Kshitij Mishra, Priyanshu Priya, Manisha Burja, and Asif Ekbal. 2023. e-therapist: I suggest you to cultivate a mindset of positivity and nurture uplifting thoughts. In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, pages 13952–13967.
- John F Nash Jr. 1950. The bargaining problem. *Econometrica: Journal of the econometric society*, pages 155–162.
- Sean Noh and Ho-Chun Herbert Chang. 2024. Llms with personalities in multi-issue negotiation games. *arXiv preprint arXiv:2405.05248*.
- OpenAI. 2024. ChatGPT. <https://chatgpt.com/>.
- Labti Oumayma and Belkadi Ez-Zohra. 2023. Predicting the antecedents of travelers purchase behavior through otas—a hybrid structural equation modeling with fuzzy set qualitative comparative analysis. *Scientific African*, 20:e01618.
- Kishore Papineni, Salim Roukos, Todd Ward, and Wei-Jing Zhu. 2002. Bleu: a method for automatic evaluation of machine translation. In *Proceedings of the 40th annual meeting of the Association for Computational Linguistics*, pages 311–318.
- Sangwon Park, Iis P Tussyadiah, Josef A Mazanec, and Daniel R Fesenmaier. 2010. Travel personae of american pleasure travelers: a network analysis. *Journal of travel & tourism marketing*, 27(8):797–811.
- Priyanshu Priya, Rishikant Chigrupaatii, Mauajama Firdaus, and Asif Ekbal. 2025. Genteel-negotiator: Llm-enhanced mixture-of-expert-based reinforcement learning approach for polite negotiation dialogue. In *Proceedings of the AAI Conference on Artificial Intelligence*, volume 39, pages 25010–25018.
- Priyanshu Priya, Desai Vishesh Yasheshbhai, Ratnesh Kumar Joshi, Roshni Ramnani, Anutosh Maitra, Shubhashis Sengupta, and Asif Ekbal. 2024. Trip negotiator: A travel persona-aware reinforced dialogue generation model for personalized integrative negotiation in tourism. In *Findings of the Association for Computational Linguistics: EMNLP 2024*, pages 16566–16595.
- Iyad Rahwan, Sarvapali D Ramchurn, Nicholas R Jennings, Peter McBurney, Simon Parsons, and Liz Sonenberg. 2003. Argumentation-based negotiation. *The Knowledge Engineering Review*, 18(4):343–375.
- Sonia Roccas, Lilach Sagiv, Shalom H Schwartz, and Ariel Knafo. 2002. The big five personality factors and personal values. *Personality and social psychology bulletin*, 28(6):789–801.
- Leonard Salewski, Stephan Alaniz, Isabel Rio-Torto, Eric Schulz, and Zeynep Akata. 2024. In-context impersonation reveals large language models’ strengths and biases. *Advances in Neural Information Processing Systems*, 36.
- Thomas Scialom, Paul-Alexis Dray, Patrick Gallinari, Sylvain Lamprier, Benjamin Piwowarski, Jacopo Staiano, and Alex Wang. 2021. Questeval: Summarization asks for fact-based evaluation. *arXiv preprint arXiv:2103.12693*.
- Sudeep Sharma, William P Bottom, and Hillary Anger Elfenbein. 2013. On the role of personality, cognitive ability, and emotional intelligence in predicting negotiation outcomes: A meta-analysis. *Organizational Psychology Review*, 3(4):293–336.
- Heydar Soudani, Roxana Petcu, Evangelos Kanoulas, and Faegheh Hasibi. 2024. A survey on recent advances in conversational data generation. *arXiv preprint arXiv:2405.13003*.
- Rohan Taori and Tatsunori Hashimoto. 2023. Data feedback loops: Model-driven amplification of dataset biases. In *International Conference on Machine Learning*, pages 33883–33920. PMLR.
- Gemini Team, Rohan Anil, Sebastian Borgeaud, Yonghui Wu, Jean-Baptiste Alayrac, Jiahui Yu, Radu Soricut, Johan Schalkwyk, Andrew M Dai, Anja Hauth, et al. 2023. Gemini: a family of highly capable multimodal models. *arXiv preprint arXiv:2312.11805*.
- Abhisek Tiwari, Abhijeet Khandwe, Sriparna Saha, Roshni Ramnani, Anutosh Maitra, and Shubhashis Sengupta. 2023. Towards personalized persuasive dialogue generation for adversarial task oriented dialogue setting. *Expert Systems with Applications*, 213:118775.
- Hugo Touvron, Thibaut Lavril, Gautier Izacard, Xavier Martinet, Marie-Anne Lachaux, Timothée Lacroix, Baptiste Rozière, Naman Goyal, Eric Hambro, Faisal Azhar, et al. 2023. Llama: Open and efficient foundation language models. *arXiv preprint arXiv:2302.13971*.
- Karthik Valmeekam, Matthew Marquez, Sarath Sreedharan, and Subbarao Kambhampati. 2023. On the planning abilities of large language models—a critical investigation. *Advances in Neural Information Processing Systems*, 36:75993–76005.
- Leandro von Werra, Younes Belkada, Lewis Tunstall, Edward Beeching, Tristan Thrush, Nathan Lambert, and Shengyi Huang. 2020. Trl: Transformer reinforcement learning. *GitHub*. Available online at: <https://github.com/lvwerra/trl>.
- Xiaoyang Wang, Chen Li, Jianqiao Zhao, and Dong Yu. 2021. Naturalconv: A chinese dialogue dataset towards multi-turn topic-driven conversation. In *Proceedings of the AAI Conference on Artificial Intelligence*, volume 35, pages 14006–14014.

- Bernard L Welch. 1947. The generalization of ‘student’s’ problem when several different population variances are involved. *Biometrika*, 34(1-2):28–35.
- Jason Weston, Emily Dinan, and Alexander H Miller. 2018. Retrieve and refine: Improved sequence generation models for dialogue. *EMNLP 2018*, page 87.
- Thomas Wolf, Lysandre Debut, Victor Sanh, Julien Chaumond, Clement Delangue, Anthony Moi, Pierric Cistac, Tim Rault, Rémi Louf, Morgan Funtowicz, et al. 2019. Huggingface’s transformers: State-of-the-art natural language processing. *arXiv preprint arXiv:1910.03771*.
- WTTC. 2024. Tourism and Economic Impact. <https://wttc.org/research/economic-impact>.
- Chien-Sheng Wu, Andrea Madotto, Zhaojiang Lin, Peng Xu, and Pascale Fung. 2020. Getting to know you: User attribute extraction from dialogues. In *Proceedings of the Twelfth Language Resources and Evaluation Conference*, pages 581–589.
- Atsuki Yamaguchi, Kosui Iwasa, and Katsuhide Fujita. 2021. Dialogue act-based breakdown detection in negotiation dialogues. In *Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics: Main Volume*, pages 745–757.
- Runzhe Yang, Jingxiao Chen, and Karthik Narasimhan. 2020. Improving dialog systems for negotiation with personality modeling. *arXiv preprint arXiv:2010.09954*.
- Denis Yarats and Mike Lewis. 2018. Hierarchical text generation and planning for strategic dialogue. In *International Conference on Machine Learning*, pages 5591–5599. PMLR.
- Haolan Zhan, Yufei Wang, Zhuang Li, Tao Feng, Yuncheng Hua, Suraj Sharma, Lizhen Qu, Zhaleh Semnani Azad, Ingrid Zukerman, and Reza Haf. 2024. Let’s negotiate! a survey of negotiation dialogue systems. In *Findings of the Association for Computational Linguistics: EACL 2024*, pages 2019–2031.
- S Zhang, E Dinan, J Urbanek, A Szlam, D Kiela, and J Weston. 2018. Personalizing dialogue agents: I have a dog. *Do You Have Pets Too*, page 14.
- Tianyi Zhang, Varsha Kishore, Felix Wu, Kilian Q Weinberger, and Yoav Artzi. 2019. Bertscore: Evaluating text generation with bert. *arXiv preprint arXiv:1904.09675*.
- Tong Zhang, Chen Huang, Yang Deng, Hongru Liang, Jia Liu, Zujie Wen, Wenqiang Lei, and Tat-Seng Chua. 2024. Strength lies in differences! towards effective non-collaborative dialogues via tailored strategy planning. *arXiv preprint arXiv:2403.06769*.
- Zheng Zhang, Lizi Liao, Xiaoyan Zhu, Tat-Seng Chua, Zitao Liu, Yan Huang, and Minlie Huang. 2020. Learning goal-oriented dialogue policy with opposite agent awareness. In *Proceedings of the 1st Conference of the Asia-Pacific Chapter of the Association for Computational Linguistics and the 10th International Joint Conference on Natural Language Processing*, pages 122–132.
- Yinhe Zheng, Guanyi Chen, Minlie Huang, Song Liu, and Xuan Zhu. 2019. Personalized dialogue generation with diversified traits. *arXiv preprint arXiv:1901.09672*.
- Yinhe Zheng, Rongsheng Zhang, Minlie Huang, and Xiaoxi Mao. 2020. A pre-training based personalized dialogue generation model with persona-sparse data. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 34, pages 9693–9700.
- Peixiang Zhong, Chen Zhang, Hao Wang, Yong Liu, and Chunyan Miao. 2020. Towards persona-based empathetic conversational models. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 6556–6566.
- Yiheng Zhou, He He, Alan W Black, and Yulia Tsvetkov. 2019. A dynamic strategy coach for effective negotiation. In *Proceedings of the 20th Annual SIGdial Meeting on Discourse and Dialogue*, pages 367–378.
- Yaoming Zhu, Sidi Lu, Lei Zheng, Jiaxian Guo, Weinan Zhang, Jun Wang, and Yong Yu. 2018. Texus: A benchmarking platform for text generation models. In *The 41st international ACM SIGIR conference on research & development in information retrieval*, pages 1097–1100.

Appendix

A Travel Packages

The database consists of information about 10 distinct travel packages, namely Tranquil Escape, Sight Tour, Collector's Haven, Adrenaline Rush, Vibrant Nightlife, Cultural Odyssey, Nautical Adventure, Active Pursuits, Nature Wanderer, Sandy Serenity. A sample travel package information is given in Table 11.

B Personality Profiles Description

B.1 Argumentation Profiles

- **Agreeable** characterizes interlocutors who tend to accept offers and arguments with minimal conflict, promoting a cooperative and consensus-driven approach. They prioritize reaching mutual agreements and are less likely to challenge or reject proposals, demonstrating flexibility and accommodation throughout the negotiation process.
- **Disagreeable** characterizes interlocutors adopting a more critical and skeptical stance toward offers and arguments. They tend to reject proposals unless presented with compelling reasons to accept them. They challenge positions frequently, leading to more difficult negotiations as they prioritize ensuring their own interests are satisfied.
- **Open-minded** characterizes interlocutors engaging constructively in negotiation, critically evaluating offers and arguments without immediate acceptance or rejection. They strike a balance between cooperation and skepticism, accepting or countering arguments based on rational evaluation. These agents focus on maintaining a productive dialogue and are more willing to explore alternative solutions.
- **Argumentative** characterizes interlocutors who indicate a strong tendency to challenge and counter opposing offers or arguments. They are more confrontational and are quick to reject or attack propositions, actively engaging in debates to assert their own position. Their negotiation pattern often involves intense argumentation, seeking to dominate the dialogue through persuasive counterarguments.

B.2 Preference Profiles

- **Culture Creature** prefers cultural experiences during trips, drawn to theater performances, mu-

seums, monuments, art exhibitions, and local festivals.

- **Action Agent** prefers dynamic and lively environments, seeking out nightclubs, upscale restaurants, and various entertainment venues to enhance their travel experience.
- **Avid Athlete** prefers staying active during vacations, focusing on engaging in favorite sports such as golf, tennis, or other athletic activities.
- **Thrill Seeker** prefers adrenaline-pumping, high-risk activities that provide excitement and an emotional high, such as skydiving, bungee jumping, or extreme sports.
- **Trail Trekker** prefers outdoor experiences, actively seeking opportunities for hiking, walking, exploring parks and forests, and enjoying nature in mountains or through birdwatching.
- **Escapist** prefers vacations that offer a retreat from everyday life, seeking tranquility and relaxation in quiet, peaceful environments.
- **Shopping Shark** prefers destinations with vibrant shopping opportunities, including shopping areas and local markets.
- **Boater** prefers water-based destinations where their boat serves as a home, valuing the experience of being on the water and exploring coastal or lakefront areas.
- **Sight Seeker** prefers to explore and pause for landmarks, events, scenic vistas, and attractions, always eager to take in the sights and experiences along the journey.
- **Beach Lover** prefers to relax and sunbathe in warm destinations characterized by ample sun, soft sand, and inviting water.

B.3 Buying Style Profiles

- **Quality-concerned traveler** prioritizes high standards in amenities and services, seeking assurance of superior quality regardless of cost.
- **Budget-concerned traveler** seeks cost-effective options, emphasizing value for money and actively comparing prices to maximize their budget.
- **Budget-&Quality-concerned traveler** balances quality and cost, seeking well-reviewed options that meet both quality standards and budget constraints.

Metrics	Description
Personality Relevance	Examines whether generated conversation is consistent with the given traveler’s and travel agent’s personality.
Bargaining Efficacy	Measures how effectively each party present offers, compelling arguments, reasoning, or concessions that influence the opponent’s decision-making process.
Outcome Fairness	Examines the equity of the final negotiation outcome, determining how effectively it achieves a win-win scenario.
Engagingness	Assesses the ability of the dialogues to sustain the user’s interest throughout the interaction.
Coherent	Evaluates how logically structured and clear the overall conversation is, with particular attention to the dialogue flow and connection between the utterances.
Humanness	Evaluates how closely the generated conversation resembles a human conversation.
Naturalness	Evaluates how closely the generated conversation resembles a natural conversation.

Table 6: Description of manual assessment criteria.

Budget	Price Range	c
Low Budget	traveler initial price $\leq 0.65 \times$ agent initial price	1.2
High Budget	traveler initial price $\geq 0.85 \times$ agent initial price	0.6
Moderate Budget	$0.85 \times$ agent initial price $>$ traveler initial price $> 0.65 \times$ agent initial price	0.9

Table 7: Based on the initial prices proposed by the traveler and the agent, the initial price gap is determined. A significant price gap is classified as a low-budget scenario, while a smaller gap corresponds to a high-budget scenario; intermediate gaps are categorized as moderate-budget scenarios. The accompanying table presents the relationship between the traveler’s initial price and the agent’s initial price across these three budget scenarios. Additionally, the table includes the corresponding values of the concession factor (c) for each budget category: low, moderate, and high.




Figure 4: Flow chart illustrating PACT dataset generation process.

C ABN-specific Dialog Acts Definition

C.1 Negotiation Dialog Acts

- **Negotiate-price-increase:** Used by the travel agent to negotiate a higher price for a package or its related features and/or services during the deal.
- **Negotiate-price-decrease:** Used by the traveler to negotiate a lower price for a package or service.
- **Negotiate-price-nochange:** Suggests that the

price of a package or service remains unchanged, emphasizing its current value.

- **Negotiate-add-X:** Proposes the addition of a particular feature and/or service during the negotiation.
- **Negotiate-remove-X:** Suggests the removal of a specific feature and/or service from the deal, potentially affecting the price.

C.2 Argumentation Dialog Acts

- **Concern-price:** Expresses hesitation regarding the proposed price, possibly indicating dissatisfaction or a need for further discussion.
- **Disagree-price:** Expresses contention to the proposed price, often leading to further negotiation.
- **Justify-price:** Provides reasoning to support the proposed price to reinforce its fairness or value.
- **Assurance-price:** Reassures that the price is reasonable, thereby addressing any concerns or doubts raised during the negotiation.
- **Disagree-X:** Raises objections to a specific feature or term, indicating that changes are necessary for agreement.
- **Justify-X:** Defends the inclusion of a specific feature by presenting logical reasoning or benefits to support its value.
- **Assurance-X:** Offers reassurance about the validity or quality of a specific feature to mitigate concerns or doubts about its inclusion.

C.3 General Dialog Acts

- **Greet-Ask:** Opening the conversation politely and simultaneously requesting specific details about a feature, service, travel package, or current negotiation.
- **Inform:** Sharing comprehensive information related to the packages or services under negotiation.
- **Elicit-preference:** Expressing the traveler’s individual preferences regarding package features, services, quality, and/or budget.
- **Ask-price:** Seeking clarification on pricing of a package or its related features and/or services.
- **Tell-price:** Stating the proposed price of a package or its related features and/or services.
- **Ask-clarification-X:** Requesting further clarification on particular aspect of the negotiation or the entire deal in line with the current negotiation context.
- **Provide-clarification-X:** Offering clarifications about certain aspects of the negotiation or the entire deal.
- **Provide-consent:** Expressing agreement or approval of a proposal
- **Consent-response:** Responding to the consent given, indicating that the agent understands the traveler’s approval and is ready to proceed.
- **Accept:** Indicating agreement to the offer, proposal, or deal presented.
- **Acknowledge-acceptance:** Recognizing the ac-

ceptance of the deal by the other party.

D Preliminary Analysis for LLM Selection

To select the LLM for our work, we initially generated 50 conversations using LLaMA-2-7B, Mistral-7B, and Gemini-1.5-Flash, and then manually assessed them for *Personality Relevance (PR)*, *Bargaining Efficacy (BE)*, *Outcome Fairness (OF)*, *Engagingness (E)*, *Coherence (C)*, *Humaneness (H)*, and *Fluency (F)*. These dialogues are evaluated by four human annotators using a 4-point Likert scale. The average inter-evaluator agreement scores were 0.678 for LLaMA-2-7B, 0.672 for Mistral-7B, and 0.711 for Gemini-1.5-Flash (the assessment guidelines, evaluation criteria, and annotator expertise are provided in Appendix E). The average ratings for each model were as follows:

- **LLaMA-2-7B:** PR: 2.8, BE: 2.7, OF: 2.9, E: 2.6, C: 2.7, H: 2.8, F: 2.9
- **Mistral-7B:** PR: 3.0, BE: 2.9, OF: 3.1, E: 2.8, C: 2.9, H: 3.0, F: 3.1
- **Gemini-1.5-Flash:** PR: 3.5, BE: 3.4, OF: 3.6, E: 3.3, C: 3.4, H: 3.5, F: 3.6

Since Gemini-1.5-Flash consistently outperformed the other models across all key dimensions, we selected it for our dataset generation.

E Dataset Assessment Details

E.1 Evaluation Aspects of FED and G-Eval Metrics

For FED metrics, the 18 aspects of dialog quality, *viz. Interesting, Engaging, Specific, Relevant, Correct, SemanticallyAppropriate, Understandable, Fluent, Overall, Dialog-Level Coherent, Error Recovery, Consistent, Diverse, Topic Depth, Likeable, Understanding, Flexible, Informative, and Inquisitive*. For G-Eval, 4 aspects of dialog quality, *viz. Engagingness, Naturalness, Coherence, and Groundedness* are evaluated.

E.2 Human Guidelines and Questionnaires

Before beginning the evaluation, all evaluators undergo a comprehensive briefing on the distinct personality profiles employed in the dialogues. To further enrich their understanding of negotiation dynamics, they are required to watch a detailed

video tutorial (Chawla et al., 2021b) that showcases a negotiation scenario between two art collectors. The evaluators are provided with metrics description (outlined in Table 6) along with the annotated sample evaluations of the generated conversations to clarify the assessment criteria and rating process. Finally, to preserve objectivity and prevent bias, they are explicitly instructed to conduct the assessments independently, without discussing their ratings or observations with one another at any point during the evaluation. Once trained, the evaluators proceed to rate the conversations using the Likert scale of 1-4, based on the following questions:

1. **Personality Relevance:** *To what extent does the generated conversation reflect the traveler’s and travel agent’s given personalities?*

Options -

- 1: Completely irrelevant
- 2: Mostly irrelevant
- 3: Mostly relevant
- 4: Completely relevant

2. **Bargaining Efficacy:** *To what extent the traveler/agent presents offers, justifies their position, and makes concessions or compelling arguments that impact the other party’s decisions in the negotiation.*

Options -

- 1: Completely ineffective
- 2: Mostly ineffective
- 3: Mostly effective
- 4: Completely effective

3. **Outcome Fairness** *To what extent does the final negotiation outcome reflect fairness and equity, resulting in a win-win scenario for both parties?*

Options -

- 1: Entirely unfair
- 2: Mostly unfair
- 3: Mostly fair
- 4: Entirely fair

4. **Engageness** *How engaging and content-rich is the overall conversation?*

Options -

- 1: Not at all engaging
- 2: Somewhat engaging
- 3: Mostly engaging
- 4: Very engaging

5. **Coherent** *How well-structured and logical is the overall conversation?*

Options -

- 1: Completely incoherent
- 2: Mostly incoherent

3: Mostly coherent

4: Completely coherent

6. **Humanness** *Do you think this conversation is from the LLM or a human?*

Options -

1: Definitely a model

2: Probably a model

3: Probably a human

4: Definitely a human

7. **Fluency** *Is the conversation seems contextually natural? Are you able to comprehend the conversation clearly?*

Options -

1: Very unnatural

2: Mostly unnatural

3: Mostly natural

4: Very natural

E.3 Human Evaluators Expertise

All four evaluators possess advanced expertise in dialogue systems and negotiation concepts, with strong proficiency in the English language. Two of the evaluators hold Ph.D. degrees in Linguistics, while the other two have postgraduate degrees in Computer Science, ensuring a well-rounded understanding of both language and computational aspects of the task. Their compensation is provided in accordance with institutional policies.

F Dataset Analysis

F.1 Diversity and Coverage Analysis

We assess the diversity and coverage of negotiation aspects in the PACT dataset through a detailed word frequency analysis. As illustrated in Figure 5, the dataset exhibits significant topic diversity and comprehensive coverage of negotiation elements. It encompasses a broad spectrum of tourism package components, including accommodation, dining, transportation, amenities and services, activities and experiences, technology and virtual experiences, and miscellaneous offerings. This extensive representation ensures that the PACT dataset accurately captures realistic and multifaceted negotiation scenarios, making it a robust resource for research in negotiation dialogue systems.

F.2 Filtered Dialogue Analysis

Table 9 provides a breakdown of conversation distribution across five filtering steps performed by designated experts. The first step shows a significant reduction, highlighting the general conver-

Dataset	Domain	# Negotiation Setup	# Conversations	# of turns	Avg. turns/conversation	Argumentation
STAC (Asher et al., 2016)	Strategy Games	C	1,081	9,188	8.5	✗
DealorNoDeal (Lewis et al., 2017)	Item Assignment	C	5,808	38,332	6.6	✗
CraigslistBargain (He et al., 2018)	E-commerce	NC	6,682	61,474	9.2	✗
NegoCoach (Zhou et al., 2019)	Product Bargaining	NC	300	-	-	✗
Anti-Scam (Li et al., 2020)	E-commerce	NC	220	2,739	12.45	✗
CaSiNo (Chawla et al., 2021b)	Item Assignment	C	1,030	11,948	11.6	✗
JobInterview (Yamaguchi et al., 2021)	Job Interview	C	2,639	33,515	12.7	✗
IND (Ahmad et al., 2023)	E-commerce	C	4,163	57,393	13.79	✗
FACT (Proposed)	Tourism	C	8,687	186,241	21.43	✓

Table 8: Comparison of **FACT** with other negotiation conversational corpora. All benchmarks include two-party negotiation. C: Collaborative and NC: Non-collaborative

	GCQE	PCE	NEE	AEE	TE
Cumulative Survival Rate (%)	87.6	80.5	71.0	67.3	63.9
# of Conversations	11,894	10,934	9,645	9,138	8,687

Table 9: Cumulative survival rate with number of conversations in **FACT** after each filtering step.

Accommodation <ul style="list-style-type: none"> Private villa, Cozy cottage Premium suite Economy suite Waterfront accommodations Floating villa stay 	Dining <ul style="list-style-type: none"> Private dining Fine dining Gourmet buffet Premium buffet Seafood dining Restaurant reservations Mixology classes and cocktail workshops 	Transportation <ul style="list-style-type: none"> Private luxury Private standard Mini-bus Bus Charters 		
Amenities and Services <ul style="list-style-type: none"> Specific amenities Recreational Wellness Leisure, Spa and wellness Fitness Personalized assistance Concierge services Tickets 	Activities and Experiences <table border="0"> <tr> <td> Adventure & Sports <ul style="list-style-type: none"> Bungee Jumping Skydiving Indoor Sports and Fitness Adventure Photography Adventure Concierge </td> <td> Outdoor & Nature <ul style="list-style-type: none"> Scenic Locations Stargazing and Astronomy Nights Nature Therapy Outdoor Activities Sunset Cruises Photography Tours </td> </tr> </table>		Adventure & Sports <ul style="list-style-type: none"> Bungee Jumping Skydiving Indoor Sports and Fitness Adventure Photography Adventure Concierge 	Outdoor & Nature <ul style="list-style-type: none"> Scenic Locations Stargazing and Astronomy Nights Nature Therapy Outdoor Activities Sunset Cruises Photography Tours
Adventure & Sports <ul style="list-style-type: none"> Bungee Jumping Skydiving Indoor Sports and Fitness Adventure Photography Adventure Concierge 	Outdoor & Nature <ul style="list-style-type: none"> Scenic Locations Stargazing and Astronomy Nights Nature Therapy Outdoor Activities Sunset Cruises Photography Tours 			
Workshops & Creativity <ul style="list-style-type: none"> Yoga and Meditation Sessions Art and Crafts Workshops Customized Itineraries 	Entertainment <ul style="list-style-type: none"> Shows and Performances Nightlife Concierge Live Entertainment Tickets 	Marine & Water Activities <ul style="list-style-type: none"> Sailing Lessons Fishing Charters Cruises 		
Tours & Cultural Experiences <ul style="list-style-type: none"> History and Information Guides Traditional Ceremonies Cultural Festivals Cultural Heritage Trails Local Guides 	Shopping & Souvenirs <ul style="list-style-type: none"> Souvenir Gifts Personalized Merchandise Gift Shops Map Shipping and Packing Assistance 	Therapy & Wellness <ul style="list-style-type: none"> Detoxification and Mindfulness Sessions Nutritional Counseling 		
Technology & Virtual Experiences <ul style="list-style-type: none"> Virtual reality experiences 	Miscellaneous <ul style="list-style-type: none"> Surprise and delight gestures Restaurant reservations 			

Figure 5: Diversity and coverage of negotiation aspects.

sation quality expert’s role in refining the dataset, with ~12% of initial conversations excluded for not meeting quality standards. This indicates that LLM occasionally fails to generate dialogues with essential qualities. A challenge during personality filtering arises when both traveler and travel agent share similar traits, leading to misclassifications; for example, a negotiator with slightly weaker disagree-

ableness may be labeled as disagreeable, while another with slightly stronger traits is labeled as argumentative. This tendency to rely on relative rather than absolute traits results in inconsistencies in personality-based filtering. The negotiation and argumentation filtering stages further reduce the number of retained conversations, underscoring the experts’ significance in enhancing dataset quality. Also, ~36% of conversations are flagged and removed during toxicity filtering due to harmful or offensive content, a reduction facilitated by the LLM’s built-in toxicity mechanisms.

F.3 Comparison with Existing Datasets

We present a comparison of our proposed **FACT** dataset with existing publicly available negotiation dialogue datasets in Table 8. Notably, none of the existing datasets leverages an argumentation-based approach, which we introduce in **FACT** to enable more rational and realistic negotiation dynamics. Besides, **FACT** dataset exhibits an average of 21.43 turns per conversation, reflecting a more interactive and conversational structure. It also stands as the largest dataset dedicated exclusively to negotiation scenarios within the tourism domain, further enhancing its relevance for specialized applications.

G Experimental Specifications

G.1 Task Setups Details

The details of 5 setups are as follows: (i) Pre-trained Models (PMs) to assess LLMs’ inherent capability across all sub-tasks; (ii) Pre-trained Models with Personality (PM_{swP}) to examine LLMs’ ability to generate personality-driven responses by leveraging the interlocutors’ personality as input for RG task; (iii) Fine-tuning on a Human-Human Negotiation Dialogue Dataset (Details are

given Appendix G.3) (FT-*H2HNego*) investigates whether fine-tuning on general negotiation dialogues improves performance for PR, DAP, and RG tasks; (iv) Fine-tuning on **PACT** (FT-*Vanilla*) to evaluate the **PACT**'s effectiveness in improving LLMs performance across all sub-tasks; and (v) Fine-tuning on **PACT** with background knowledge, personality, and dialog act information (FT-*Ours*) to enhance LLMs' ability to generate factually grounded, personality-driven, and appropriate responses during negotiation. The prompt templates for experiments with GPT-4.1-mini are given in Table 16.

G.2 Response Generation Details

G.2.1 Retrieval-Augmented Generation

We design our response generation framework based on the Retrieval-Augmented Generation (RAG) model (Lewis et al., 2020) to integrate background knowledge into LLMs and mitigate the issue of hallucination during RG task. We utilize the curated database of travel packages to collect the package details. To enable efficient retrieval, we generate dense vector representations of these details and the context using BERT-based embeddings (Devlin et al., 2019). Then, we retrieve the top-most package details that closely align with the dialogue context, ensuring that responses remain coherent and factually accurate. For selecting top-most package details, we then compute the cosine similarity between the dialogue context embeddings and the package embeddings stored in the vector database to retrieve the package exhibiting the highest similarity to the target context. Afterward, we extract the available amenities, services, and their corresponding prices from the retrieved package and incorporate them into the generated responses, thereby ensuring the factual accuracy and reducing the likelihood of exaggerated or misleading descriptions. If a requested amenity or service is unavailable in the retrieved package, we first check for similar alternatives within the same package. If no suitable options are found, the traveler is informed about the unavailability and offered alternative packages to ensure accurate and relevant interaction.

Once the most relevant package is retrieved, we extract the amenities, services, and their corresponding prices to gather the necessary information for response generation. If a requested amenity or service is unavailable in the retrieved package, our

framework incorporates a fallback mechanism to ensure relevant alternatives are identified. Specifically, we search within the same package for amenities or services that are conceptually similar, leveraging semantic similarity using cosine similarity measure to identify the closest match. For creating the embeddings of amenities and services, we again employ BERT model. If no suitable alternatives are found, the agent politely informs the traveler of the unavailability and suggest other packages that might meet the traveler's requirements. This fallback mechanism further ensures that the response remains accurate and relevant.

G.2.2 Multi-task Learning

Acquiring personality information and inferring the future action to be taken from the dialogue context are critical for providing personalized and contextually relevant travel recommendations in real-time. To ensure this, we propose to capture the personality and dialog act information on-the-fly from the dialogue context, which are then used as a signal for enhanced response generation. The sub-tasks, PR, DAP, and RG tasks are inherently interconnected, as they all require a deep understanding of the dialogue context. To leverage this interdependence and ensure more accurate and consistent response generation, we propose adopting a multi-task learning (MTL) approach (Argyriou et al., 2006) by training the PR, DAP, and RG models simultaneously. The rationale behind this multi-task setup is rooted in the shared nature of the dialogue context input. Each of these models processes the same context and outputs a latent vector, which captures key aspects of the conversation. By training the models together, the model can learn more robust and generalized features that enhance its performance across all three sub-tasks.

G.3 Human-Human Negotiation Dialogue Dataset Details

For the task setup - 'Fine-tuning on a Human-Human Negotiation Dialogue Dataset (FT-*H2HNego*)', we use the Job Interview (JI) dataset that consists of human-human negotiation dialogues in a job interview setting, where participants assume the roles of recruiter and applicant to negotiate distinct issues. The dialogues were collected using Amazon Mechanical Turk (MTurk), ensuring high-quality human-human negotiation interactions. Each negotiation session required workers to exchange at least six messages while

making up to three draft agreement proposals, ensuring rich and structured negotiation discourse. The dataset consists of 2,639 dialogues with utterances annotated with one of the dialog acts, namely greet, disagree, agree, inquire, propose, and inform.

Since the dataset is not annotated with personality profiles, we annotate the dialogues in JI dataset with Big-Five personality traits (McCrae and John, 1992) given its universality and wide applicability. Based on the recent advancements in leveraging the LLMs as annotators to significantly reduce annotation costs and human effort (Gilardi et al., 2023; He et al., 2023), we utilize the LLM - LLaMA-3.1-8B (Touvron et al., 2023) due to its strong reasoning capability followed by a human-in-the-loop approach for the interlocutors’ profile annotation in the dataset. The entire annotation process unfolds in three steps.

- 1. Manual annotation of dialogue samples:** It involves randomly sampling 100 dialogues from the dataset and manually annotating the dialogues with recruiter’s and applicant’s personality profile labels and the corresponding explanations. This annotated dataset is referred to as ANN-JI, hereafter.
- 2. Few-shot prompting for personality profile labeling:** In this step, LLaMA-3.1-8B (Touvron et al., 2023) is prompted in a few-shot setting, using the manually annotated samples as few-shot demonstrations, to generate personality profile labels. These labels are accompanied by natural language explanations to provide insight into the model’s predictions. The sample prompt is shown below.

Prompt template for personality profile labeling

Task instruction: Given the dialogue, determine the recruiter’s and applicant’s personality as one of the following - *Openness, Conscientiousness, Extroversion, Agreeableness, and Neuroticism*. Then explain your prediction.

Few-shot demonstrations:

Dialogue:
 Recruiter’s Personality Label:
 Applicant’s Personality Label:
 Explanation:

Target input:

Dialogue:
LLM output:
 Recruiter’s Personality Label: <label1>
 Applicant’s Personality Label: <label2>
 Explanation: <explanation>

- 3. Manual Verification and Correction:** It involves verifying and re-annotating the dialogues by the human subjects to create gold-standard datasets.

Annotation Guidelines. Each dialogue is annotated by 3 annotators. The annotators are instructed to analyze the overall interaction style of the interlocutors rather than focusing on individual utterances. If a speaker exhibits multiple traits throughout the conversation, the most dominant one should be selected to capture the interlocutor’s general personality rather than momentary shifts in behavior. To enhance reliability, we employ a majority voting mechanism to determine the final personality profile of both the applicant and the recruiter. We observe a reliable multi-rater Kappa (McHugh, 2012) agreement ratios of 79.2% in Step 1 and 81.8% Step 3 among the annotators. It is noted that dataset annotation involves the same human evaluators as those involved in manual assessment of PACT dataset quality (§3.3).

G.4 Implementation Details

We split the dataset into train, validation, and test with the ratio of 7:1:2. All the results are computed on the test set. We prompt the LLMs in zero-shot setup. For conversation generation, we adopt nucleus (Top- p) sampling (Holtzman et al., 2019) with $p = 0.95$ and temperature $T = 1.0$. We fine-tune the LLMs with LoRA adaption (Hu et al., 2021) using 4*V100 GPUs, with batch size of 2 per GPU, and learning rate of $5e^{-5}$ for three epochs. The fine-tuning of all the LLMs are based on the SFT trainer of Transformer Reinforcement Learning (TRL)² (von Werra et al., 2020). All the implementation is done using the PyTorch³ framework. The transformer-based models from HuggingFace (Wolf et al., 2019) are utilized in all the experiments.

G.5 Evaluation Metrics Details

Perplexity (PPL) (Papineni et al., 2002) evaluates how well a model predicts a response. Word-overlap-based metrics like BLEU-1/2 (B-1/2) (Papineni et al., 2002), METEOR (MET) (Banerjee and Lavie, 2005), and ROUGE-L (R-L) (Lin, 2004) compute the n-gram overlap between the ground-truth response and the model’s generated response. DISTINCT-1/2 (D-1/2) (Li et al., 2015) measures

²<https://github.com/huggingface/trl>

³<https://pytorch.org/>

the diversity of n-grams in the generated responses. Embedding-based metrics such as BERTScore F1 (BS-F1)⁴ (Zhang et al., 2019) align the generated response and the ground-truth response in latent semantic space to assess the semantic similarity between the gold response and the model’s generated response. BS-F1 computes word similarity using contextual embeddings from the BERT (Devlin et al., 2019) model.

Response Length (R-LEN) calculates the length of the generated responses, Personality Accuracy (P-ACC) evaluates the alignment of the generated responses with the specified personality profile, and Dialog Act Accuracy (D-ACC) measures the consistency of the generated responses with the designated dialog act. To evaluate P-ACC and D-ACC, we fine-tune two distinct RoBERTa-base models (Liu et al., 2019) on our dataset for 8 epochs. The classifier used for computing P-ACC achieves an accuracy of 61.57% and a macro-F1 score of 58.31%. Similarly, the classifier for D-ACC attains an accuracy of 80.59% and a macro-F1 score of 79.22%.

FEQA (Durmus et al., 2020) and QuestEval (QE) (Scialom et al., 2021) are QA-based metrics designed to evaluate the faithfulness of generated content. FEQA assesses consistency by extracting answers from a source document using question-answer pairs derived from the summary, with discrepancies indicating unfaithfulness. It demonstrates strong alignment with human judgments and excels in evaluating highly abstractive summaries. In this study, we adapt FEQA by concatenating the dialogue context and grounded package information to form the document and treating the generated response as the summary. QE operates in both reference-dependent and reference-free modes, with the former relying on input sources and golden references. In this study, the reference-dependent mode is used, employing the same source construction method as FEQA. Both FEQA⁵ and QE⁶ metrics are computed using their respective official libraries with default settings.

⁴BERTScore: <https://huggingface.co/spaces/evaluate-metric/bertscore>

⁵FEQA: <https://github.com/esdurmus/feqa>

⁶QE: <https://github.com/ThomasScialom/QuestEval>

H Human Evaluation for the Response Generation Task

H.1 Evaluation Metrics and Instructions

Human evaluation for the RG task is conducted by the same four evaluators involved in the dataset creation process. They assess 50 randomly selected responses based on six criteria: Personality Relevance (PR), Bargaining Efficacy (BE), Outcome Fairness (OF), Fluency (F), Coherence (C), and Engagingness (E), using a 1-4 scale (low to high). Further, they assess the faithfulness of the generated responses (evaluating whether the responses adhere to the to the dialogue context and grounded package information) using Faithful (Faith.) and Hallucinated (Hal.). For each sample, evaluators are provided with the dialogue context, ground truth response, and the LLM-generated response to rate each response across these metrics adhering to the instructions mentioned below .

1. **Personality Relevance (PR)** evaluates whether the generated response aligns with the established personality profile.

Instruction: *To what extent does the generated response reflect the established personality profile of the traveler and travel agent?*

Scale: 1 (not at all aligned with the personality profile) to 4 (perfectly aligned with the personality profile).

2. **Bargaining Efficacy (BE)** measures the effectiveness of the generated response in presenting compelling offers and arguments that influence the other party’s decisions, ultimately achieving favorable outcomes.

Instruction: *How effectively does the generated response present persuasive offers and arguments during the negotiation?*

Scale: 1 (ineffective and unpersuasive) to 4 (highly effective and persuasive).

3. **Outcome Fairness (OF)** evaluates the equity of the negotiation results by analyzing how well the generated response reflects an agreement that meets the interests of both the traveler and the agent.

Instruction: *To what extent does the generated response indicate a fair and equitable agreement between the parties?*

Scale: 1 (entirely unfair, heavily favoring one party) to 4 (perfectly equitable, achieving a balanced win-win outcome).

4. **Fluency (F)** evaluates the grammatical correctness of the generated response.

Instruction: *How grammatically correct and fluent is the generated response?*

Scale: 1 (severely flawed with numerous errors) to 4 (fluent and grammatically correct).

5. **Coherence (C)** examines how well the generated responses align with the dialogue context.

Instruction: *To what extent does the generated response maintain logical flow and relevance within the conversation?*

Scale: 1 (completely incoherent and irrelevant) to 4 (perfectly coherent and contextually relevant).

6. **Engagingness (E)** measures the extent to which the generated response is engaging, compelling, and capable of retaining users' attention.

Instruction: *How captivating and interesting is the generated response in retaining the user's attention?*

Scale: 1 (not engaging at all) to 4 (extremely engaging and captivating).

7. **Faithfulness (Faith.) and Hallucinated (Hal.)** evaluate whether the response is faithful or hallucinated.

Instruction: *Whether the generated response is faithful or hallucinated? A response is faithful if it aligns with the dialogue context and package information, whereas it is labeled as hallucinated if it either contradicts the provided sources or lacks corroboration from them.*

Please choose one of the following options:

- A. The generated response is faithful.
- B. The generated response contains intrinsic hallucination only.
- C. The generated response contains extrinsic hallucination only.
- D. The generated response contains both intrinsic and extrinsic hallucinations.

Enter Your Option (Only enter A or B or C or D):

H.2 Evaluation Results

Table 10 presents the results of human evaluation. We conduct human evaluation for FT-*Vanilla* and FT-*Ours* setups only, as manual evaluation is expensive. From the results, we observe that the findings closely align with automatic evaluation results, providing a comprehensive assessment of model performance under FT-*Vanilla* and FT-*Ours* setups. In the FT-*Vanilla* setup, Vicuna achieves the highest scores across all key metrics - PR, BE, OF, F, C, and E, with values of 3.52, 3.45, 3.17, 3.39, 3.41, and 3.55, respectively. This mirrors

its strong performance in automatic evaluations, reinforcing its ability to generate fluent, coherent, and engaging responses during negotiation. Additionally, Llama-2-chat and Llama-3.1 demonstrate competitive performance, particularly in fluency (F = 3.56, 3.67) and coherence (C = 3.28, 3.01), indicating their effectiveness in maintaining contextual relevance. However, models trained under the FT-*Ours* setup with background package, personality and dialog act information exhibit substantial improvements across all evaluation dimensions. Notably, Vicuna outperforms all models with PR = 3.92, BE = 3.81, OF = 3.91, F = 3.93, C = 3.82, and E = 3.79, showing consistent gains over FT-*Vanilla*. These results highlight the effectiveness of our fine-tuning approach with background package, personality and dialog act information in enhancing response personalization, negotiation efficacy, coherency, fluency, and engagingness. Compared to its FT-*Vanilla* counterpart, Vicuna achieves absolute improvements of 10.20%, 9.45%, 18.93%, 13.74%, 10.73%, and 6.33% across PR, BE, OF, F, C, and E, respectively.

The faithfulness (Faith.) and hallucination (Hal.) metrics further underscore the reliability of models under FT-*Ours*. Across all models, Faith. scores increase significantly, with Vicuna achieving the highest Faith. score of 77.98 and the lowest Hal. score of 22.02. Further, the proposed FT-*Ours* setup outperforms ChatGPT across all metrics for the RG task. These results indicate that our fine-tuning method not only enhances content quality but also improves factual accuracy and reduces hallucinations, making negotiation responses more trustworthy and consistent. Overall, the results affirm that our fine-tuning approach (FT-*Ours*) significantly enhances response quality across personalization, coherence, negotiation efficacy, and faithfulness. The substantial improvements across all models, particularly for Vicuna highlight the impact of our approach in refining dialogue generation for negotiation scenarios. To assess the reliability of human evaluations, Fleiss's Kappa (McHugh, 2012) is computed to measure the inter-evaluator agreement. The average Kappa scores of 0.83, 0.83, 0.80, 0.78, 0.77, 0.85, 0.83 are obtained for PR, BE, OF, F, C, E, Faith. (or Hal.), respectively, implying substantial agreement among the evaluators.

H.3 Case Study

We analyze a few samples from the test set and present the responses generated by the top two

Task Setups	Models	PR	BE	OF	F	C	E	Faith.	Hal.
FT-Vanilla	Llama-2	3.11	2.94	3.07	3.12	2.84	2.99	54.32	45.68
	Llama-2-chat	3.34	3.34	3.15	3.56	3.28	2.94	58.46	41.54
	Llama-3	2.73	3.28	2.99	3.19	3.02	2.65	53.27	46.73
	Llama-3.1	3.45	3.11	2.86	3.67	3.01	3.43	60.14	39.86
	Mistral	2.86	3.03	3.08	2.91	3.17	3.29	59.88	40.12
	Vicuna	3.52	3.45	3.17	3.39	3.41	3.55	63.42	36.58
FT-Ours	Llama-2	3.51	3.49	3.22	3.55	3.42	3.61	75.31	24.69
	Llama-2-chat	3.89	3.69	3.75	3.31	3.66	3.72	73.81	26.19
	Llama-3	3.55	3.61	3.39	3.79	3.55	3.41	76.17	23.83
	Llama-3.1	3.74	3.58	3.63	3.82	3.45	3.56	71.58	28.42
	Mistral	3.64	3.44	3.65	3.35	3.42	3.53	73.19	26.81
	Vicuna	3.92	3.81	3.91	3.93	3.82	3.79	77.98	22.02
	GPT-4.1-mini	3.34	3.28	3.15	3.29	3.17	3.22	65.34	34.66

Table 10: Human evaluation results for response generation task. All results are statistically significant based on Welch’s t-test (Welch, 1947) conducted at a 5% significance level. Best scores are in bold.

LLMs - Vicuna and Llama-2-chat under two task setups, *viz.* FT-Vanilla and FT-Ours in Table 17. Our observations indicate that integrating background package knowledge together with personality and dialog act information generates more factual, rational and convincing responses aligned with the personality and dialog act during negotiation. For instance, in the first sample, traveler expresses concern about the price of a travel package and seeks a reduction. The FT-Vanilla models (LLaMA-2-chat, Vicuna) reinforce the price but fail to explore alternatives, making their responses appear rigid and less engaging. Additionally, these models sometimes introduce minor inconsistencies or fail to align completely with the negotiation context. In contrast, FT-Ours models not only recognize the traveler’s budget constraints but also proactively propose factual modifications, such as adjusting accommodations or tweaking the itinerary. The responses remain grounded in the provided package information, ensuring that no hallucinated details are introduced while maintaining persuasiveness, flexibility, and user engagement. In the second sample, traveler requests the removal of a package component to lower the overall cost. Here, the ground-truth agent provides a price adjustment while maintaining the overall value of the package. The FT-Vanilla models largely mirror this response but occasionally generate exaggerated or incorrect details, such as an arbitrary price increase. However, the FT-Ours models demonstrate a more adaptive negotiation action while maintaining factual correctness. They suggest reasonable itinerary adjustments to better match the traveler’s budget while ensuring quality retention, all without introducing fabricated details.

Overall, the analysis demonstrates that FT-Ours consistently outperforms other setups by gener-

ating responses that are both effective and factually grounded. By leveraging background knowledge, personality profiles, and dialog act cues, FT-Ours models enhance negotiation adaptability, improve persuasiveness, and foster greater context-awareness while minimizing hallucinations. These findings underscore the importance of incorporating package knowledge, personality, and dialog act information into LLMs for more effective, truthful, and human-like interactions.

Moreover, we conduct human evaluation in a multi-turn setup for the best-performing Vicuna model under FT-Ours setup. The human evaluation is conducted with the help of the same four human evaluators. Before interacting with the system, the evaluators receive a detailed briefing on the travel packages used in the dataset, including associated aspects, amenities, and service descriptions, followed by the different personality profiles. Evaluators are instructed to select a particular travel package and one profile each from argumentation, preference, and buying style profile sets, and initiate conversations with the system based on a given travel package and express their preferences according to the selected personality profiles.

Each evaluator engages in 5 interactions, ensuring that every session features a different travel package with a distinct combination of attributes and system responses. To ensure meaningful dialogue, each interaction spans at least 8 conversational turns. This setup results in a total of 20 human-evaluated dialogues. After completing all interactions, evaluators rate each dialogue along six dimensions: PR, BE, OF, F, C, E, Faith, and Hal. using a 4-point Likert scale. We obtain the following results: PR: 3.05, BE: 3.92, OF: 3.94, F: 3.01, C: 3.87, E: 3.85, Faith.: 79.16, Hal.: 20.84. These high ratings across all metrics demonstrate that Vicuna, under the FT-Ours setup, consistently generates personality-relevant responses, facilitates effective bargaining, and ensures fairness in negotiation outcomes. Besides, responses are consistently rated as fluent, coherent, natural, and faithful, underscoring the overall high quality of the generated negotiation interactions. A sample interaction is given in Table 18.

```

{
  "packageX": {
    "Travel_Package_Name": "Sight Tour",
    "Description": "Always ready to stop for that landmark, event, scenic vista or attraction",
    "Services": {
      "accommodation": {
        "private villa": 25000,
        "cozy cottage": 15000,
        "premium suite": 8000,
        "economy suite": 4000
      },
      "meals": {
        "private dining": 15000,
        "fine dining": 9000,
        "gourmet buffet": 6000,
        "premium buffet": 3000
      },
      "transportation": {
        "private luxury": 30000,
        "private standard": 15000,
        "mini-bus": 8000,
        "bus": 5000
      }
    },
    "Optional_amenities": [
      "specific",
      "recreational",
      "wellness",
      "leisure",
      "personalized"
    ],
    "options": [
      [
        ["history and information guides", 521],
        ["indoor sports and fitness", 669],
        ["spa and wellness facilities", 732],
        ["reading retreats", 482],
        ["customized itineraries", 787]
      ],
      [
        ["souvenir gifts", 2218],
        ["game room", 1960],
        ["yoga and meditation sessions", 2277],
        ["art and crafts workshop", 2008],
        ["surprise and delight gestures", 2491]
      ],
      [
        ["local guides", 3404],
        ["entertainment shows and performances", 3437],
        ["nutritional counselling", 3233],
        ["stargazing and astronomy nights", 3023],
        ["celebratory packages", 3670]
      ],
      [
        ["virtual reality experiences", 4932],
        ["outdoor activities", 4943],
        ["detoxification and mindfulness session", 4913],
        ["photography tour", 4587],
        ["personal assistance", 5162]
      ]
    ]
  }
}

```

Table 11: Sample travel package information.

General Conversation Quality Expert
<p>Coherence</p> <p>[Instruction] Is the conversation coherent, and does it maintain a smooth, consistent flow from start to finish? Please rate the coherence of the given conversation on a scale of 1 to 3, where 1 represents low coherence and 3 indicates a high level of coherence. Also, provide the rationale for your rating.</p> <p>Input {Conversation}</p> <p>Output Rating: Rationale:</p>
<p>Consistency</p> <p>[Instruction] Does the conversation maintain consistency in the information presented throughout its entirety? Please rate the consistency of the given conversation on a scale of 0 to 1, where 0 signifies inconsistency and 1 indicates strong consistency. Also, provide the rationale for your rating.</p> <p>Input {Conversation}</p> <p>Output Rating: Rationale:</p>
<p>Diversity</p> <p>[Instruction] Is there diversity in the responses throughout the conversation? Please rate the diversity of the given conversation on a scale of 1 to 3, where 1 signifies low diversity and 3 indicates strong diversity. Also, provide the rationale for your rating.</p> <p>Input {Conversation}</p> <p>Output Rating: Rationale:</p>
<p>Topic Depth</p> <p>[Instruction] Does the conversation delve into topics in depth? Please rate the topic depth of the given conversation on a scale of 1 to 3, where 1 indicates a superficial discussion and 3 signifies a comprehensive exploration. Also, provide the rationale for your rating.</p> <p>Input {Conversation}</p> <p>Output Rating: Rationale:</p>
<p>Understanding</p> <p>[Instruction] Does the conversation demonstrate an understanding of the user? Please rate the understanding of the given conversation on a scale of 1 to 3, where 1 signifies a lack of understanding and 3 indicates strong understanding. Also, please provide a rationale for your rating.</p> <p>Input {Conversation}</p> <p>Output Rating: Rationale:</p>
<p>Flexibility</p> <p>[Instruction] Is the conversation flexible and adaptable to the user and their interests? Please rate the flexibility of the given conversation on a scale of 1 to 3, where 1 signifies low flexibility and 3 indicates high flexibility. Additionally, provide a rationale for your rating.</p> <p>Input {Conversation}</p> <p>Output Rating: Rationale:</p>
<p>Likeability</p> <p>[Instruction] Does the conversation exhibit a likable personality? Please rate the likeability of the given conversation on a scale of 1 to 3, where 1 indicates an unlikable personality and 3 signifies a highly likable personality. Also, provide the rationale for your rating.</p> <p>Input {Conversation}</p> <p>Output Rating: Rationale:</p>

Table 12: Prompt templates used for General Conversation Quality Expert for PACT filtering. Variables enclosed in curly brackets represent placeholders that are filled when the template is instantiated.

<p>Personality Consistency Expert</p> <p>[Instruction] Imagine a travel agent with an argumentation profile as {argumentation profile of the travel agent with description} and a traveler with an argumentation profile as {argumentation profile of the traveler with description}, preference profile as {preference profile of the traveler with description}, and buying style profile as {buying style profile of the traveler with description}. Does the conversation align with the established personalities of both the traveler and the travel agent throughout? Please rate the personality consistency on a scale of 1 to 3, where 1 represents poor alignment with the personalities and 3 indicates strong consistency in personality portrayal. Also, provide the rationale for your rating.</p> <p>Input {Conversation}</p> <p>Output Rating: Rationale:</p>
<p>Negotiation Efficacy Expert</p> <p>[Instruction] How effective is the negotiation between the traveler and the travel agent in creating a win-win scenario? Please rate the negotiation efficacy of the conversation on a scale of 1 to 3, where 1 indicates poor effectiveness in achieving mutual agreement and 3 signifies strong effectiveness in fostering a win-win outcome. Also, provide the rationale for your rating.</p> <p>Input {Conversation}</p> <p>Output Rating: Rationale:</p>
<p>Argumentation Efficacy Expert</p> <p>[Instruction] How well do the negotiating parties manage arguments and present persuasive rationales throughout the conversation? Please evaluate the argumentation efficacy on a scale of 1 to 3, where 1 represents poor argumentation skills and 3 indicates strong ability to present convincing arguments for mutually beneficial outcomes. Also, provide the rationale for your rating.</p> <p>Input {Conversation}</p> <p>Output Rating: Rationale:</p>
<p>Toxicity Expert</p> <p>[Instruction] Is the conversation toxic? Please rate the toxicity of the given conversation on a scale of 0 to 1, where 0 represents non-toxic and 1 indicates toxic. Also, provide the rationale for your rating.</p> <p>Input {Conversation}</p> <p>Output Rating: Rationale:</p>

Table 13: Prompt templates used for various experts for PACT filtering. Variables enclosed in curly brackets represent placeholders that are filled when the template is instantiated.

[Dialog Act] Greet-Ask

[Task Overview] You are a travel agent, and you have to greet the traveler and ask for traveler’s preference for booking the desired tour package.

Few-shot demonstrations

[Sample Utterance] Hello there. Welcome, I am happy to help you choose the travel package according to your preferences. Can you please tell me what kind of travel experience you are planning for yourself?

Input

You are a travel agent, and you have to greet the traveler and ask for traveler’s preference for booking the desired tour package.

Output

<Generated utterance>

[Dialog Act] Elicit-preference

[Task Overview] You are a human traveler and you are describing the kind of tour package you are planning according to your personality profile. Your personality description is: Vacations, relaxing in quiet and peaceful places. You will say:

Few-shot demonstrations

[Sample Utterance] I want to enjoy vacations where I can get away from it all in order to relax in quiet and peaceful places.

Input

You are a human traveler and you are describing the kind of tour package you are planning according to your personality profile. Your personality description is {description}. You will say:

Output

<Generated utterance>

[Dialog Act] Inform

[Task Overview] You are a travel agent and you are giving information about a package to the traveler. The name of the package is ‘SightTour’. The cost of the package is 53432\$, the package has cozy cottage as accommodation option, fine dining as meal option and private standard as transportation option. The package has the amenities of virtual reality experiences, detoxification and mindfulness sessions and outdoor activities. You will provide the above mentioned information by replying:

Few-shot demonstrations

[Sample Utterance] Great! You will love our ‘SightTour’ package. The package will cost you 53432\$ and you will be getting amazing amenities like virtual reality experiences, detoxification and mindfulness sessions and outdoor activities. You will get cozy cottage as accommodation, fine dining and private standard transportation. Would you like to go with this package?

Input

You are a travel agent and you are giving information about a package to the traveler. The name of the package is {package}. The cost of the package is {cost}\$, the package has {service}. The package has the amenities of {amenity}. You will provide the above mentioned information by replying:

Output

<Generated utterance>

Table 14: Prompt template for different dialog acts that are used for conversation generation. Variables enclosed in curly brackets represent placeholders that are filled when the template is instantiated.

Traveler Personality Profile: {Disagreeable, Beach Lover, Quality&Budget-concerned}		Travel Agent Personality Profile: {Open-minded}
Interlocutor	Dialog Act	Utterance
Travel Agent	Greet-Ask	Welcome! I'm so excited to help you plan your dream trip. To get started, tell me a little about what you're looking for. Are you interested in a relaxing beach vacation, an adventurous hike through the mountains, a bustling city break, or something else entirely? What kind of budget are you working with, and how long do you have for your trip?
Traveler	Elicit-Preference	I'm looking for a vacation that's all about soaking up the sun and enjoying the water. Something with plenty of beaches, maybe a bit of snorkeling or paddle boarding, and some delicious seafood restaurants. I'm thinking a tropical paradise with warm, clear waters, white sand beaches, and maybe a few palm trees for good measure!
Travel Agent	Inform	For the ultimate beach getaway, I recommend our 'Beach Bum' package. It's priced at \$54,225 and includes cozy cottage accommodations, fine dining, and private standard transportation. You'll enjoy snorkeling and diving excursions, glass-bottom boat tours, and private beach access. Sounds like a perfect escape, right?
Traveler	Ask-clarification-X	Hey there! I'm really interested in doing some snorkeling and diving while I'm here. What kind of excursions do you offer? Are there any beginner-friendly spots? And what kind of marine life can I expect to see?
Travel Agent	Provide-clarification-X	Our snorkeling and diving excursions are truly spectacular! Imagine yourself gliding through crystal-clear waters, surrounded by vibrant coral reefs teeming with colorful fish. It's an experience that will leave you breathless! We offer options for all levels, from beginner snorkelers to experienced divers. Plus, our expert guides will ensure your safety and point out all the hidden gems beneath the surface. It's a unique way to connect with nature and create memories that will last a lifetime!
Traveler	Negotiate-price-decrease	I really appreciate the tour package you've put together, but \$54,225 is a bit out of my budget. Would you be willing to work with me on a price closer to \$40,672? I'm confident we can find a solution that works for both of us.
Travel Agent	Negotiate-price-increase	I appreciate you offering a price, and I understand you're looking for a great deal. However, \$40,672 is quite a bit lower than what's needed to cover the costs of this comprehensive package. To make this work for both of us, I'd propose a revised price of \$51,908.59. This would ensure you receive the high-quality experience we're known for, while still being a competitive rate for the value you're getting.
Traveler	Negotiate-price-decrease	I appreciate the package you've put together, but unfortunately, my budget for this trip is closer to \$43,193.15. Would you be willing to work with me to see if we can reach a price closer to that figure?
Travel Agent	Negotiate-price-increase	I appreciate you proposing a price, and I understand you're looking for a great deal. However, to offer you the best possible experience with this package, we need to adjust the price slightly to \$47,550.51. This ensures we can provide you with the top-quality accommodations, excursions, and service you deserve. Let's discuss what's included in the package and how we can customize it to fit your budget and preferences.
Traveler	Disagree-price	I appreciate you putting together this package for me, but \$47,550.51 is a bit out of my budget. I was hoping to find a package closer to \$45,550. Is there any flexibility in the pricing, perhaps with some slight adjustments to the itinerary? I'm open to suggestions.
Travel Agent	Justify-price	I understand your concern, but this package offers great value with luxury accommodations, exclusive experiences, flights, meals, and activities. It includes direct Emirates flights, a 5-star beachfront villa, snorkeling tours, dolphin-watching cruises, and gourmet dining. Plus, with our 10% discount, the price is significantly reduced. Similar packages elsewhere would cost over \$55,000. Let's discuss your priorities and see if we can adjust the package, perhaps switching the villa for a suite or tweaking activities to fit your budget. What do you think?
Traveler	Disagree-price	While I'm interested in this tour package, \$47,550.51 seems a bit steep. Could we discuss a lower price? I'm sure we can find a figure that works for both of us.
Travel Agent	Negotiate-add-X	Instead of private beach access, I'm suggesting we add a breathtaking sunset cruise to your package. Imagine enjoying stunning views as the sun dips below the horizon.
Traveler	Provide-consent	That sounds amazing! I'd love to add the sunset cruises to the package. What time do they usually depart?
Travel Agent	Consent-response	Great! Sunset cruises are now included in your package, bringing the total cost to \$46,975.51.
Traveler	Accept	Okay, I'm happy with the details of the tour package. Let's go ahead and book it.
Travel Agent	Acknowledge-acceptance	Wonderful! We're thrilled you've chosen this tour package. Thank you for your business!

Table 15: A sample generated conversation between the traveler and travel agent engaged in argumentation-based negotiation.

Personality Recognition Task

[Task Instruction] Imagine you are a travel agent negotiating with a potential traveler using an argumentation-based approach. The focus of the negotiation is on a {} travel package described as {}, where both parties aim to reach a mutually beneficial agreement. Given the conversation between traveler and travel agent, your task is to predict the argumentation profile, preference profile, and buying style profile of the traveler and argumentation profile of the travel agent. Argumentation profile of the traveler can be one of the following - {list_of_traveler_argumentation_profiles}, Preference profile of the traveler can be one of the following - {list_of_traveler_preference_profiles}, Buying style profile of the traveler can be one of the following - {list_of_traveler_buyingstyle_profiles}, and the Argumentation profile of the travel agent can be one of the following - {list_of_travelagent_argumentation_profiles}. Please give the output as 'Traveler Argumentation Profile: \n Traveler Preference Profile: \n Traveler Buying Style Profile: \n Travel Agent Argumentation Profile:'

Input

{Conversation}

Output

Traveler Argumentation Profile:

Traveler Preference Profile:

Traveler Buying Style Profile:

Travel Agent Argumentation Profile:

Dialog Act Prediction Task

[Task Instruction] Imagine you are a travel agent negotiating with a potential traveler using an argumentation-based approach. The focus of the negotiation is on a {} travel package described as {}, where both parties aim to reach a mutually beneficial agreement. Your task is to predict the dialogue act of the target utterance based on the provided dialogue context. Dialog Act may include {list_of_dialog_acts}. Please start the output with 'Dialog Act Label:'

Input

{Dialogue Context}

{Target Utterance}

Output

Dialog Act Label:

Response Generation Task

[Task Instruction] Imagine you are a travel agent negotiating with a potential traveler using an argumentation-based approach. The focus of the negotiation is on a {} travel package described as {}, where both parties aim to reach a mutually beneficial agreement. Your role as the travel agent is to present compelling arguments, address the traveler's concerns, and strategically persuade them while maintaining professionalism and flexibility. Given the dialogue context, your task is to generate a coherent and contextually relevant response. Please begin your response with 'Response:'

Input

{Dialogue Context}

Output

Response:

Table 16: Prompt template used for GPT-4.1-mini for different tasks. Variables enclosed in curly brackets represent placeholders that are filled when the template is instantiated.

Dialogue Context	<p>[...] <i>Traveler</i>: I'm a little concerned about the price of \$43,546.96. Could you break down the cost a bit more for me? I'm not sure if that's justifiable for the package as it stands now. Are there any options for adjusting the itinerary or accommodations to bring the price down?</p> <p><i>Agent</i>: I appreciate you're looking for a great deal, and \$37,203.88 is certainly a tempting offer. However, to give you the best possible experience and ensure we can secure all the elements of the package you've requested, we need to consider a price closer to \$41,277.89. This will allow us to give you the best hotel and include a unique experience, secure premium flights for high-quality experience you deserve. Would you be open to discussing that?</p> <p><i>Traveler</i>: I appreciate the package you've put together, but \$41,277.89 is a bit more than I'm comfortable with. Would you be willing to work with me on a price closer to \$37,203.88?</p>
Ground-truth	<p><i>Agent</i>: This package is carefully crafted to offer the best possible value, and to ensure we can deliver on all the amazing experiences included, we've arrived at a price of \$41,277.89. While I understand you might be looking for a lower price, this figure represents the absolute minimum we can offer to maintain the high quality and comprehensive nature of the tour.</p>
Llama-2-chat (FT-Vanilla)	<p>Okay, so for this incredible tour package, with everything included, the total cost comes to \$41,277.89. I understand that's a significant investment, but trust me, it's truly worth it. This price includes all flights, accommodations, activities, and even some meals, so you won't have to worry about any hidden costs. I've carefully crafted this itinerary to give you the best possible experience, and I'm confident that it's a fantastic value. While I can't go lower than this price, I'm happy to discuss any potential adjustments to the package if you have any specific areas you'd like to change.</p>
Vicuna (FT-Vanilla)	<p>This package has been carefully designed to provide you with the best possible experience, and after considering everything included, the price comes to \$41,277.89. I understand that you may be seeking a lower price, but this is the absolute minimum we can offer to maintain the high-quality experiences and comprehensive nature of the tour. I'm confident that this reflects the value you'll receive.</p>
Llama-2-chat (FT-Ours)	<p>I understand your budget concerns and appreciate your flexibility. We can explore adjusting accommodations, such as switching some premium hotel nights to a boutique stay or tweaking the itinerary while maintaining key experiences. Would you be open to discussing specific preferences to better align with your target of \$37,203.88?</p>
Vicuna (FT-Ours)	<p>I appreciate your concerns, and I want to ensure you get the best value while maintaining the quality of your experience. The price of \$41,277.89 represents the minimum necessary to provide the high-quality accommodations, curated experiences, and seamless logistics that make this trip exceptional. While I understand your goal of adjusting the cost, reducing it significantly would impact key elements of the package. That said, I'd be happy to explore reasonable modifications to tailor it further, perhaps adjusting certain accommodations or activities. Would you like me to walk you through some potential refinements?</p>
Dialogue Context	<p>[...] <i>Traveler</i>: Hi, I'm looking at the tour package and I'm not really interested in the photography tour. Could we remove that from the package and adjust the price accordingly?</p> <p><i>Agent</i>: Okay, so if we remove the photography tour from the package, the total cost will come down to \$37,817.13. Does that sound better for you?</p> <p><i>Traveler</i>: I'm really interested in this package, but my budget is a bit tighter than that. Would you be willing to work with me on a price closer to \$37,149.59? I'm sure we can find a mutually agreeable solution.</p>
Ground-truth	<p><i>Agent</i>: Okay, so the total cost for this amazing tour package comes out to \$37,817.13. That price includes everything, from flights and accommodations to all the incredible excursions and activities we've discussed. I understand that's a significant investment, but I can assure you it's a truly exceptional value for the experience you'll receive. Now, I'm very confident in the value of this package, and I'm not able to go below that price point. However, I'm happy to explore any other options with you, such as potentially adjusting the itinerary to see if we can find some savings. What are your thoughts?</p>
Llama-2-chat (FT-Vanilla)	<p>I appreciate you taking the time to put together that budget, and I see you're looking for a great deal. While \$37,149.59 is a fantastic price point, I want to make sure you get the best value for your trip. Considering the premium experiences and amenities included in this package, I'm proposing a slightly adjusted price of \$42,231.07. This allows us to secure the top-rated accommodations, exclusive excursions, and personalized service you deserve. What do you think?</p>
Vicuna (FT-Vanilla)	<p>I understand you're working within a specific budget, and I want to make sure you get the best value for your trip. Based on the current package, the total price is \$37,817.13, which includes everything we've discussed—flights, accommodations, and all the exciting excursions. I'm confident that this price reflects the quality of the experiences you'll have, and I'm unable to lower it further. However, I'd be happy to discuss options for adjusting the itinerary if you'd like to explore some alternatives to bring the cost closer to your budget. What do you think?</p>
Llama-2-chat (FT-Ours)	<p>I understand your budget and appreciate your interest. The \$37,817.13 covers flights, accommodations, and excursions. While I can't lower it further, we can adjust the itinerary to better match your \$37,149.59 target. Would you like to explore options?</p>
Vicuna (FT-Ours)	<p>I appreciate your offer and understand the importance of staying within budget. The \$37,817.13 package ensures a high-quality experience, covering all key inclusions such as flights, premium stays, and curated excursions. While this is the best price we can offer for the current package, I'm happy to explore small itinerary adjustments to bring it closer to your \$37,149.59 target. Let's review which aspects matter most to you, would you like to discuss possible tweaks?</p>

Table 17: Example responses generated by different LLMs under different task setup. [...] represents the truncated context for simplicity.

PR: 5, BE: 4, OF: 4, F: 4, E: 3, C: 4, Faith.: Yes	
Speaker	Dialogue
Travel Agent	Hi! I'm here to help plan your ideal trip. Are you looking for adventure, relaxation, a city break, or something else?
Traveler	I want a package packed with attractions-landmarks, events, scenic views. I love history, culture, and exciting experiences.
Travel Agent	The Sight Seeker package might be perfect. It's \$54,007 and includes a cottage stay, fine dining, private transport, VR experiences, mindfulness sessions, and personal assistance. Interested?
Traveler	VR sounds great! What kind of experiences are included? Anything cultural or historical?
Travel Agent	Yes! You can explore a Marrakech market or dive into the Great Barrier Reef-virtually. It's immersive and memorable.
Traveler	I love it, but \$54,000 is too much. Could you consider \$42,658?
Travel Agent	This price includes top-tier amenities and experiences. It's tough to go lower while maintaining quality.
Traveler	Okay, how about \$45,564.59? Can we make that work?
Travel Agent	Absolutely! This package suits you well. Let's confirm your details and book it. Thank you!

Table 18: An interaction between the traveler and travel agent (best-performing model) engaged in argumentation-based negotiation.