

# The AI\_INFN Platform: Artificial Intelligence Development in the Cloud

Lucio Anderlini<sup>1</sup>, Giulio Bianchini<sup>2</sup>, Diego Ciangottini<sup>2</sup>, Stefano Dal Pra<sup>3</sup>, Diego Michelotto<sup>3</sup>, Rosa Petrini<sup>1\*</sup> and Daniele Spiga<sup>2</sup>

<sup>1</sup> Istituto Nazionale di Fisica Nucleare (INFN), Sezione di Firenze, Italy

<sup>2</sup> Istituto Nazionale di Fisica Nucleare (INFN), Sezione di Perugia, Italy

<sup>3</sup> Istituto Nazionale di Fisica Nucleare (INFN), CNAF, Italy

\* [rosa.petrini@fi.infn.it](mailto:rosa.petrini@fi.infn.it)



## EuCAIF

*The 2nd European AI for Fundamental  
Physics Conference (EuCAIFCon2025)  
Cagliari, Sardinia, 16-20 June 2025*

## Abstract

Machine Learning (ML) is driving a revolution in the way scientists design, develop, and deploy data-intensive software. However, the adoption of ML presents new challenges for the computing infrastructure, particularly in terms of provisioning and orchestrating access to hardware accelerators for development, testing, and production. The INFN-funded project AI\_INFN (Artificial Intelligence at INFN) aims at fostering the adoption of ML techniques within INFN use cases by providing support on multiple aspects, including the provisioning of AI-tailored computing resources. It leverages cloud-native solutions in the context of INFN Cloud, to share hardware accelerators as effectively as possible, ensuring the diversity of the Institute's research activities is not compromised. In this contribution, we provide an update on the commissioning of a Kubernetes platform designed to ease the development of GPU-powered data analysis workflows and their scalability on heterogeneous distributed computing resources, also using the offloading mechanism with Virtual Kubelet and InterLink API. This setup can manage workflows across different resource providers, including sites of the Worldwide LHC Computing Grid and super computers as CINECA Leonardo, providing a model for use cases requiring dedicated infrastructures for different parts of the workload. Initial test results, emerging case studies and integration scenarios will be presented with functional tests and benchmarks.

Copyright attribution to authors.

This work is a submission to SciPost Phys. Proc.

License information to appear upon publication.

Publication information to appear upon publication.

Received Date

Accepted Date

Published Date

## 1 Introduction

The rapid proliferation of Machine Learning (ML) and Artificial Intelligence (AI) is fundamentally reshaping the landscape of data-intensive scientific research. In fields such as High

Energy Physics (HEP), where experiments generate vast and complex datasets, these advanced computational techniques are becoming indispensable for tasks ranging from data acquisition and simulation to final physics analysis [1]. The Italian National Institute for Nuclear Physics (INFN), a leader in subnuclear, nuclear, and astroparticle physics, recognizes this paradigm shift. In response to these evolving computational demands, INFN is restructuring its computing infrastructure to adapt to advances in AI and Cloud technologies, enhancing resources [2] and expanding services through INFN Cloud [3, 4]. Within this context, INFN has launched the AI\_INFN initiative, a strategic effort to integrate AI-powered technologies across its research domains. The core mission of the AI\_INFN initiative is to create a cohesive ecosystem that connects infrastructure, algorithms, and applications, thereby fostering collaboration and accelerating discovery. This mission is structured around four primary work packages:

1. **Infrastructure Provisioning:** Procuring and operating a state-of-the-art computing infrastructure equipped with hardware accelerators like GPUs.
2. **Training and Education:** Organizing training events, such as advanced hackathons [5], to promote the adoption of modern ML techniques.
3. **Community Building:** Cultivating a community of ML experts and developers across the various INFN units to share knowledge and best practices.
4. **Future Technologies:** Developing expertise with next-generation hardware accelerators beyond GPUs, including Field-Programmable Gate Arrays (FPGAs) and Quantum Processors, for AI model training and inference.

The AI\_INFN platform [6, 7] is a cloud-native toolset developed in collaboration with the *DataCloud* initiative, operating INFN Cloud, to support the activities of these goals. It is a cloud-native, scalable, and user-centric environment designed to empower INFN researchers with the tools they need to pioneer the next generation of scientific breakthroughs.

## 2 The AI\_INFN Platform Architecture

The transition to the AI\_INFN platform represents a strategic shift from a rigid, resource-centric infrastructure to a flexible, cloud-native, service-oriented architecture. This change addresses key limitations of the previous VM-based model [8], such as inefficient use of accelerators, risks of data loss, and unsustainable administrative and security demands. To overcome these obstacles, the AI\_INFN platform was redesigned as a *Software As A Service* (SaaS) application built on Kubernetes [9]. This modern, cloud-native approach decouples computing resources from user data, enabling dynamic hardware allocation without compromising data integrity. A typical example is JupyterHub [10], which provides multiple users with access to notebooks for data visualization and interactive computation using resources provisioned by the Cloud. This strategic pivot to a Kubernetes-based SaaS model resolves the issues of static allocation and data fragility. The following section details the components of the new architecture, from the hardware layer to user-facing services, that enable flexibility and scalability.

At its core, the AI\_INFN platform is a managed Kubernetes cluster that abstracts the complexity of its underlying high-performance hardware. This allows researchers to focus on their research rather than on infrastructure. The platform's architecture integrates high-performance hardware, a flexible software stack, and essential services that empower researchers to develop, test, and scale their AI-driven workflows.

The hardware is hosted at the INFN CNAF data center in Bologna and consists of four high-performance servers, clustered in an OpenStack [11] tenancy, acquired between 2020 and 2024 to meet increasing computational demands.

- Server 1 (2020): 64 CPU cores, 750 GB of memory, 12 TB of NVMe disk, 8 NVIDIA Tesla T4 GPUs and 5 NVIDIA RTX 5000 GPUs;
- Server 2 (2021): 128 CPU cores, 1024 GB of memory, 12 TB of NVMe disk, 2 NVIDIA Ampere A100 GPU, 1 NVIDIA Ampere A30 GPU, 2 AMD-Xilinx U50 boards and 1 AMD-Xilinx U250 board;
- Server 3 (2023): 128 CPU cores, 1024 GB of memory, 24 TB of NVMe disk, 3 NVIDIA Ampere A100 GPUs and 5 AMD-Xilinx U250 boards;
- Server 4 (2024): 128 CPU cores, 1024 GB of memory, 12 TB of NVMe disk, 1 NVIDIA RTX 5000 GPUs and 2 AMD-Xilinx Alveo U55c.

The main platform file system is distributed through the containers via NFS. One of the platform nodes runs an NFS server in a Kubernetes pod and exports data to the containers spawned by JupyterHub. At spawn time, JupyterHub is configured to create the user's home directories and project-dedicated shared volumes. A special directory of the platform file system, that users can use directly or clone and extend in their directories, is reserved for distributing managed software environments, configure using virtual environments. The platform file system is subject to regular encrypted backup. Backup data is stored in a remote Ceph volume [12] provisioned by INFN Cloud using the *BorgBackup* [13] package to ensure data deduplication.

Large datasets must be stored in a centralized object storage service based on Rados Gateway [14] and centrally managed by *DataCloud*. To ease accessing the datasets with the Python frameworks commonly adopted in Machine Learning projects, a patched version of *rclone* [15] was developed to enable mounting the user's bucket in the JupyterLab instance using the same authentication token used to access JupyterHub. The mount operation is automated at spawn time.

Efficient GPU management is achieved through the adoption of the NVIDIA GPU Operator [16] for Kubernetes. This tool automates the management of GPU driver lifecycles, container runtimes, and monitoring components. It simplifies administration and ensures consistent configurations across the cluster. One notable benefit is the ability to partition NVIDIA A100 GPUs into multiple, independent Multi-Instance GPUs [17] (MIGs). This feature enables a single physical GPU to serve up to seven users simultaneously, significantly increasing access to high-demand accelerator resources. The operator-based approach centralizes and standardizes GPU lifecycle management, reducing administrative overhead significantly compared to maintaining custom configurations on individual VMs.

The platform supports multiple mechanisms to provide customizable software environments. Users can start with preconfigured, templated Conda [18] environments or AppTainer [19] images for common frameworks, such as TensorFlow [20], Torch [21], and Keras [22]. Specialized environments for emerging fields such as Quantum Machine Learning (QML) are also available. For maximum flexibility, users can deploy custom OCI (Open Container Initiative) images, allowing them to freely define the system libraries and software packages required for their research.

A dedicated monitoring and accounting system provides crucial visibility into resource utilization. The system uses Prometheus [23] to collect metrics from various exporters, including Kube Eagle [24] for CPU/memory usage and the NVIDIA DCGM Exporter [25] for GPU telemetry. In addition to off-the-shelf exporters, custom exporters were developed to monitor specific resources, such as storage utilization. These metrics are visualized through Grafana [26] dashboards, enabling administrators to effectively control resource allocation and plan for future capacity needs. This robust architecture provides a comprehensive solution for interactive development and serves as the foundation for the platform's advanced scaling capabilities. At the same time, a feasibility study is ongoing to develop personalized user dashboards, so that each

researcher can monitor and manage their own resource consumption. This feature is expected to significantly enhance transparency and foster responsible usage of the shared infrastructure.

At the time of writing, 78 INFN Cloud users registered to the AI\_INFNO platform and 20 multi-user research projects were allocated.

### 3 Batch Processing and Workload Offloading

Seamlessly scaling workloads from interactive development to large-scale batch processing is a critical requirement for modern scientific computing. The AI\_INFNO platform addresses this with a two-pronged strategy: an opportunistic local batch system and a sophisticated offloading architecture that connects the platform with national-level HPC assets like the CINECA Leonardo supercomputer [27].

The local batch system is managed by Kueue [28], a Kubernetes-native job queue controller. It is designed to opportunistically run non-interactive workloads, making effective use of the cluster's resources during off-peak hours, such as nights and weekends. To ensure a responsive experience for interactive users, Kueue is configured to prioritize JupyterLab sessions. If resource contention occurs, running batch jobs are automatically evicted to free up hardware for interactive development.

In the field of workflow definition, Snakemake has emerged as a promising infrastructural component. Providing an alternative to traditional Job Description Languages, it offers explicit handling of job dependencies and reproducible workflows. Snakemake workflows can be entirely submitted to the platform, where job dependencies are managed by a dedicated controller. For workloads that exceed the local cluster's capacity, the platform features an offloading architecture that transparently executes jobs on external computing resources. Virtual Kubelet [29] enables this by allowing a Kubernetes cluster to treat a remote resource provider as if it were a local node. The AI\_INFNO platform relies on the InterLink [30] provider. Successful scalability tests have validated this architecture by orchestrating workloads across four different sites using heterogeneous schedulers (HTCondor [31] and SLURM [32]) and backends (Podman [33]). These tests integrated resources from the INFNO-Tier1 at CNAF, ReCaS Bari and the CINECA Leonardo supercomputer, providing powerful proof of the platform's ability to manage complex, federated workflows and prove its readiness to tackle demanding computational challenges in the highly heterogeneous landscape of the Italian computing ecosystem.

### 4 Conclusion

The AI\_INFNO platform represents a significant advancement in the computing infrastructure available to the Italian scientific community. By evolving from a static, VM-based model to a flexible, cloud-native *Software as a Service* (SaaS) environment, the platform successfully addresses the core challenges of modern scientific computing. It provides researchers with a highly customizable, scalable, collaborative platform that simplifies access to high-performance hardware accelerators and modern software tools. This environment fosters the adoption of cutting-edge machine learning techniques across a wide range of INFNO research domains, including high-energy physics, solid-state detector modeling, theoretical physics, and nuclear medicine. Although initially conceived as a research initiative, the AI\_INFNO platform is quickly emerging as a key provider of GPU-accelerated computing resources. By empowering scientists to extract insights from complex data, it is positioned to play a pioneering role in shaping the future of INFNO's computing infrastructure.

## Acknowledgements

**Funding information** The work presented in this paper, and in particular the work of G.B., D.C. and R.P., has been funded in the framework of Spoke 0 and Spoke 2 of the ICSC project – *Centro Nazionale di Ricerca in High Performance Computing, Big Data and Quantum Computing*, funded by the NextGenerationEU European initiative through the Italian Ministry of University and Research, PNRR Mission 4, Component 2: Investment 1.4, Project code CN00000013 - CUP I53C21000340006.

## References

- [1] K. Albertsson *et al.*, *Machine Learning in HEP Community White Paper*, J. Phys. Conf. Ser. **1085**(2), 022008 (2018), doi:[10.1088/1742-6596/1085/2/022008](https://doi.org/10.1088/1742-6596/1085/2/022008), [1807.02876](https://arxiv.org/abs/1807.02876).
- [2] C. Grandi *et al.*, *ICSC: The Italian National Research Centre on HPC, Big Data and Quantum computing*, EPJ Web Conf. **295**, 10003 (2024), doi:[10.1051/epjconf/202429510003](https://doi.org/10.1051/epjconf/202429510003).
- [3] D. Salomoni *et al.*, *INFN and the evolution of distributed scientific computing in Italy*, EPJ Web Conf. **295**, 10004 (2024), doi:[10.1051/epjconf/202429510004](https://doi.org/10.1051/epjconf/202429510004).
- [4] Istituto Nazionale di Fisica Nucleare (INFN), *INFN cloud*, <https://www.cloud.infn.it/>, Accessed: 24 September 2025.
- [5] Istituto Nazionale di Fisica Nucleare (INFN), *Agenda INFN – evento 43129*, <https://agenda.infn.it/event/43129>, Accessed: 24 September 2025.
- [6] L. Anderlini, M. Barbetti, G. Bianchini, D. Ciangottini, S. Dal Pra, D. Michelotto, C. Pellegrino, R. Petrini, A. Pascolini and D. Spiga, *Supporting the development of Machine Learning for fundamental science in a federated Cloud with the AI\_INFN platform* (2025), [2502.21266](https://arxiv.org/abs/2502.21266).
- [7] R. Petrini, L. Anderlini, M. Barbetti, G. Bianchini, D. Ciangottini, S. Dal Pra, D. Michelotto and D. Spiga, *Developing artificial intelligence in the cloud: The ai infn platform*, Computer Science **26**(SI) (2025), doi:[10.7494/csci.2025.26.SI.7071](https://doi.org/10.7494/csci.2025.26.SI.7071).
- [8] L. Anderlini *et al.*, *ML\_INFN project: Status report and future perspectives*, EPJ Web Conf. **295**, 08013 (2024), doi:[10.1051/epjconf/202429508013](https://doi.org/10.1051/epjconf/202429508013).
- [9] *Kubernetes*, <https://kubernetes.io/>, Accessed: 29/09/2025 (2025).
- [10] T. Kluyver, B. Ragan-Kelley, F. Pérez, B. Granger, M. Bussonnier, J. Frederic, K. Kelley, J. Hamrick, J. Grout, S. Corlay, P. Ivanov, D. Avila *et al.*, *Jupyter notebooks – a publishing format for reproducible computational workflows*, In F. Loizides and B. Schmidt, eds., *Positioning and Power in Academic Publishing: Players, Agents and Agendas*, pp. 87 – 90. IOS Press (2016).
- [11] OpenStack, <https://www.openstack.org>, Last accessed on 2025-05-12.
- [12] S. A. Weil, S. A. Brandt, E. L. Miller, D. D. E. Long and C. Maltzahn, *Ceph: a scalable, high-performance distributed file system*, In *Proceedings of the 7th Symposium on Operating Systems Design and Implementation*, OSDI '06, p. 307–320. USENIX Association, USA, ISBN 1931971471 (2006).
- [13] *Borg*, <https://borgbackup.readthedocs.io/en/stable/#>, Accessed: 29/09/2025 (2025).

- [14] *Rados gateway*, <https://docs.ceph.com/en/reef/radosgw/>, Accessed: 29/09/2025 (2025).
- [15] D. Ciangottini, *rclone*, <https://github.com/DODAS-TS/rclone> (2022).
- [16] *NVIDIA GPU Operator*, <https://docs.nvidia.com/datacenter/cloud-native/gpu-operator/latest/index.html>, Accessed: 29/09/2025 (2025).
- [17] *Multi-instance GPU*, <https://www.nvidia.com/it-it/technologies/multi-instance-gpu/>, Accessed: 29/09/2025 (2025).
- [18] *Conda*, <https://conda.io>, Accessed: 29/09/2025 (2025).
- [19] *Apptainer*, <https://apptainer.org/>, Accessed: 29/09/2025 (2025).
- [20] M. Abadi, A. Agarwal, P. Barham, E. Brevdo, Z. Chen, C. Citro, G. S. Corrado, A. Davis, J. Dean, M. Devin, S. Ghemawat, I. Goodfellow *et al.*, *TensorFlow: Large-scale machine learning on heterogeneous systems*, Software available from tensorflow.org (2015).
- [21] A. Paszke, S. Gross, F. Massa, A. Lerer, J. Bradbury, G. Chanan, T. Killeen, Z. Lin, N. Gimelshein, L. Antiga, A. Desmaison, A. Kopf *et al.*, *Pytorch: An imperative style, high-performance deep learning library*, In *Advances in Neural Information Processing Systems 32*, pp. 8024–8035. Curran Associates, Inc. (2019).
- [22] F. Chollet *et al.*, *Keras*, <https://keras.io> (2015).
- [23] M. Winikoff and L. Padgham, *The Prometheus Methodology*, pp. 217–234, ISBN 1-4020-8057-3, doi:[10.1007/1-4020-8058-1\\_14](https://doi.org/10.1007/1-4020-8058-1_14) (2004).
- [24] M. Schneppenheim, *Kube Eagle*, <https://github.com/cloudworkz/kube-eagle> (2020).
- [25] *nVidia DCGM Exporter*, <https://docs.nvidia.com/datacenter/cloud-native/gpu-telemetry/latest/dcgm-exporter.html>, Accessed: 29/09/2025 (2025).
- [26] Grafana Labs, *Grafana documentation* (2018).
- [27] *Leonardo*, <https://leonardo-supercomputer.cineca.eu/>, Accessed: 29/09/2025 (2025).
- [28] *Kueue*, <https://kueue.sigs.k8s.io/>, Accessed: 29/09/2025 (2025).
- [29] *Virtual kubelet*, <https://virtual-kubelet.io/>, Accessed: 29/09/2025 (2025).
- [30] D. Ciangottini *et al.*, *Unlocking the compute continuum: scaling out from cloud to HPC and HTC resources*, In *27th International Conference on Computing in High Energy & Nuclear Physics* (2024).
- [31] B. Bockelman, M. Livny, B. Lin and F. Prelz, *Principles, technologies, and time: The translational journey of the htcondor-ce*, *Journal of Computational Science* **52**, 101213 (2021), doi:<https://doi.org/10.1016/j.jocs.2020.101213>, Case Studies in Translational Computer Science.
- [32] A. B. Yoo, M. A. Jette and M. Grondona, *Slurm: Simple linux utility for resource management*, In D. Feitelson, L. Rudolph and U. Schwiegelshohn, eds., *Job Scheduling Strategies for Parallel Processing*, pp. 44–60. Springer Berlin Heidelberg, Berlin, Heidelberg (2003).
- [33] *Podman*, <https://podman.io>, Last accessed on 2025-05-12.