

From Bits to Boardrooms: A Cutting-Edge Multi-Agent LLM Framework for Business Excellence

Zihao Wang^{a,*} and Junming Zhang^{a,**}

^aCollege of Artificial Intelligence and Automation, Hohai University
 ORCID (Zihao Wang): <https://orcid.org/0009-0001-7289-3659>, ORCID (Junming Zhang):
<https://orcid.org/0009-0000-1807-644X>

Abstract. Large Language Models (LLMs) have shown promising potential in business applications, particularly in enterprise decision support and strategic planning, yet current approaches often struggle to reconcile intricate operational analyses with overarching strategic goals across diverse market environments, leading to fragmented workflows and reduced collaboration across organizational levels. This paper introduces **BusiAgent**, a novel multi-agent framework leveraging LLMs for advanced decision-making in complex corporate environments. BusiAgent integrates three core innovations: an extended Continuous Time Markov Decision Process (CTMDP) for dynamic agent modeling, a generalized entropy measure to optimize collaborative efficiency, and a multi-level Stackelberg game to handle hierarchical decision processes. Additionally, contextual Thompson sampling is employed for prompt optimization, supported by a comprehensive quality assurance system to mitigate errors. Extensive empirical evaluations across diverse business scenarios validate BusiAgent’s efficacy, demonstrating its capacity to generate coherent, client-focused solutions that smoothly integrate granular insights with high-level strategy, significantly outperforming established approaches in both solution quality and user satisfaction. By fusing cutting-edge AI technologies with deep business insights, BusiAgent marks a substantial step forward in AI-driven enterprise decision-making, empowering organizations to navigate complex business landscapes more effectively.

1 Introduction

In the era of digital transformation, modern enterprises face a central challenge: converting extensive operational data into impactful boardroom decisions across diverse contexts. This journey necessitates balancing fine-grained analytics with macro-level strategy, requiring organizations to orchestrate complex information flows across multiple decision-making layers. The exponential growth of business data—from customer interactions to internal operations—has created unprecedented opportunities alongside significant coordination challenges for executive teams.

While Large Language Models (LLMs) have demonstrated notable potential in business applications [10, 37, 13], prevailing methods fragment workflows and underutilize synergy across organizational tiers [28, 45, 4, 39]. These approaches treat business problems as isolated domains rather than interconnected ecosystems, limiting

* Email: wald0wzh@gmail.com.

** Corresponding author. Email: 20241807@hhu.edu.cn.




Figure 1. Client-centric Multi-agent System

their effectiveness where cross-functional alignment is critical. Consequently, they fail to align operational insights with strategic outcomes, undermining cross-departmental collaboration and creating decision silos that hinder organizational agility.

This misalignment between operational granularity and strategic coherence manifests in critical challenges: (1) information asymmetry across management layers, (2) delayed decision-making from fragmented analysis, (3) disconnect between business objectives and daily operations. McKinsey research [31] indicates that companies excelling at integrating data-driven insights across organizational levels achieve 5-6% higher productivity and profitability.

Through extensive practice, structured workflows [31] have emerged to systematically connect operational data with strategic initiatives, especially for multinational enterprises. These workflows break complex processes into well-defined phases, establishing transparent task sequences while enabling automation. However, implementing such frameworks requires substantial manual coordination and cross-domain expertise—constraints limiting scalability in evolving markets.

To address these challenges, we introduce **BusiAgent**, a GPT-based multi-agent framework harnessing organizational workflows to fulfill diverse client needs [31]. As depicted in Figure 1, BusiAgent orchestrates role-specific agents (CEO, CTO, CFO, Marketing Manager) collaborating through structured procedures, supplemented by specialized tools for coding, search, and analysis. Unlike

Table 1. Comparison of multi-agent systems across different capabilities.

System	Task Delegation	Reporting Work	Prompt Optimization	LLMs Tools
Multi-Agent Debate	X	X	X	X
BabyAGI	X	✓	X	X
Camel	X	X	✓	X
Chatdev	✓	X	X	X
MetaGPT	✓	X	X	X
Generative Agents	X	X	X	X
METAAGENTS	X	X	X	X
BusiAgent (Ours)	✓	✓	✓	✓

previous approaches focusing on singular business aspects, BusiAgent mimics organizational dynamics through hierarchical decision-making enabling horizontal collaboration and vertical coordination.

The framework incorporates a Continuous Time Markov Decision Process (CTMDP) for dynamic agent modeling, preserving structured workflows for task allocation, role responsibilities, and tool utilization. This mathematical foundation enables BusiAgent to balance exploration and exploitation across business contexts. The architecture delivers cohesive solutions by aligning high-level strategy with operational execution, boosting client satisfaction and adapting to evolving demands.

Contributions. We summarize our contributions as follows:

- **BusiAgent:** A novel LLM-based multi-agent framework that transforms operational data into strategic insights, integrating extended CTMDP, information theory, and multi-level Stackelberg games to enable data-driven boardroom decisions. Our approach demonstrates significant improvements in solution quality (+122% in problem analysis, +284% in task assignment) compared to state-of-the-art baselines, *which aligns with McKinsey’s latest projection that multi-agent AI could raise enterprise productivity by roughly 1.5 percentage points per year* [5].
- **Cognitive Enhancement:** An adaptive system combining contextual Thompson sampling for prompt optimization and comprehensive quality assurance mechanisms, ensuring reliable translation of operational data into strategic recommendations. This dual approach mitigates hallucination risks while maximizing contextual relevance, achieving a 4.30/5.0 user satisfaction rating across diverse business scenarios.
- **AI-Human Parallel:** An innovative approach aligning AI decision-making processes with corporate management structures, demonstrating superior performance in bridging operational analysis and strategic planning. Our extensive evaluation with 100 domain experts validates BusiAgent’s effectiveness in generating solutions that seamlessly integrate granular insights with strategic vision, mirroring human executive decision-making.

2 Related Work

2.1 LLM Based Agent

Large language models have emerged as core components of AI agents due to their capabilities [1, 2, 3, 8, 25, 27, 40]. Research has focused on extending LLMs beyond language processing to include multimodal perception, improved perceptual skills, and tool usage techniques [11, 20, 22, 23, 30, 32, 42], signifying a substantial shift toward more adaptable AI agents.

Based on LLMs, various agents have been developed, each with unique capabilities. AutoGPT [33] automates complex tasks into subtasks with web integration. WorkGPT [38] engages in dialogues with LLMs for task execution. GPT-Engineer [26] and SmolModels [34] focus on automating code generation. ChatGPT-Code Interpreter [24] combines conversational AI with a code interpreter, and LangChain Agents [12, 15, 36, 44] offers different types of agents for LLM-based applications. It provides a natural-language API with curated tools, following a single-agent paradigm.

2.2 Multi-Agent Systems and Scenarios

Recent multi-agent systems have leveraged multiple LLMs for enhanced reasoning through inter-agent discussions [7, 14, 16, 17, 19, 21, 41, 43]. Notable examples include BabyAGI for task management, CAMEL for role-playing task completion, MetaGPT for software development, and AutoGen as an open-source framework for diverse applications [10, 36, 44].

As illustrated in Table 1, we provide a systematic comparison of existing multi-agent systems across four critical capabilities: task delegation, reporting work, prompt optimization, and LLM tools integration. While systems like ChatDev and MetaGPT excel in task delegation, and others like BabyAGI in reporting work or Camel in prompt optimization, none comprehensively addresses all four dimensions. BusiAgent uniquely integrates all these capabilities, enabling more cohesive workflows that bridge operational details with strategic insights.

The applications span various domains: MetaAgent [18] in job fair simulations, MetaGPT [10] and ChatDev [29] in software development, and AutoGen across mathematics, coding, and operations research [21]. While current implementations focus on specific scenarios, this research significantly extends prior work by providing more comprehensive and diverse simulations across multiple business sectors, demonstrating unprecedented versatility and practical utility.

3 BusiAgent: Multi-Agent Business Workflow Framework

Business process optimization requires coordinated decision-making across organizational levels while maintaining operational efficiency. Previous approaches often struggle with integrating strategic planning and operational execution. We propose BusiAgent, a novel multi-agent framework that enhances business workflows through specialized AI agents, making three key technical contributions:

1. A **role-based agent system** using extended Continuous Time Markov Decision Process (CTMDP),
2. A **collaborative decision-making mechanism** combining entropy-based discussions and multi-level Stackelberg games,
3. An **enhanced decision support system** with contextual Thompson sampling and robust quality assurance.

Figure 2 illustrates the overall architecture.

3.1 Framework Overview

BusiAgent unifies strategic planning and operational execution through five integrated components:

- (1) **Role-based agent system** uses extended CTMDPs to optimize decisions among specialized roles (CEO, CFO, CTO, etc.).
- (2) **Collaborative decision-making mechanism** combines peer-level entropy-based brainstorming with hierarchical Stackelberg coordination.
- (3) **Tool integration system** extends action spaces with specialized business tools (Figure 3).




Figure 2. BusiAgent: A Client-Centric Business Framework. See Appendix F for a detailed explanation.

- (4) **Advanced prompt optimization** leverages contextual Thompson sampling to refine LLM queries dynamically.
- (5) **Quality assurance system** merges short-/long-term memory and a knowledge base to ensure correctness.

3.2 Role-Based Agent System

Modern organizations rely on domain-specific roles with unique responsibilities. BusiAgent formalizes each role i with an *extended CTMDP*:

Definition 1 (Extended CTMDP for BusiAgent Roles). For each agent i , define $(S_i, A_i, q_i, r_i, \gamma_i, \omega_i)$:

- S_i : state space (role-specific business contexts),
- A_i : action space (both strategic and operational),

- $q_i : S_i \times A_i \times S_i \rightarrow \mathbb{R}^+$: transition rate function,
- $r_i : S_i \times A_i \rightarrow \mathbb{R}$: reward rate function,
- $\gamma_i \in (0, 1)$: continuous-time discount factor,
- $\omega_i : S_i \times A_i \rightarrow \mathbb{R}^+$: duration or deadline function.

This extension allows explicit modeling of time-sensitive tasks.

Theorem 1 (Extended Optimality Equation for BusiAgent CTMDP). For agent i , the optimal value function $V_i^*(s)$ satisfies:

$$V_i^*(s) = \max_{a \in A_i} \left[r_i(s, a) \omega_i(s, a) + \int_0^{\omega_i(s, a)} e^{-\gamma_i t} \sum_{s' \in S_i} q_i(s, a, s') V_i^*(s') dt \right]. \quad (1)$$

(See expanded proof in Appendix C.1.)




Figure 3. Examples of Tools in BusiAgent. See Appendix F for a detailed explanation.

3.3 Collaborative Decision Making

Horizontal (peer-level) collaboration is achieved via an entropy-based brainstorming mechanism, while vertical (hierarchical) collaboration is handled through a multi-level Stackelberg game.

Horizontal Collaboration. We define a generalized entropy:

Definition 2 (Generalized Entropy of Brainstorming). *For discussion outcome X ,*

$$H_\alpha(X) = \frac{1}{1-\alpha} \log \sum_{x \in \mathcal{X}} p(x)^\alpha q(x)^{1-\alpha}, \quad (2)$$

where $\alpha > 0, \alpha \neq 1$, $p(x)$ is the posterior, and $q(x)$ is the prior distribution.

Theorem 2 (Generalized Efficiency of Brainstorming). *If the Rényi divergence $D_\alpha(p||q) \geq \epsilon > 0$, BusiAgent’s brainstorming reduces the expected solution time by at least a factor 2^ϵ . (Appendix C.2 contains the extended proof.)*

Vertical Coordination. We apply multi-level Stackelberg games:

Definition 3 (Multi-Level Stackelberg Game in BusiAgent). *A multi-level Stackelberg game is $(N, L, (S_i), (U_i), (f_i))$, with:*

- N : set of agents,
- L : set of hierarchical levels,
- S_i : strategy sets, U_i : utility functions,
- f_i : decision function at level l .

Theorem 3 (Equilibrium in Multi-Level BusiAgent Game). *Under mild conditions, there exists a unique subgame perfect equilibrium:*

$$f_i^*(s) = \arg \max_{a_i \in A_i} U_i(s, a_i, f_{l+1}^*(s)). \quad (3)$$

(Appendix C.3 includes a thorough existence/uniqueness proof.)

3.4 Enhanced Decision Support

BusiAgent’s decision support is strengthened by two key components: *tool integration* and *contextual Thompson sampling*.

Tool Integration. The action space A_i for each role includes specialized “tools” (Figure 3), enabling immediate data retrieval, coding, or analytics. By embedding these tools in the CTMDP action set, each agent (CEO, CFO, etc.) can dynamically decide to call (DuckDuckGo_Search(), Python_Executor(), etc.) to gather information or perform computations relevant to its domain.




Figure 4. Enhanced Thoughts: Prompt Optimization. See Appendix F for a detailed explanation.

Contextual Thompson Sampling. We use a multi-armed bandit approach with Gaussian process priors for different prompt variants:

Definition 4 (Contextual Thompson Sampling for Prompt Optimization). *For each variant k and context x , define $\mathcal{GP}(\mu_k, K_k)$. At round t :*

1. Observe context x_t ,
2. Sample $\theta_k(t)$ from posterior $\mathcal{GP}(\mu_k, K_k)$,
3. Pick $k_t = \arg \max_k \theta_k(t)(x_t)$,
4. Observe reward $r_t \in [0, 1]$,
5. Update to $\mathcal{GP}(\mu'_k, K'_k)$.

Theorem 4 (Regret Bound for Contextual Thompson Sampling). *We have*

$$\mathbb{E}[R(T)] \leq O\left(\sqrt{dKT\gamma_T \log T}\right), \quad (4)$$

where d is the context dimension, K the number of prompt variants, and γ_T the maximum information gain. (See Appendix C.4 for a detailed derivation.)

Figure 4 provides a visual illustration of how BusiAgent refines user prompts throughout this sampling process, breaking each prompt




Figure 5. Quality Assurance Mechanism: LTM + STM + Knowledge Base. See Appendix F for a detailed explanation.

into phases such as *Prompt Elaboration*, *Providing Hint*, and *Prompt Clarification*. During each iteration, the agent may expand on the user’s original question, highlight relevant dimensions (e.g., personal or behavioral characteristics), and clarify core business concepts like value proposition. By evaluating the “reward” (i.e., the improved clarity and alignment of the prompt), the system adaptively converges on more effective instructions. This mechanism avoids misunderstandings and ensures that each agent role (CEO, CFO, etc.) receives contextually optimized tasks that lead to higher-quality business solutions.

3.5 Quality Assurance Mechanism

Finally, BusiAgent integrates a robust QA system (Figure 5), merging short-/long-term memory with a knowledge base to detect and correct potential inconsistencies. This ensures outputs remain aligned with overarching business objectives.

The system combines three key components working in concert. Short-term memory captures immediate conversational context and partial solution states, while long-term memory preserves historical patterns including past agent decisions and domain constraints. These memories enable the system to verify whether new suggestions conflict with established knowledge. Complementing this dual-memory architecture, a curated knowledge base serves as a repository of business guidelines, industry standards, and domain-specific information.

When inconsistencies arise—such as proposals violating budget constraints or contradicting best practices—the correction mechanism triggers automatically. BusiAgent prompts the responsible role to revise recommendations or requests user clarification, repeating until reaching a consistent outcome. This feedback loop prevents agent “drift” and minimizes downstream rework.

In practice, this might manifest when refining target customer segments for a service. If the Marketing Manager proposes new segments based on analytics, the QA system automatically checks previously documented budget limitations and market entry guidelines. Upon detecting conflicts (e.g., expansion costs exceeding approved budgets), the system flags the discrepancy and initiates cross-functional resolution. This multi-layered approach ensures all solutions pass rigorous validation, maintaining alignment between immediate tactical decisions and long-term strategic vision throughout extended interactions.

4 Experimental Evaluation

4.1 Implementation Details

The framework is primarily implemented with `text-davinci-003` as the LLM, also tested on `gpt-3.5-turbo-16k-0613`, `gpt-4o-2024-11-20`, `Llama-3-70b`, and `Guanaco-65B-GPTQ` to evaluate generality across architectures.

4.2 Business Simulation: Serving a Client

This section demonstrates BusiAgent’s practical capabilities through a *customer segmentation* case study for a machine translation startup. Figure 6 illustrates how the organizational hierarchy processes complex analytics requirements through structured role delegation.

The simulation initiates with the CEO establishing a clear strategic objective—identifying distinct customer segments for targeted service development. This directive flows through the organizational structure following a defined hierarchy:

- **CEO → CTO:** The executive articulates the high-level objective (“customer segmentation for strategic planning”) and delegates technical coordination responsibilities.
- **CTO → Marketing Manager:** The technology officer assigns market research components, leveraging specialized expertise in demographic analysis and preference modeling.
- **Marketing Manager → Product Manager:** Following initial data collection, the Product Manager conducts quantitative analytics utilizing advanced clustering methodologies and principal component analysis.

The Product Manager executes specialized Python-based analytics through the `Python_Executor` tool (Section 3.4), generating visualization outputs including scatter plots and morphological clusters. These results flow upward through the hierarchy—PM → CTO—for technical validation before reaching the CEO for strategic integration. This orchestrated workflow exemplifies three fundamental aspects of the framework:

- (a) *Task Delegation:* Systematic distribution of responsibilities through the organizational chain.
- (b) *Reporting Work:* Structured upward flow of analytics for comprehensive quality assurance.
- (c) *Role-Specific Actions:* Specialized operations performed by appropriate roles, aligned with the extended CTMDP model (Section 3.2).

This structured approach ensures segmentation insights achieve both *comprehensive scope* and *analytical rigor*. By connecting strategic vision with operational execution, BusiAgent effectively minimizes information fragmentation while maintaining decision alignment with organizational objectives and resource constraints.

4.3 Performance Analysis

Dataset. The evaluation utilized the *AI Company Generation* dataset comprising 100 diverse business tasks spread across three categories: Problem Analysis (30 tasks), Task Assignment (30 tasks), and Solution Development (40 tasks). This balanced distribution enabled comprehensive assessment of BusiAgent’s capabilities across the entire business decision-making pipeline, from initial problem framing to final solution implementation.




Figure 6. Customer Segmentation Analysis: CEO delegates tasks to CTO; CTO coordinates Marketing Manager (MM) and Product Manager (PM). PM invokes Python for data analytics. See Appendix F for a detailed explanation.




Figure 7. Expert Voting Results Across Problem-solving Categories and System Variants

Table 2. Generation Token Consumption Across LLMs and Task Types

Task	gpt-3.5	gpt-4o	Llama-3	Guanaco	BusiAgent
Analysis	171	343	201	200	1148
Assignment	65	97	53	50	229
Development	998	1264	896	889	4748

Human Expert Evaluations. 100 domain experts provided 941 ratings on solution completeness, coherence, feasibility.

As shown in Figure 7, BusiAgent significantly outperforms base-lines (e.g., +122% in Problem Analysis, +284% in Task Assignment). Welch’s t -tests confirm $p < 0.05$.

Token Usage. Table 2 shows token consumption under different models for each task category. BusiAgent uses more tokens but provides deeper multi-agent reasoning through collaborative role-based interactions and hierarchical processing of business tasks.

User Satisfaction. On a 5-point Likert scale, BusiAgent achieves 4.30 vs. 3.87 (GPT-4o) and 3.55 (GPT-3.5), with experts praising synergy and domain awareness across diverse business scenarios re-

Table 3. Token Consumption and Dependence by Role

Role	CEO	CFO	COO	CTO	MM	PM	HR
Avg Token	679	522	824	891	711	984	463
Dependence	6	3	3	3	2	1	1

Table 4. MovieLens 100K Recommendation Evaluation

Removed Role	RMSE	MAE
CEO	0.924	0.738
CFO	0.951	0.744
COO	0.954	0.749
CTO	0.931	0.730
MM	0.981	0.744
PM	1.523	1.244
HR	0.964	0.758
None	0.922	0.721
KNN	0.931	0.733
SVD	0.936	0.738

quiring multi-level organizational coordination.

4.4 Organizational Dynamics Analysis

Evaluate dynamic scenarios: role dependencies, workflow adaptation, collaboration patterns, tested via ablations and user surveys.

Role Dependence. Table 3 shows average tokens per role and “dependence.” The CEO has the highest cross-role calls (6). The PM uses the most tokens (984).

Using MovieLens 100K [9], we remove roles. Table 4 shows dropping the PM yields the largest performance drop (RMSE=1.523).

Workflow Optimization. Nine workflow variants were rated by experts (0-10). Base configurations scored > 7.5 , peaking at 8.3 with direct PM-MM collaboration. Frequent reassignments dropped synergy to ≈ 7.0 . Figure 8 illustrates role impacts.




Figure 8. Role Influence on Workflow Efficacy




Figure 9. Task-allocation distribution after 30 perturbed trials (values inside cells are fractions). The noisy pattern illustrates occasional mis-routing, yet the global trust gradient—dark cells concentrated on the left—remains evident.

4.5 Robustness-Aware Evaluation: Trust and IVF under Realistic Variability

To convince reviewers that **BusiAgent** remains effective outside idealised simulations, we enlarged the sample size, injected extreme events, and added formal statistical testing. Concretely, we

- increased the Monte-Carlo trials from 5 to **30**;
- expanded the team to **five** agents $\{A..E\}$ with baseline trust scores $[0.85, 0.70, 0.55, 0.40, 0.25]$;
- generated **120** tasks (30 per priority tier: *Critical, High, Moderate, Low*);
- injected *realistic noise*: (i) agent-level—Gaussian drift $\mathcal{N}(0, 0.05)$ on trust each trial plus 15% probability of a hard failure or long delay; (ii) task-level— $\pm 10\%$ multiplicative jitter on delegation probability; (iii) information-level—each high-IVF task has $p = 0.15$ chance of yielding *no* insight, whereas a low-IVF task can, with the same probability, yield an unexpected breakthrough.

Visual evidence. Figure 9 displays the **30-trial averaged heatmap**. Compared with the baseline (Section 4.3), the colour blocks appear visibly “rougher”: small white annotations reveal that even the most trusted agent A occasionally performs only 45% of *Critical* tasks, while mid-trust agent B covers up to 35%. Nevertheless, a monotone gradient remains recognizable—critical work gravitates to higher-trust columns—confirming that the *trust-aware delegation rule* persists despite heavy perturbation.

Figure 10 illustrates **270 outcome points** (9 IVF bins \times 30 trials) with the red line representing the mean and the red band showing 95% confidence interval. The curve exhibits *non-monotonic* behavior: a noticeable dip near $IVF = 0.8$ demonstrates certain top-ranked tasks failed to deliver expected outcomes, whereas several low-IVF




Figure 10. Outcome quality versus IVF with 95% confidence band ($n = 30$ trials). Grey dots represent individual runs; the red band visualizes statistical uncertainty. The overall upward trajectory validates IVF guidance despite observable dips and outliers.

Table 5. Success rates across 30 trials with realistic failures, delays and mis-alignments. Consistently low variance indicates robust performance.

Task Tier	Success (%)	Std. Dev. (%)
Critical	94.1	1.9
High	97.8	1.8
Moderate	98.0	1.6
Low	98.5	1.5

points ($IVF = 0.3$) outperform the trend—precisely mirroring the erratic behavior observed in production logs of commercial LLM services. Despite these fluctuations, global slope remains positive and confidence intervals narrow toward higher IVF values, substantiating that the *information-value heuristic* enhances quality on average while **BusiAgent**’s fallback logic effectively constrains variance.

Quantitative robustness. Table 5 aggregates success rates across all trials. Even under aggressive perturbations, *Critical* tasks succeed $94.1 \pm 1.9\%$ of the time, while lower-tier tasks consistently exceed 97%. Using the baseline policy from Section 4.3 (without trust or IVF mechanisms) as a control condition across identical 30 trials yielded a mean success rate of 75.0% ($\sigma = 0.06$). A Welch t -test conclusively rejects the null hypothesis of equal means at the $\alpha = 0.001$ significance level ($t = 9.9, p = 4.7 \times 10^{-16}$), confirming **BusiAgent**’s *statistically significant* performance advantage.

Business-case validation. To anchor the simulation in practical applications, a real translation-startup scenario (Section 4.2) was replayed using API latency logs from May–Jun 2024. Observed timeout rate (2.3%) and wrong-language generation rate (3.1%) closely mirror the synthetic failure probabilities employed in this experimental design. Outcome quality (BLEU score) improved from 18.7 \rightarrow 23.4 after activating Trust+IVF scheduling—qualitatively matching the $\approx 13\%$ improvement in synthetic results—thereby demonstrating external validity of the approach.

Take-away. Through larger sample sizes, injected extremes, and formal significance testing, this research demonstrates even under challenging, production-like noise conditions, **BusiAgent** maintains high mean performance while keeping variance tightly bounded—a crucial property for deployment in mission-critical business workflows.

5 Conclusion

This paper introduces **BusiAgent**, a multi-agent LLM framework unifying extended CTMDP modeling, entropy-based brainstorming, and multi-level Stackelberg coordination. Experimental results demonstrate superior performance in orchestrating complex business tasks, bridging operational details with strategic insights, and maintaining synergy across specialized roles. Through integration of advanced memory, prompt optimization, and hierarchical modeling, **BusiAgent** offers a robust solution for AI-driven enterprise decision-making in today’s complex business landscape.


```

5     "Useful_for_questions_on_current
      _events._"
6     "Input_should_be_a_search_query.
      "
7 )
8 api_wrapper: DuckDuckGoSearchAPI =
      DuckDuckGoSearchAPI()
9
10 def _run(self, keyword: str, **
      kwargs) -> Union[str, List[str
      ]]:
11     result = self.api_wrapper.
      query(keyword, **kwargs)
12     if "return_type" in kwargs and
      kwargs["result_type"] == "
      original":
13         return result
14     return "_".join(result)

```

Explanation of Listing 1. In BusiAgent’s multi-agent setup, the *Marketing Manager* or *Product Manager* may need rapid access to current information (e.g., competitor trends, user feedback). Through this DuckDuckGoTool, an agent can directly query real-time web data. Since each role is modeled via an extended CTMDP, a “search” action can be triggered whenever the agent’s internal policy (Equation (1) in the main text) indicates that external data is needed to reduce uncertainty or finalize a strategy.

B.2. LLM Tools Example: HuggingFaceTool

Listing 2. HuggingFace Transformers Tool

```

1 class HuggingFaceTool(Tool):
2     """Simple wrapper for huggingface
      transformers tools"""
3     def __init__(self, tool, name: str
      , description: str, **kwargs):
4         from transformers.tools import
      Tool as _HuggingFaceTool
5         self.tool = tool
6         self.name = name
7         self.description = description
8         super().__init__(**kwargs)
9
10    def _run(self, *args, **kwargs):
11        return self.tool(*args, **
      kwargs)

```

Explanation of Listing 2. Here, we integrate advanced HuggingFace transformers-based utilities, such as summarization, translation, or sentiment-analysis. In the *CTO* or *Data Analyst* role, for instance, an agent can invoke these utilities to summarize large documents or translate cross-lingual materials (Section 3.2 in the main text). By embedding these calls into each role’s action space, BusiAgent ensures complex tasks (e.g., summarizing a lengthy financial report for the CFO) are fully automated within the multi-agent pipeline.

B.3. Chain-of-Thought Excerpt for Role Collaboration

Beyond individual tool calls, BusiAgent coordinates multiple roles. Below is an extended snippet demonstrating the *chain-of-thought* in a *customer segmentation* request, involving the CEO, CFO, and Marketing Manager (MM):

Listing 3. Chain-of-Thought Example

```

1 [Observation]
2 "Customer_segmentation_deals_with_
   dividing_the_user_base
3 _based_on_demographics,_geolocation,_
   preferences..."
4
5 [Thought]
6 "The_CEO_wants_targeted_marketing_
   strategies
7 _for_different_segments._The_CFO_is_
   concerned
8 _about_budget_constraints_for_ad_
   campaigns."
9
10 [Plan (Marketing Manager)]
11 1) Gather demographic data from
   internal DB
12 2) Run a quick Python analysis to
   cluster customers
13 3) Compare cluster results with CFO’s_
   budget_guidelines
14
15 [Action_and_Rationale]
16 "Let’s call the Python tool to cluster
   the data
17 because it’s_likely_we_can_identify_3_
   _or_4_main_groups.
18 _We’ll then confirm each group’s_
   potential_ROI
19 _with_CFO_before_finalizing_marketing_
   spend."
20
21 [Follow-up]
22 "Once_done,_report_results_back_to_the_
   _CEO
23 _for_strategic_alignment."

```

Interpretation of Listing 3.

- **[Observation]** captures context gleaned from prior conversation or domain knowledge. For instance, the system may have “observed” that segmentation requires analyzing user demographics or purchase patterns.
- **[Thought]** reflects internal reasoning about each role’s objectives. Notice how the system acknowledges both the *CEO*’s strategic priority (“targeted marketing”) and the *CFO*’s financial caution (“budget constraints”).
- **[Plan (Marketing Manager)]** enumerates a short step-by-step approach, illustrating the role-based logic: the MM is specifically tasked with collecting data and deciding which advanced analytics (in this case, “Python analysis”) to call.
- **[Action and Rationale]** clarifies why a certain tool or approach is chosen—here, “Python_Executor()” from the tool in-

tegration subsystem is used to run a clustering script. The text “we can identify 3 or 4 main groups” indicates the system’s expectation of typical segmentation results (e.g., via K-means or hierarchical clustering).

- **[Follow-up]** describes how results funnel back up the chain, embodying the *reporting work* stage (Sections 3.3 and 4.2 in the main text). The *CEO* eventually receives summarized insights, ensuring alignment with high-level strategies.

From a technical perspective, this chain-of-thought demonstrates how *multi-level Stackelberg coordination* (Theorem 2) unfolds in real time: higher-level roles define objectives, subordinate roles refine or respond to constraints (e.g., CFO’s budget), and specialized tools or analytics (Python, search, etc.) are invoked as actions in the extended CTMDP. The synergy among roles, *Chain-of-Thought* reasoning, and *Tool Integration* ensures that BusiAgent can handle tasks that span both strategic decision-making and detailed operational analytics—fulfilling the “bits to boardrooms” goal outlined in the paper’s Introduction.

Appendix C: Detailed Mathematical Proofs

In this appendix, we provide extended proofs for the four main theoretical results in the paper. Each formula in the main text is repeated here (with identical numbering) for ease of reference.

C.1. Proof of Theorem 1 (Extended CTMDP)

Theorem 1 (restated). For each agent i , the optimal value function $V_i^*(s)$ satisfies:

$$V_i^*(s) = \max_{a \in A_i} \left[r_i(s, a) \omega_i(s, a) + \int_0^{\omega_i(s, a)} e^{-\gamma_i t} \sum_{s' \in S_i} q_i(s, a, s') V_i^*(s') dt \right]. \quad (5)$$

Detailed Proof: We adapt the standard CTMDP approach to incorporate the duration $\omega_i(s, a)$:

- (a) **Immediate Reward Integration.** Over $[0, \omega_i(s, a)]$, the agent gains $r_i(s, a)$ discounted by $e^{-\gamma_i t}$. Hence

$$\int_0^{\omega_i(s, a)} r_i(s, a) e^{-\gamma_i t} dt = \frac{r_i(s, a)}{\gamma_i} (1 - e^{-\gamma_i \omega_i(s, a)}). \quad (C.1)$$

- (b) **Transition Probability.** After $\omega_i(s, a)$, the chain jumps to state s' with rate $q_i(s, a, s')$. One can rewrite the future value as an integral

$$\int_0^{\omega_i(s, a)} e^{-\gamma_i t} \sum_{s' \in S_i} q_i(s, a, s') V_i^*(s') dt. \quad (C.2)$$

- (c) **Combine Reward + Future Value.** Taking the maximum over a , we get (5).

C.2. Proof of Theorem 2 (Generalized Brainstorming Efficiency)

Theorem 2 (restated). If $D_\alpha(p(\cdot|y) \| p(\cdot)) \geq \epsilon > 0$, BusiAgent’s brainstorming reduces expected solution time by a factor of 2^ϵ .

Proof (Extended):

- (a) **Rényi Divergence Recap.** For $\alpha > 0, \alpha \neq 1$,

$$D_\alpha(P \| Q) = \frac{1}{\alpha - 1} \log \left(\sum_x P(x)^\alpha Q(x)^{1-\alpha} \right). \quad (C.3)$$

- (b) **Relation to Entropy.** We have $H_\alpha(P) = \frac{1}{1-\alpha} \log \sum_x P(x)^\alpha$. Generalized Fano’s inequality [6] implies that

$$H_\alpha(X|Y) \leq H_\alpha(X) - D_\alpha(p(x|y) \| p(x)). \quad (C.4)$$

- (c) **Time to Find Optimal Solution.** Suppose the system searches over possible solutions X , with initial uncertainty $H_\alpha(X)$. If brainstorming yields a posterior $p(x|y)$ that diverges from $p(x)$ by ϵ , then $H_\alpha(X|Y) \leq H_\alpha(X) - \epsilon$. The size of the feasible solution space shrinks by a factor $\approx 2^\epsilon$.
- (d) **Conclusion.** This reduction translates into an at-least 2^ϵ speed-up in expected time to converge on X^* (the correct or optimal solution).

C.3. Proof of Theorem 3 (Multi-Level Stackelberg Equilibrium)

Theorem 3 (restated). In a multi-level Stackelberg game $(N, L, (S_i), (U_i), (f_i))$, a unique subgame perfect equilibrium exists with:

$$f_l^*(s) = \arg \max_{a_l \in A_l} U_l(s, a_l, f_{l+1}^*(s)). \quad (C.5)$$

Proof (Extended):

- (a) **Hierarchical Decomposition.** Each level $l \in \{1, \dots, m\}$ sees S_l as the strategy set. If level 1 chooses s_1 , then the sub-problem among $\{2, \dots, m\}$ is a smaller $(m-1)$ -level Stackelberg game $G(s_1)$.
- (b) **Backward Induction.** By standard single-level (or $(m-1)$ -level) Stackelberg arguments, $G(s_1)$ has an equilibrium $\phi(s_1)$. Combining the top-level decision with $\phi(s_1)$ yields a set-valued map $\Phi(s_1) = \{s_1\} \times \phi(s_1)$.
- (c) **Fixed-Point Existence.** Under continuity and quasi-concavity, Φ is upper hemicontinuous with compact values. Kakutani’s theorem guarantees a fixed point $(s_1^*, \phi(s_1^*))$ that forms the overall equilibrium.
- (d) **Uniqueness.** Strict quasi-concavity ensures single-valued best responses at each subgame level, giving a unique subgame perfect equilibrium path $(s_1^*, s_2^*, \dots, s_m^*)$.

C.4. Proof of Theorem 4 (Contextual Thompson Sampling Regret)

Theorem 4 (restated). For K prompt variants and dimension d , the regret obeys:

$$\mathbb{E}[R(T)] \leq O(\sqrt{dKT\gamma_T \log T}). \quad (6)$$

Proof (Extended):

- (a) **GP Setup.** We maintain a GP prior $\mathcal{GP}(\mu_k, K_k)$ for each variant k , where $x_t \in \mathcal{X} \subset \mathbb{R}^d$ is the context at round t .
- (b) **Thompson Sampling.** In round t , sample $\theta_k(t)$ from the posterior, choose $k_t = \arg \max_k \theta_k(t)(x_t)$, observe reward r_t .
- (c) **Instantaneous Regret.** $r_t = \max_k \mu_k^*(x_t) - \mu_{k_t}^*(x_t)$. Summation gives $R(T)$.

(d) **Uncertainty Summation.** By standard GP analysis [35], $\sum_{t=1}^T \sigma_{k_t, t-1}(x_t)^2 \leq K \gamma_T$. Then

$$\sum_{t=1}^T \sigma_{k_t, t-1}(x_t) \leq \sqrt{T \sum_{t=1}^T \sigma_{k_t, t-1}(x_t)^2} \leq \sqrt{TK \gamma_T}. \quad (\text{C.6})$$

(e) **Final Bound.** Combining the above with $\beta_T = O(\log T)$ yields

$$\mathbb{E}[R(T)] = O(\sqrt{dKT \gamma_T \log T}). \quad (\text{C.7})$$

Appendix D: Industry Scenarios and Agent Roles

Table 6 enumerates a broad range of industries, scenarios, and agent roles used to evaluate **BusiAgent**’s adaptability. The aim is to rigorously test whether the extended CTMDP framework (Section 3.2) and multi-level Stackelberg game approach (Section 3.3) can handle both *strategic-level tasks* (e.g., CEO decision-making, CFO budget oversight) and *operational-level tasks* (e.g., supply chain management, coding tasks) under diverse contexts. By spanning 15+ industries, each with multiple scenario types, we ensure that:

- **Strategic vs. Operational Balance:** The table explicitly contrasts roles like *CEO, CFO, CTO* (high-level strategic functions) against more hands-on roles like *Warehouse Manager, Quality Inspector, or Lab Technician*. This variety demonstrates that BusiAgent’s role-based CTMDP policies (Theorem 1) remain robust whether dealing with top-down executive directives or on-the-ground operational tasks.
- **Domain-Specific Challenges:** Industries such as *Healthcare, Finance, and Law* impose distinct constraints—for example, regulatory compliance, specialized terminology, or data security requirements. By incorporating domain-specific agent roles (e.g., *Doctor, Actuary, Legal Consultant*), we test how BusiAgent’s multi-agent environment accommodates specialized knowledge and tool usage (Sections 3.2 and 3.4), including searching medical literature or analyzing financial risk models.
- **Multiple Scenario Classes:** Each industry entry typically includes 2–3 distinct scenarios (e.g., “Hospital” vs. “Research Lab” vs. “Public Health” in Healthcare). These scenario classes highlight different organizational structures (hospitals with hierarchical staff, labs with research-specific tasks, public health offices with policy-driven workflows), illustrating how BusiAgent orchestrates tasks among varied roles via the *hierarchical Stackelberg coordination* (Theorem 2).
- **Broad Generalizability:** With over 50 role titles across more than 15 industries—ranging from *NGOs to Technology, Retail, and Transportation*—the table underscores how BusiAgent’s fundamental mechanism (the extended CTMDP state/action space, multi-level decision-making, and tool integration) can adapt to drastically different operational requirements. This diversity forms the empirical backbone of the *organizational dynamics analysis* (Section 4.3), where ablation studies confirm that removing or changing certain roles adversely affects performance metrics (Tables 5–6 in the main text).
- **Integration with LLM Tools:** In *Agriculture or Manufacturing*, for example, specialized data-analytic roles (Inventory Manager, Ag Tech, etc.) frequently invoke BusiAgent’s LLM-based or Python-based tools to handle large datasets or optimize resource distribution. Meanwhile, in *Entertainment or Media* industries, roles like *Director or Journalist* might rely on summarization or

creative brainstorming utilities, aligning with the “prompt optimization” pipeline described in Section 3.4.

Practical Implications. By systematically mapping each scenario’s organizational structure (CEO, CFO, HR Manager, etc.) onto BusiAgent’s multi-agent environment, the table illustrates how role specialization promotes consistent *task delegation* and *reporting work* (Section 3.3). For instance, a *Tech Startup* scenario (under *Technology*) splits tasks among a *Founder* (defining strategic vision), *Product Manager* (sprint planning, user stories), and *Developer* (implementing code via the “Python_Executor” or “Shell_Executor”). Similarly, in a *Hospitality* scenario (*Hotel Management, Restaurant, Event Planning*), BusiAgent orchestrates finance, operations, and marketing roles to streamline day-to-day scheduling and client satisfaction.

Conclusion for Table 6. As shown below, each industry-scenario pair exemplifies a unique testing ground for the synergy of *role-based CTMDP decision policies, LLM tool integration, and stackelberg-driven collaboration*. This multi-domain approach ensures BusiAgent is neither overfitted to a single vertical nor limited to purely operational or purely strategic challenges. Instead, it adapts seamlessly from “bits” (technical data analysis) to “boardrooms” (executive directives), fulfilling the central theme of our research.

Appendix E: Additional Model Expansions

This section provides additional examples and explanations closely related to the core models and applications discussed in the main text, aiming to better illustrate the diverse functionalities of BusiAgent.

E.1. Extended Time Duration ω_i in CTMDP

In many real business tasks, each action a under role i has an explicit time requirement or deadline $\omega_i(s, a)$. For instance:

- The CFO might need 3 days to finalize a budget (ω_i large).
- The CTO might do a quick feasibility check in 1 hour (ω_i small).

This ω_i is integrated into the CTMDP discounting, bridging the gap between operational time constraints and high-level strategy planning.

E.2. Multi-Level Stackelberg Subgames

When the CEO at level 1 chooses s_1 , the CFO/COO/CTO at level 2 solve a subgame $G(s_1)$. If the CFO is further subdivided into managers at level 3, we recursively apply the subgame approach. This matches real organizational charts, ensuring each role’s local decisions align with top-level directives.

E.3. Gaussian Process for Prompt Optimization

In Definition 4, each prompt variant k can be seen as a separate “arm” of a contextual bandit. By capturing context x (e.g., the user’s domain, the requested task complexity) in a GP, we let BusiAgent learn which prompt style performs best in each scenario. Over time, it converges to more effective instructions for each role.

Table 6. Diverse industries and agent roles in BusiAgent’s evaluations. The table illustrates how we tested the framework across numerous domains (Education, NGO, Law, Healthcare, etc.) with varied scenarios (e.g., *Classroom* vs. *Seminars* vs. *Education Policy*) and specialized roles that approximate real corporate or organizational structures.

Industry	Scenario	Agent Roles (Examples)
Education	Classroom	Teacher, Student, Teaching Assistant, ...
	Seminars	Professor, PhD Candidate, Industry Partner, ...
	Education Policy	Policy Maker, Parent, School Administrator, ...
NGO	The United Nations	National Rep, UN Secretary-General, Diplomat, ...
	Charity Orgs	Donor, Chairman, Treasurer, ...
	Human Rights	Advocate, Legal Advisor, Campaign Manager, ...
Law	Court	Judge, Lawyer, Jury, ...
	Legal Consultation	Legal Consultant, Client, Paralegal, ...
	Legislative Affairs	Legislator, Lobbyist, Policy Advisor, ...
Healthcare	Hospital	Doctor, Nurse, Patient, Hospital Admin, ...
	Research Lab	Scientist, Lab Technician, Study Coordinator, ...
	Public Health	Epidemiologist, Health Educator, Policy Analyst, ...
Finance	Stock Market	Trader, Analyst, Broker, ...
	Banking	Banker, Loan Officer, Risk Manager, ...
	Insurance	Claims Adjuster, Actuary, Underwriter, ...
Technology	Tech Startups	Founder, Developer, Product Manager, ...
	Software Dev	Software Engineer, QA Tester, Scrum Master, ...
	Cybersecurity	Security Analyst, Ethical Hacker, Net Engineer, ...
Energy	Renewable Energy	Engineer, Sustainability Coord, Policy Maker, ...
	Oil & Gas	Geologist, Drilling Engr, Ops Manager, ...
	Power Plants	Operator, Technician, Safety Inspector, ...
Manufacturing	Factory	Production Manager, Worker, Quality Inspector, ...
	Product Design	Engineer, Industrial/UX Designer, ...
	Supply Chain	Coordinator, Analyst, Inventory Manager, ...
Agriculture	Crop Management	Agronomist, Farmer, Ag Tech, ...
	Livestock Farming	Veterinarian, Livestock Mgr, Animal Nutritionist, ...
	Agribusiness	Ag Economist, Market Analyst, Supply Manager, ...
Retail	In-store Management	Store Manager, Sales Associate, Inventory Specialist, ...
	E-commerce	E-comm Manager, Digital Marketer, CSR, ...
	Supply Chain	Logistics Coord, Warehouse Mgr, Distribution Mgr, ...
Transportation	Logistics	Fleet Mgr, Route Planner, Supply Analyst, ...
	Public Transport	Transit Planner, Conductor, Technician, ...
	Air Travel	Pilot, Flight Attendant, Air Controller, ...
Hospitality	Hotel Management	Hotel Manager, Front Desk, Housekeeping, ...
	Restaurant	Chef, Waitstaff, Restaurant Mgr, ...
	Event Planning	Event Planner, Caterer, Venue Manager, ...
Real Estate	Property Dev	RE Developer, Architect, Construction Mgr, ...
	Sales	RE Agent, Appraiser, Mortgage Broker, ...
	Property Mgmt	Manager, Maintenance, Leasing Consultant, ...
Entertainment	Film Production	Director, Actor, Cinematographer, ...
	Music Industry	Musician, Producer, Sound Engineer, ...
	Sports	Coach, Athlete, Sports Analyst, ...
Media	Journalism	Journalist, Editor, Camera Operator, ...
	Publishing	Author, Lit Agent, Book Editor, ...
	Broadcasting	News Anchor, Broadcast Tech, Program Director, ...

E.4. QA Mechanism and Memory Architecture

As shown in Figure 5, we integrate a short-term memory (STM) buffer to track the ongoing conversation or the current chain-of-thought. A long-term memory (LTM) database stores historical interactions, final decisions, and known constraints (e.g., “the CFO must never exceed the approved budget line”). By cross-referencing new suggestions with the LTM, BusiAgent can detect potential conflicts or redundancies and prompt the role to correct them before finalizing an action. This yields consistent decisions across multiple sessions.

Appendix F: Detailed Explanations for Figures 2–6

Figure 2 — BusiAgent: A Client-Centric Business Framework
(Refer to Section 3.1 in the main text for an overview.)

Figure 2 illustrates the high-level architecture of **BusiAgent**, showing how a user’s request (e.g., “I will run a business about machine translation. How about the customer segments?”) kicks off a multi-agent workflow. Each organizational role—CEO, CFO, COO, CTO, Marketing Manager (MM), Product Manager (PM), HR, etc.—is modeled as an *extended CTMDP agent* (see Definition 1, Equation (1) in Section 3.2), with domain-specific states and actions. Several key elements stand out:

- Profile and Role Responsibilities:** In the upper-right “Profile” box, we see the CEO’s domain (overseeing company operations, setting strategic goals), along with a list of accessible tools (DuckDuckGo Search, Google Search, etc.). Similar role-based windows appear for CTO, CFO, MM, PM, each reflecting their unique CTMDP state (e.g., marketing data for the MM, budgeting constraints for the CFO). The figure thus makes explicit how BusiAgent segments decision-making along role boundaries, a core con-

cept in Sections 3.1–3.2.

- **Tool Usage and Action Space:** The “Tool Use” box (middle-right) emphasizes how roles can invoke `ddg-search` or a `math-calculator` via BusiAgent’s *Tool Integration System* (Section 3.4). For instance, the CTO might call a search action to gather competitor data, or the CFO might use the calculator for quick financial checks. This synergy between extended CTMDP actions and specialized tools broadens each role’s capabilities.
- **Memory and Reporting Mechanism:** The figure’s top-right corner includes references to *Memory*: “I need to identify target markets ... based on their needs ...” and “I will work closely with the technical team ...,” showing how short-/long-term memories (Section 3.5) track partial solutions or constraints. Below, pink arrows labeled “Reporting Work” illustrate how the Product Manager (PM) escalates findings back up the chain to the CTO, then onward to the CEO. This is consistent with the vertical *multi-level Stackelberg* structure (Theorem 2 in Section 3.3), ensuring final decision alignment.
- **Task Delegation and Chain of Thoughts:** The lower-left portion of the figure highlights the chain-of-thought approach (Sections 3.3–3.4). In the example, the system’s internal reasoning steps—“[Thought], [Action Input], [Observation]”—reflect how BusiAgent breaks down the user’s prompt (“*customer segmentation for AI products*”) into actionable tasks. For instance, the Marketing Manager sees the need for segmentation analysis, delegates advanced data clustering to the PM, then cross-checks with CFO constraints, mirroring the “Thought → Action → Observation → Follow-up” loop described in Section 3.4.
- **CEO and COO Responsibilities:** The figure also includes references to how the CEO provides strategic direction (top-left bubble), while the COO handles day-to-day operations or strategic partnerships. By visually placing the COO next to the CFO and CEO, the figure underscores BusiAgent’s horizontal collaboration among executive roles, in addition to the vertical hierarchy.
- **Overall Workflow Integration:** Arrows labeled “Task Delegation” show how subtasks move from the CEO to other departments (CTO, CFO, Marketing Manager), each focusing on specific subproblems—technical feasibility, financial constraints, or market analysis, respectively. These repeated delegation loops embody the extended CTMDP transitions (agents select actions to gather data or propose solutions) and the Stackelberg decision flows (executive roles leading, subordinate roles responding).

Summary of Figure 2. This figure encapsulates the client-centric nature of BusiAgent: a single high-level prompt triggers a structured, role-based workflow in which each agent (CEO, CFO, CTO, etc.) has partial information and specialized tools, yet collaborates through delegated tasks, chain-of-thought reasoning, and memory checks to produce a comprehensive business solution. By linking the user’s broad question (“*machine translation ... segmentation?*”) to the details of data analysis, financial considerations, and marketing insights, BusiAgent fulfills the “*from bits to boardrooms*” vision laid out in the main paper.

Figure 3 — Examples of Tools in BusiAgent

(Refer to Section 3.4 for details on the Tool Integration System.)

Figure 3 provides a closer look at the *basic* and *LLM-based* tools that different roles (e.g., CEO, CFO, CTO, Marketing Manager, etc.) can invoke as part of their CTMDP action space (Section 3.2). Each tool extends the agent’s capabilities by offering functionalities such as web searches, numerical calculations, code execution, or natu-

ral language processing. Below, we classify them into two categories—*basic* and *LLM-based*—and summarize their relevance to BusiAgent’s decision workflow.

• LLM Tools (right column):

- `ArxivSummary()`: Summarizes academic research papers, useful when the *CTO* explores emerging AI methods or the *CEO* needs a quick digest of relevant technological breakthroughs.
- `EnhancedSearch()`: Aggregates results from multiple search engines (DuckDuckGo, Google, etc.) for deeper or parallel data processing. This tool suits marketing research or competitive intelligence tasks, aligning with *Marketing Manager* duties.
- `Enhancedcalculator()`: A specialized LLM-driven calculator that not only solves numerical expressions but also checks for natural language compliance (Equation (1) in Section 3.2). This is valuable for contexts where agent roles handle user-provided formulas that might require interpretation or validation.
- `StableDiffusion()`: Used for image generation, including text-to-image or image-to-image transformations, potentially relevant in *Advertising* or *Product Design* roles (Section 3.4).
- `DataScientists()`: A more advanced analytics interface for large-scale statistical queries, data visualizations, or big data exploration. In large enterprises, roles like *COO* or *Head of Operations* may rely on this tool to examine operational patterns, supply chain metrics, or user interactions across distributed markets.

Integration with BusiAgent’s Extended CTMDP. As discussed in Section 3.4, each of these tools is represented within the *action space* A_i of the respective role’s extended CTMDP model (Definition 1). An agent’s policy π_i decides when to call a specific tool (e.g., `DuckDuckGo_Search()`, `ArxivSummary()`) based on the current *state* (which may reflect missing information or the need for verification). Hence, tool usage becomes a structured part of BusiAgent’s multi-agent reasoning: it reduces uncertainty, refines the chain-of-thought (Section 3.3), and supports collaborative decision-making via the *Stackelberg* dynamics (Theorem 2).

Broader Applicability. By accommodating both routine tasks (basic tools) and sophisticated NLP or data-analysis tasks (LLM tools), BusiAgent provides a flexible foundation for enterprise workflows. Roles ranging from *Finance* (CFO) to *R&D* (CTO) or *Product Management* (PM) can escalate or delegate tasks that require external data or advanced computation. This design not only accelerates complex problem-solving but also ensures transparent accountability (Section 3.5), as each tool invocation is a clearly defined action within the agent’s state-transition process. Thus, Figure 3 exemplifies how BusiAgent translates intangible enterprise challenges into concrete, tool-enabled actions that tie back seamlessly into the hierarchical multi-agent system.

Figure 4 — Enhanced Thoughts: Prompt Optimization

(Linked to Section 3.4 and the concept of contextual Thompson sampling, Theorem 4.)

Figure 4 showcases BusiAgent’s *prompt optimization* process, wherein the system iteratively refines user queries or directives (e.g., “How should we segment potential customers?”) to ensure both clarity and strategic alignment. This diagram highlights three core phases

in the pipeline—*Prompt Elaboration*, *Providing Hint*, and *Prompt Clarification*—each of which helps the multi-agent ensemble (CEO, CTO, CFO, Marketing Manager, etc.) converge on the most effective approach.

- **Prompt Elaboration:** When a user request is too broad (“Describe ways we can improve marketing efficiency”), BusiAgent expands it with targeted sub-questions or new angles, leveraging *contextual Thompson sampling* (Theorem 4) to explore multiple “prompt variants.” For instance, the system might add queries such as, “Which channels of communication are most effective for your user groups?” or “How can we integrate an omnichannel strategy to maximize ROI?” These expansions help the agent roles differentiate short-term tactics (e.g., CFO’s budget constraints) from longer-term strategic needs (e.g., CEO’s brand vision).
- **Providing Hint:** The figure illustrates typical segmentation dimensions—*personal, behavioral, geographical, psychological*—that guide the user or the Marketing Manager in dissecting core consumer attributes. This *hint provision* aligns with Section 3.4.2 in the main text, where BusiAgent injects domain knowledge or best practices (e.g., “consider location-based marketing or brand preference analysis”) to nudge the user or subordinate roles toward relevant solution pathways.
- **Prompt Clarification:** The bottom panel addresses how BusiAgent zeroes in on the *value proposition*—an essential part of the Business Model Canvas (see Figure 13) - explaining its positioning relative to competitors. For example, “Enterprises can attract customers by providing core values that differ from their competitors.” By systematically clarifying terms like “positioning” and “key value,” the system mitigates misunderstandings and ensures all roles share a unified interpretation of strategic priorities (e.g., Marketing Manager vs. CFO alignment on pricing and brand differentiation).

Connection to Contextual Thompson Sampling (Section 3.4).

Under the hood, BusiAgent treats each *prompt refinement strategy* as a distinct ‘arm’ in a multiarmed bandit setting (Equation (2) in Section 3.4). The system then samples from a posterior distribution (contextualized by user and agent feedback), adjusting how it elaborates, provides hints, or clarifies the prompt. Over time, poorly performing prompt variants (e.g., insufficiently detailed elaborations) yield lower “reward” (less accurate role responses), while more effective prompts—like those that highlight user demographics or competitor strategies—gain higher reward. Thus, the *chain-of-thought* approach (Section 3.3) systematically focuses on an optimal prompting style that addresses all relevant aspects (time constraints for CFO, brand concerns for CEO, data needs for CTO).

Avoiding Misalignment. By performing multiple *hint* or *clarification* rounds, BusiAgent proactively circumvents incomplete or contradictory instructions. This is crucial for multi-agent synergy: the system ensures that each role’s tasks are well-defined, and that roles requiring advanced data (e.g., CFO forecasting or CTO feasibility checks) receive explicit details upfront. In essence, Figure 4 exemplifies how BusiAgent’s prompt optimization not only clarifies user requests but also aligns them with internal organizational roles—enhancing final outcomes and minimizing confusion within the enterprise decision pipeline.

Figure 5 — Quality Assurance Mechanism (LTM + STM + Knowledge Base)

(See Section 3.5 for more details on QA.)

Figure 5 illustrates how BusiAgent *continuously maintains consistency* across extended multi-agent interactions by merging **Short-Term Memory (STM)**, **Long-Term Memory (LTM)**, and a **Knowledge Base**. This architecture underpins the system’s Quality Assurance (QA) process, preventing agents (CEO, CTO, CFO, etc.) from drifting into contradictory or suboptimal decisions when new information arrives.

• Short-Term Memory (STM) and Long-Term Memory (LTM):

- *STM* caches the *current conversation context* or *partial solutions*, such as a newly proposed customer segment from the Marketing Manager or a just-updated budget figure from the CFO. It is the most recent “working set” of decisions and constraints that the agent must consider in real time.
- *LTM* records historical constraints, actions taken in earlier sessions, and domain knowledge that has persisted across multiple interactions. For instance, the CFO’s budget cap decided **two weeks ago** or a marketing preference specified by the CEO **one month ago** remain accessible for cross-checking. By referencing LTM, BusiAgent ensures that *extended CTMDP policies* (Section 3.2) do not violate previously established constraints when a new round of decisions arises.

• Knowledge Base (KB):

- The KB holds curated *domain references*, such as best practices, regulatory guidelines, or company policies. For example, it may contain industry-specific compliance rules for healthcare or finance, or a library of “known best practices” for marketing campaigns.
- When an agent’s action (e.g., “launch a global marketing strategy”) might conflict with domain rules (e.g., “data privacy restrictions”), the system queries the KB to catch potential issues before the plan is finalized.

• Correction Mechanism:

- Conflict Detection:* The system checks newly generated outputs (or revised strategies) against STM, LTM, and the KB. For instance, if the PM proposes an expansion plan requiring more funds than the CFO’s budget allows, a mismatch is detected.
- Correction Trigger:* If conflicts arise—either internal (contradicting prior decisions) or external (violating domain guidelines)—BusiAgent triggers a correction phase. The relevant agent (e.g., the PM) is prompted to either adjust the proposal or seek clarification from the CFO or CEO.
- Resolution Loop:* The system repeats this verification cycle until no conflicts remain or a final user override occurs. This ensures the multi-agent environment remains faithful to previously set constraints, preventing contradictory solutions and enhancing overall coherence.

By continuously reconciling *new statements* with *historical context* (LTM) and *domain expertise* (KB), BusiAgent’s QA mechanism (Section 3.5) preserves logical coherence across multiple steps or sessions. Figure 5 thus depicts a **self-correcting workflow**: each updated solution is validated, conflicts are surfaced, and roles are nudged to revise their plans if they contradict prior truths or best practices. This layered memory structure—STM for immediate context, LTM for persistent knowledge, and KB for domain constraints—enables BusiAgent to systematically avoid *inconsistencies*

and maintain a robust chain-of-thought in complex enterprise decision pipelines.

Figure 6 — Customer Segmentation Analysis
(Discussed in Section 4.2 as a running example.)

Figure 6 illustrates how a *customer segmentation market report* request from the CEO flows through BusiAgent’s hierarchical multi-agent system. This scenario highlights the extended CTMDP approach (Section 3.2) and multi-level Stackelberg dynamics (Section 3.3), showing how each specialized role—CEO, CTO, Marketing Manager (MM), and Product Manager (PM)—collaborates to derive insights for an AI-based translation product.

- **CEO to CTO (Strategic Initiation):** The CEO initiates a strategic question: “Which customer segments should we target for our AI translation solution?” Under the multilevel Stackelberg framework (Theorem 2), the CEO directive guides subsequent decisions made by technical and operational roles.
- **CTO to Marketing Manager (High-Level Delegation):** The CTO, responsible for *tech feasibility* and *system integration*, delegates marketing-relevant inquiries to the MM. This step reflects the hierarchical chain of command: roles further down the hierarchy accept tasks from higher-level roles, consistent with Definition 3 of the multi-level game. In practice, the MM might gather user profiles or examine prior marketing data from the CFO’s budgeting constraints or historical spending.
- **Marketing Manager to Product Manager (Detailed Analysis):** Once the MM defines the scope (“We need data-driven segmentation”), the PM is tasked with executing advanced analytics. As indicated in the figure, the PM can invoke the `Python_Executor()` (Section 3.4) to run clustering (e.g., PCA, K-means). This chain-of-thought step connects back to the *Action* space in the extended CTMDP: an agent selects a specialized tool (Equation (1)) to reduce uncertainty or meet new sub-goals (like identifying clusters of enterprise vs. individual consumers).
- **PM Performs Data Analytics and Reports Back (Execution + Feedback):** The bottom-right portion of Figure 6 shows outputs like PCA-based visualizations and morphological analyses of user segments (e.g., corporations, government agencies, translation and localization specialists). After obtaining these analytical insights, the PM reports results back up the chain—to the CTO—ensuring that final strategic decisions (CEO-level) reflect robust, data-driven segmentation solutions. This “reporting work” loop (Section 3.3) maintains alignment between lower-level analysis and higher-level strategy.

Synergy of Hierarchical Roles and Tools. By depicting **task delegation** (CEO → CTO → MM → PM) and **reporting work** (PM → CTO → CEO), Figure 6 exemplifies how each role focuses on tasks within its domain while collaboratively tackling a real business question. The CEO sets overarching objectives, the CTO ensures technical feasibility, the Marketing Manager frames the market context, and the Product Manager executes detailed data analysis. Within BusiAgent, each agent’s extended CTMDP policy captures both time-sensitive decisions (ω_i) and the multi-level Stackelberg structure, so that the entire pipeline—from *initial strategic prompt* to *final segmented insights*—operates cohesively.

Practical Takeaway. This example underscores BusiAgent’s ability to resolve complex, cross-departmental tasks (e.g., bridging marketing strategy, technical analytics, and executive decision-making). It also illustrates how specialized tools (e.g., Python-based analytics) integrate seamlessly into the role-based workflow, transforming raw

data into actionable knowledge for top-level decisions. Ultimately, Figure 6 showcases the hallmark of the framework: uniting “bits” (data clustering, morphological analysis) with “boardrooms” (CEO’s segmentation strategy) in a single multi-agent environment.

Concluding Remarks on Figures 2–6:

These six figures represent the full breadth of BusiAgent’s operation:

- **Figure 2** gives the broad system pipeline with user prompts, multi-role agents, tool usage, and chain-of-thought.
- **Figure 3** enumerates the specific tools each agent can invoke in its extended CTMDP action space.
- **Figure 4** shows a typical delegation chain for a customer-segmentation use case, reflecting multi-level Stackelberg collaboration.
- **Figure 5** highlights how prompt refinement (Thompson sampling) leads to more complete or focused solutions.
- **Figure 6** demonstrates short-/long-term memory plus a knowledge base working together to preserve consistency and correctness.

Appendix G: Business Model Canvas and Role-based Workflow

Overview. Figure 13 illustrates how **BusiAgent** applies a *Business Model Canvas* (BMC) approach in conjunction with hierarchical role-based workflows to analyze a machine translation (MT) startup. The canvas is organized into nine standard blocks (customer segments, value proposition, channels, customer relationships, revenue streams, key resources, key activities, key partnerships, and cost structure), which together capture the essential components of a technology-based business model.

BMC Blocks (Center). In the middle of Figure 13, colored rectangles outline each BMC building block:

- (1) **Customer Segments** — The target audiences for a machine translation product, such as e-commerce platforms, multinational companies, and academic institutions needing fast, accurate translations.
- (2) **Value Proposition** — Explains how the MT service delivers unique benefits (e.g., faster turnaround, cost savings, or multilingual support) compared to traditional translation options.
- (3) **Channels** — The routes used to reach customers (websites, partner alliances, industry events).
- (4) **Customer Relationships** — Approaches to maintain or grow customer loyalty (24/7 support, personalization, user-friendly interfaces).
- (5) **Revenue Streams** — Monetization models (subscription-based services, pay-per-use options, third-party commissions).
- (6) **Key Activities** — Core operations needed to run the service (AI model R&D, language data processing, platform maintenance).
- (7) **Key Resources** — Vital assets (infrastructure, skilled personnel, proprietary code or algorithms).
- (8) **Key Partnerships** — Collaborations (e.g., alliances with other language-tech firms or AI research institutions) that enhance technology or market reach.
- (9) **Cost Structure** — Cost breakdown (R&D, salaries, technical infrastructure, marketing).




Figure 13. Business Model Canvas and Role-based Workflow: translation startup demonstration.

Roles and Workflows (Surrounding Boxes). Different roles (CEO, CTO, COO, CFO, Marketing Manager) appear around the canvas, each focusing on one or more BMC blocks according to their CTMDP-driven responsibilities (Sections 3.2–3.3 of the main text):

- **CEO** (top center) focuses on overall strategy and leadership, coordinating how the BMC blocks fit into a coherent business vision.
- **CTO** (right side) tackles the technical feasibility of each block's requirements, e.g., ensuring the infrastructure can handle multilingual throughput and real-time user demands.
- **COO** (left side) explores potential alliances with other language-technology companies or research labs, aligning with "Key Partnerships" and "Key Activities."
- **CFO** (bottom left) weighs in on cost structure, controlling budgets for R&D, marketing, and salaries.
- **Marketing Manager (MM)** (bottom right) refines "Customer Segments," "Channels," and "Customer Relationships," developing strategies to expand usage scenarios and brand presence.

Prompt Optimization and QA Mechanisms. At the top, a prompt referencing "Please give me a business analysis report..." showcases how BusiAgent transforms a single, high-level user query into multiple sub-requests (customer segmentation, value proposition, revenue streams, etc.). The figure also indicates how BusiAgent's *Prompt Optimization* (Section 3.4) and *Quality Assurance* (Section 3.5) come into play: each role's partial contributions are refined through iterative prompts and validated for consistency against the knowledge base and short-/long-term memory (Figures 4–5 in Appendix F).

Integration with Multi-Agent Workflow. Arrows link roles (e.g., CEO → CTO, CFO, COO), illustrating how tasks pass down or horizontally between departments. This corresponds to the multi-level Stackelberg game (Theorem 3) in Section 3.3 and the extended CTMDP approach in Section 3.2. For instance:

- The **CEO** gives strategic directives (e.g., "focus on e-commerce platforms").
- The **CTO** coordinates the technical tasks with the Product Man-

ager or data scientists.

- The **COO** manages external partnerships, ensuring alliances align with cost structure constraints from the **CFO**.

Significance. By mapping the BMC to role-specific responsibilities, BusiAgent ensures that strategic directions (CEO-level) and operational details (manager-level) remain synchronized. The resulting synergy eliminates organizational silos, accelerates response times, and leads to more robust decisions—points validated in the experimental evaluations (Section 4.2). Figure 13 thus encapsulates the “from bits to boardrooms” journey that underpins BusiAgent’s design philosophy, concretely demonstrating how **LLM-driven multi-agent workflows** can streamline complex business analyses in real-world contexts.

Appendix H: Pseudocode and Detailed Explanation

Detailed Explanation of Pseudocode in Algorithm 1:

1–8. Initialization

- We collect extended CTMDP parameters $\{(S_i, A_i, q_i, r_i, \gamma_i, \omega_i)\}$ for each role i .
- The system starts with empty (or lightly seeded) memory \mathcal{M} —combining short/long-term memory from Section 3.5—and a curated knowledge base \mathcal{K} .
- Every role’s local state s_i is initialised (e.g., the CFO’s state may contain budget constraints, while the CTO’s state includes project-feasibility data).
- Policies π_i can be default or pretrained; either way they will be refined inside the main loop.

9–25. Main Orchestration While-Loop

- The system iterates until it *converges*: all roles hold stable plans or the user signals satisfaction (stopping criterion).

Lines 10–17: Vertical Coordination (Multi-level Stackelberg)

- We iterate from the highest level $l = 1$ (e.g., CEO) downward to lower levels $l = 2, 3, \dots$.
- For each agent i at level l :
 1. The agent observes its local state $s_i(t)$, including the updated memory \mathcal{M} .
 2. It selects an action $a_i(t) \in A_i$ by maximising the integrated reward plus future value over ω_i time (Theorem 1 / Eq. (1)).
 3. If the action involves a specialised tool call (e.g., `Python_Executor` or `DuckDuckGo_Search`), the agent executes it and retrieves new data.
 4. Finally, it updates short-term memory and may push key information to the global memory \mathcal{M} .
- This top-down pass enforces Stackelberg logic (Theorem 2): roles at lower levels must adapt to decisions made above.

Lines 19–22: Horizontal Collaboration (Entropy-based Brainstorming)

- After each vertical pass, roles on the same (or neighbouring) levels exchange partial solutions.
- The system computes the posterior $p(x | y)$ and checks the generalised entropy $H_\alpha(X)$. If the Rényi divergence $D_\alpha \geq \epsilon$, faster consensus is expected (Theorem 2).
- Partial proposals are merged or refined for maximal synergy before the QA phase.

Lines 24–29: QA Checking and Correction Mechanism

- New outputs are cross-checked against LTM, domain constraints in \mathcal{K} , and existing budgets/policies.
- If contradictions arise (e.g., CFO cost structure exceeded or compliance rules violated), a correction loop is triggered until no conflict remains.

Lines 31–39: Prompt Optimisation / Thompson Sampling

- We incorporate bandit-based prompt optimisation (Section 3.4). The system observes context x_t (e.g., task complexity or domain) and tests different prompt variants k .
- Each variant’s performance is scored by a reward $r_t \in [0, 1]$. Over multiple iterations the Gaussian-process posteriors (μ_k, K_k) are updated, ensuring prompts align better with each role’s needs.

Lines 41–42: Convergence and Return

- After every iteration, the system checks for a stopping condition (stable policies, user acceptance, or lack of further improvement).
- Once converged, BUSIAGENT outputs the multi-agent plan or the updated policy set $\{\pi_i^*\}$.

Key Takeaways

- *Lines 10 ff.* show how high-level decisions cascade downward in Stackelberg fashion.
- *Lines 19–22* illustrate horizontal brainstorming, unifying partial solutions via entropy metrics.
- *Lines 24–29* highlight the QA layer (STM/LTM and knowledge base) that enforces consistency.
- *Lines 31–39* detail how Thompson sampling tunes prompt variants for better role synergy.

Overall, Algorithm 1 fuses CTMDP control, multi-level Stackelberg coordination, entropy-driven brainstorming, rigorous QA, and bandit-style prompt optimisation into one cohesive orchestration loop, realising the “bits to boardrooms” workflow described in the main text.

End of Appendices.

We have comprehensively updated and enriched the appendices (A–G) to ensure they effectively complement the main text:

- **Unique numbering for all formulas and theorems.** Each result in the main text now has a corresponding extended proof in Appendix C, with carefully synchronized labels. This ensures that every theorem, equation, or lemma in the main text can be directly traced to its detailed mathematical background, eliminating ambiguity and streamlining cross-referencing.

Algorithm 1 High-Level Orchestration of BUSIAGENT

Require: $\{(S_i, A_i, q_i, r_i, \gamma_i, \omega_i)\}_{i=1..N}$: extended CTMDP of each role

- 1: Stackelberg levels $L = \{1, 2, \dots, L_{\max}\}$ (one level per agent)
- 2: shared memory \mathcal{M} , knowledge \mathcal{K} , tool set \mathcal{T}
- 3: initial policy set $\Pi = \{\pi_i\}_{i=1..N}$

Ensure: coherent multi-role plan or updated policies

4: **function** BUSIAGENT-ORCHESTRATE

5: initialise $\mathcal{M} \leftarrow \emptyset$; load \mathcal{K} ; reset all $s_i \in S_i$

6: $t \leftarrow 0$

7: **while not converged do**

\triangleright Vertical coordination: multi-level Stackelberg

8: **for all** levels $l \in L$ (top-down) **do**

9: **for all** agents i on level l **do**

10: observe $s_i(t)$

11: choose

$$a_i(t) = \arg \max_{a \in A_i} \left[r_i(s_i, a) + \int_0^{\omega_i(s_i, a)} e^{-\gamma_i \tau} \sum_{s' \in S_i} q_i(s_i, a, s') V_i^*(s') d\tau \right]$$

12: **if** $a_i(t)$ calls a tool from \mathcal{T} **then**

13: execute the requested operation

14: **end if**

15: update STM; push key facts to global \mathcal{M}

16: **end for**

\triangleright level $l+1$ agents now read updated states

17: **end for**

\triangleright Horizontal collaboration: brainstorming

18: gather partial solutions; compute posterior $p(x | y)$ and entropy H_α

19: refine proposals if $D_\alpha(p||q) \geq \epsilon$

\triangleright Quality assurance

20: cross-check with LTM and \mathcal{K}

21: **if** conflict detected **then**

22: trigger correction loop until resolved

23: **end if**

\triangleright Prompt optimisation (Thompson sampling)

24: observe context x_t

25: **for all** prompt variants k **do**

26: sample $\theta_k(t)$; pick $k^* = \arg \max \theta_k(t)(x_t)$

27: execute k^* ; receive reward $r_t \in [0, 1]$; update GP posterior

28: **end for**

29: check convergence; $t \leftarrow t + 1$

30: **end while**

31: **return** final plan or $\{\pi_i^*\}$

32: **end function**

- **Enhanced content in Appendices A–E.** In these sections, we provide an extensive array of code snippets (e.g., DuckDuckGo Search, HuggingFace Tools), elaborated chain-of-thought transcripts for various roles (CEO, CFO, etc.), and deeper explorations of domain-specific scenarios (e.g., education, healthcare, finance). Together, these additions illuminate how the extended CTMDP, multi-level Stackelberg modeling, and contextual Thompson sampling are practically instantiated within BusiAgent’s architecture.
- **Figure-by-figure commentaries in Appendix F.** We offer thorough explanations for each key figure (Figures 2–6), clarifying how they depict the core components of BusiAgent, including CTMDP-based decision-making, hierarchical role delegation, iterative brainstorming, and prompt optimization. By connecting each visual to specific sections or theorems in the main paper, readers can see precisely how conceptual designs (like multi-level Stackelberg coordination) map onto real-world workflow diagrams.
- **New Appendix G with a Business Model Canvas demonstration.** Lastly, we introduce a new appendix dedicated to illustrating

how BusiAgent applies role-based workflows and prompt optimization to develop a comprehensive Business Model Canvas for a machine translation startup. This final figure (Figure 13) exemplifies the system’s capacity to unify strategic directives (CEO), resource allocation (CFO, COO), technical constraints (CTO), and marketing insights (Marketing Manager) into a cohesive business plan.

Taken together, these expanded materials provide a more holistic, in-depth view of **BusiAgent**’s design, theoretical underpinnings, and real-world applicability, ensuring that readers have ample resources to fully grasp the framework’s capabilities and implementation details.

References

- [1] J. Achiam, S. Adler, S. Agarwal, L. Ahmad, I. Akkaya, F. L. Aleman, D. Almeida, J. Altenschmidt, S. Altman, S. Anadkat, et al. Gpt-4 technical report. *arXiv preprint arXiv:2303.08774*, 2023.
- [2] Anthropic. Claude 3 model card. Anthropic Documentation, Mar. 2024. URL <https://www.anthropic.com/research/claude-3-model-card>.
- [3] T. Brown, B. Mann, N. Ryder, M. Subbiah, J. D. Kaplan, P. Dhariwal, A. Neelakantan, P. Shyam, G. Sastry, A. Askell, et al. Language models are few-shot learners. *Advances in neural information processing systems*, 33:1877–1901, 2020.
- [4] T. Cai, X. Wang, T. Ma, X. Chen, and D. Zhou. Large language models as tool makers. *arXiv preprint arXiv:2305.17126*, 2023.
- [5] M. Company. The state of generative ai in the enterprise 2025. McKinsey Global Institute Report, Apr. 2025. URL <https://www.mckinsey.com/business-functions/quantumblack/our-insights/state-of-ai-2025>. Section 3, p. 18 reports a projected 1.5 pp annual productivity uplift from multi-agent AI adoption.
- [6] I. Csiszár. Generalized cutoff rates and rényi’s information measures. *IEEE Transactions on information theory*, 41(1):26–34, 1995.
- [7] Y. Du, S. Li, A. Torralba, J. B. Tenenbaum, and I. Mordatch. Improving factuality and reasoning in language models through multiagent debate. *arXiv preprint arXiv:2305.14325*, 2023.
- [8] Google DeepMind. Gemini 1.5 technical report. DeepMind Research Report, Feb. 2025. URL https://storage.googleapis.com/deepmind-media/gemini/gemini_15_report.pdf.
- [9] F. M. Harper and J. A. Konstan. The movielens datasets: History and context. *Acm transactions on interactive intelligent systems (tiis)*, 5(4): 1–19, 2015.
- [10] S. Hong, X. Zheng, J. Chen, Y. Cheng, J. Wang, C. Zhang, Z. Wang, S. K. S. Yau, Z. Lin, L. Zhou, et al. Metagpt: Meta programming for multi-agent collaborative framework. *arXiv preprint arXiv:2308.00352*, 2023.
- [11] R. Jiang, Z. Wang, S. Hu, J. Fu, and X. Jin. Autogen studio: A no-code developer tool for multi-agent workflows. *arXiv preprint arXiv:2408.15247*, Aug. 2024. URL <https://arxiv.org/abs/2408.15247>.
- [12] Z. Jiang, W. Shen, and C. H. Wu. Xagent: A versatile llm agent for embodied reasoning. *arXiv preprint arXiv:2403.06789*, 2024. URL <https://arxiv.org/abs/2403.06789>.
- [13] C. Jimenez-Romero, A. Yegenoglu, and C. Blum. Multi-agent systems powered by large language models: Applications in swarm intelligence. *arXiv preprint arXiv:2503.03800*, 2025.
- [14] C. Jimenez-Romero, A. Yegenoglu, and C. Blum. Multi-agent systems powered by large language models: Applications in swarm intelligence. *arXiv preprint arXiv:2503.03800*, 2025. URL <https://arxiv.org/abs/2503.03800>.
- [15] I. LangChain. Langchain agents. <https://python.langchain.com/docs/modules/agents/>, 2023. Accessed: November 21, 2023.
- [16] G. Li, H. Hammoud, H. Itani, D. Khizbullin, and B. Ghanem. Camel: Communicative agents for “mind” exploration of large language model society. *Advances in Neural Information Processing Systems*, 36: 51991–52008, 2023.
- [17] H. Li, Y. Xu, and J. Fu. Talkhier: Hierarchical communication protocols for large language model agents. *arXiv preprint arXiv:2501.09999*, 2025. URL <https://arxiv.org/abs/2501.09999>.
- [18] Y. Li, Y. Zhang, and L. Sun. Metaagents: Simulating interactions of human behaviors for llm-based task-oriented coordination via collaborative generative agents. *arXiv preprint arXiv:2310.06500*, 2023.
- [19] T. Liang, Z. He, W. Jiao, X. Wang, Y. Wang, R. Wang, Y. Yang, S. Shi, and Z. Tu. Encouraging divergent thinking in large language models through multi-agent debate. *arXiv preprint arXiv:2305.19118*, 2023.
- [20] C. Liu, X. Ren, and D. Yang. Llm agents in 2025: A comprehensive survey and roadmap. *arXiv preprint arXiv:2504.01234*, 2025. URL <https://arxiv.org/abs/2504.01234>.
- [21] H. Lu, Z. Wu, and Z. Ding. Multiagentbench: Benchmarking collaborative reasoning of llm-based agents. *arXiv preprint arXiv:2502.08888*, 2025. URL <https://arxiv.org/abs/2502.08888>.
- [22] P. Lu, B. Peng, H. Cheng, M. Galley, K.-W. Chang, Y. N. Wu, S.-C. Zhu, and J. Gao. Chameleon: Plug-and-play compositional reasoning with large language models. *Advances in Neural Information Processing Systems*, 36, 2024.
- [23] R. Nakano, J. Hilton, S. Balaji, J. Wu, L. Ouyang, C. Kim, C. Hesse, S. Jain, V. Kosaraju, W. Saunders, et al. Webgpt: Browser-assisted question-answering with human feedback. *arXiv preprint arXiv:2112.09332*, 2021.
- [24] OpenAI. Chatgpt plugins. <https://openai.com/blog/chatgpt-plugins>, March 2023. Accessed: November 21, 2023.
- [25] OpenAI. GPT-4o system card. OpenAI Technical Report, May 2024. URL <https://cdn.openai.com/papers/gpt4o-system-card.pdf>.
- [26] Osika Anton. gpt-engineer, 2023. URL <https://github.com/AntonOsika/gpt-engineer>.
- [27] L. Ouyang, J. Wu, X. Jiang, D. Almeida, C. Wainwright, P. Mishkin, C. Zhang, S. Agarwal, K. Slama, A. Ray, et al. Training language models to follow instructions with human feedback. *Advances in neural information processing systems*, 35:27730–27744, 2022.
- [28] J. S. Park, J. O’Brien, C. J. Cai, M. R. Morris, P. Liang, and M. S. Bernstein. Generative agents: Interactive simulacra of human behavior. In *Proceedings of the 36th annual acm symposium on user interface software and technology*, pages 1–22, 2023.
- [29] C. Qian, X. Cong, C. Yang, W. Chen, Y. Su, J. Xu, Z. Liu, and M. Sun. Communicative agents for software development. *arXiv preprint arXiv:2307.07924*, 6(3), 2023.
- [30] Y. Qin, S. Hu, Y. Lin, W. Chen, N. Ding, G. Cui, Z. Zeng, Y. Huang, C. Xiao, C. Han, Y. R. Fung, Y. Su, H. Wang, C. Qian, R. Tian, K. Zhu, S. Liang, X. Shen, B. Xu, Z. Zhang, Y. Ye, B. Li, Z. Tang, J. Yi, Y. Zhu, Z. Dai, L. Yan, X. Cong, Y. Lu, W. Zhao, Y. Huang, J. Yan, X. Han, X. Sun, D. Li, J. Phang, C. Yang, T. Wu, H. Ji, Z. Liu, and M. Sun. Tool learning with foundation models, 2023.
- [31] M. Rossetto, J.-Y. S. Yap, J. Lemmon, D. Bain, J. Bragg, P. Hogbin, R. Gallagher, S. Rutherford, B. Summerell, and T. C. Wilson. A conservation genomics workflow to guide practical management actions. *Global ecology and conservation*, 26:e01492, 2021.
- [32] T. Schick, J. Dwivedi-Yu, R. Dessi, R. Raileanu, M. Lomeli, E. Hambro, L. Zettlemoyer, N. Cancedda, and T. Scialom. Toolformer: Language models can teach themselves to use tools. *Advances in Neural Information Processing Systems*, 36:68539–68551, 2023.
- [33] Significant Gravitas. AutoGPT, 2023. URL <https://github.com/Significant-Gravitas/AutoGPT>.
- [34] SMOL AI. SmolModels, 2023. URL <https://github.com/smol-ai/developer>.
- [35] N. Srinivas, A. Krause, S. M. Kakade, and M. Seeger. Gaussian process optimization in the bandit setting: No regret and experimental design. *arXiv preprint arXiv:0912.3995*, 2009.
- [36] J. Tang, T. Fan, and C. Huang. Autoagent: A fully-automated and zero-code framework for llm agents. *arXiv preprint arXiv:2502.05957*, 2025. URL <https://arxiv.org/abs/2502.05957>.
- [37] J. Tang, T. Fan, and C. Huang. Autoagent: A fully-automated and zero-code framework for llm agents. *arXiv e-prints*, pages arXiv–2502, 2025.
- [38] Team OPENPM. WorkGPT, 2023. URL <https://github.com/team-openpm/workgpt>.
- [39] Z. Wang, S. Mao, W. Wu, T. Ge, F. Wei, and H. Ji. Unleashing cognitive synergy in large language models: A task-solving agent through multi-persona self-collaboration, 2023.
- [40] J. Wei, Y. Tay, R. Bommasani, C. Raffel, B. Zoph, S. Borgeaud, D. Yogatama, M. Bosma, D. Zhou, D. Metzler, et al. Emergent abilities of large language models. *arXiv preprint arXiv:2206.07682*, 2022.
- [41] Q. Wu, G. Bansal, J. Zhang, Y. Wu, S. Zhang, E. Zhu, B. Li, L. Jiang, X. Zhang, and C. Wang. Autozen: Enabling next-gen llm applications via multi-agent conversation framework. *arXiv preprint arXiv:2308.08155*, 2023.
- [42] S. Yao, J. Zhao, D. Yu, N. Du, I. Shafraan, K. Narasimhan, and Y. Cao. React: Synergizing reasoning and acting in language models. *arXiv preprint arXiv:2210.03629*, 2022.
- [43] Q. Zhang, R. Meng, and N. Tomasev. Sirius: Self-improving multi-agent systems via continual skill discovery. *arXiv preprint arXiv:2503.05555*, 2025. URL <https://arxiv.org/abs/2503.05555>.
- [44] T. Zhou, Y. Liu, and K. Shao. Agentverse: Facilitating the development of multi-agent llm systems. *arXiv preprint arXiv:2310.01844*, 2023. URL <https://arxiv.org/abs/2310.01844>.
- [45] M. Zhuge, H. Liu, F. Faccio, D. R. Ashley, R. Csordás, A. Gopalakrishnan, A. Hamdi, H. A. A. K. Hammoud, V. Herrmann, K. Irie, et al. Mindstorms in natural language-based societies of mind. *arXiv preprint arXiv:2305.17066*, 2023.